The invention claimed is:

1. A system for preparing a pharmaceutical compound comprising:

a first computing device comprising a user interface providing an operator with instructions for preparing the pharmaceutical compound and at least one processor operatively connected to the user interface;

a scale operatively connected to the at least one processor; and

an image capture device operatively connected to the at least one processor and the scale and positioned to capture an image of a component used in preparing the pharmaceutical compound and the pharmaceutical compound,

wherein the image capture device is triggered to capture the image of the at least one component once the weight of the at least one component or the pharmaceutical compound on the scale has stabilized,

wherein the image of the at least one component is displayed on the user interface for review by the operator, and

wherein a removal of the at least one component from the scale causes the at least one processor to accept the image, associate the image with a data record, and provide instruction on the user interface to allow the operator to move to a next step of the instructions for preparing the pharmaceutical compound.

2. The system of claim 1, wherein the data record and images are provided to a pharmacist for verification.

3. The system of claim 1, wherein, if the image is deemed to be unacceptable by the operator, the user interface is configured to provide the operator with the capability to recapture the image.

4. The system of claim 1, further comprising a scanner operatively coupled to the user interface.

5. The system of claim 4, wherein the scanner is configured to scan a barcode provided on the

at least one component and provide the at least one processor with information regarding the at least one component.

6. A system for preparing a pharmaceutical compound, comprising:

a computing device comprising a user interface providing an operator with instructions for preparing the pharmaceutical compound and at least one processor operatively connected to the user interface;

a scale operatively connected to the at least one processor; and

an enclosure comprising an image capture device having a field of view positioned to capture an image of an object positioned on the scale during the preparation of the pharmaceutical compound, the image capture device operatively connected to the at least one processor,

wherein the scale transmits a signal to the at least one processor to verify a correct amount of at least one component of the pharmaceutical compound based on a weight of the at least one component, and

wherein the image capture device captures an image of the object positioned on the scale when the at least one processor verifies the correct amount of the at least one component.

7. The system of claim 6, wherein the enclosure is positioned above the scale.

8. The system of claim 6, wherein the enclosure further comprises a barcode scanner.

9. The system of claim 8, wherein the barcode scanner is angled with respect to the scale.

10. The system of claim 8, wherein the barcode scanner has a sensor that is offset with respect to the scale.

11. The system of claim 6, wherein the enclosure has a streamlined shape to minimize flow disturbance within a flow hood.

12. A system for reviewing a verifying preparation of a pharmaceutical compound comprising:

a processor configured to receive information regarding the preparation of the pharmaceutical compound, the information comprising at least one image of at least one step of the preparation of the pharmaceutical compound and gravimetric measurement information provided by a scale during at least one step of the preparation of the pharmaceutical compound; and

a user interface operatively connected to the processor and configured to display, based on instructions from the processor, the at least one image of the at least one step of the preparation of the pharmaceutical compound and an indication of whether a concentration of the pharmaceutical compound is within an acceptable tolerance range based on the gravimetric measurement information,

wherein the user interface displays, based on instructions from the processor, step-by-step instructions for preparation of the pharmaceutical compound,

wherein the processor will not instruct the user interface to display a subsequent step of the step-by-step instructions until the concentration of the pharmaceutical compound is within the acceptable tolerance range, and

wherein the at least one image of at least one step of the preparation of the pharmaceutical compound comprises an image of a component of the pharmaceutical compound and/or the pharmaceutical compound.

13. The system of claim 12, wherein the at least one image of the at least one step of the preparation of the pharmaceutical compound includes an image of each step of the preparation of the pharmaceutical compound, and that the user interface includes an area that displays thumbnail images of each step.

14. The system of claim 13, wherein a graphical indication is overlaid onto each of the thumbnail images to identify whether the concentration of the pharmaceutical compound is within the acceptable tolerance range for the step of the preparation of the pharmaceutical compound illustrated in each of the thumbnail images.

15. The system of claim 12, wherein the user interface includes an area that displays the instructions for the preparation of the pharmaceutical compound that corresponds to the at least

one image of the at least one step of the preparation of the pharmaceutical compound that is displayed.

16. A system for preparing a pharmaceutical compound comprising:

a computing device comprising a user interface providing an operator with instructions for preparing the pharmaceutical compound and at least one processor operatively connected to the user interface;

a scale operatively connected to the at least one processor; and

an image capture device operatively connected to the at least one processor and the scale and positioned to capture an image of at least one of a component used in preparing the pharmaceutical compound and the pharmaceutical compound,

wherein the scale transmits a signal to the at least one processor indicating that a weight detected thereby has changed when the at least one component is placed thereon and, based on the signal, the at least one processor triggers the image capture device to capture the image of the at least one component.

17. A system for preparing a pharmaceutical compound comprising:

a computing device comprising a user interface providing an operator with instructions for preparing the pharmaceutical compound and at least one processor operatively connected to the user interface;

a scale operatively connected to the at least one processor; and

an image capture device operatively connected to the at least one processor and the scale and positioned to capture an image of at least one of a component used in preparing the pharmaceutical compound and the pharmaceutical compound,

wherein the scale transmits a signal to the at least one processor to verify that a correct amount of at least one component used in preparing the pharmaceutical compound has been drawn by the operator based on a weight of the at least one component and the at least one processor triggers the image capture device to capture the image of the at least one component when the at least one processor verifies the correct amount of the at least one component.