
[Fig. 1A]


1-week ON+1-week OFF



NE: not examined (vehicle group)
Week 1~4: Day 8 (Week 1), Day 15 (Week 2), Day 22 (Week 3) and Day 29 (Week 4)

[Fig. 1B]


1-week ON+1-week OFF



NE: not examined (vehicle group)
Week 1~4: Day 8 (Week 1), Day 15 (Week 2), Day 22 (Week 3) and Day 29 (Week 4)

[Fig. 2A]


2-week ON+1-week OFF



Week 2~3:
Day 15 (Week 2) and Day 22 (Week 3)


[Fig. 2B]

2-week ON+1-week OFF




Week 2~3:
Day 15 (Week 2) and Day 22 (Week 3)


[Fig. 3]




[Fig. 4A]




[Fig. 4B]



[Fig. 5]


Tumor Volume (mm3) (Mean±SE)
1200
1000
800
600
400
200
0
0
5
10
15
20
25
Days
Control
Continuous
100 mg/kg/day,
Day1-21
GROUP II
100 mg/kg/day,
Day1-14
GROUP I
150 mg/kg/day,
Day1-7,15-21
***
***
***
N.S.
N.S.

[Fig. 6]


Body Weight Change (%) (Mean±SE)
20
15
10
5
0
-5
-10
-15
-20
0
5
10
15
20
25
Days
Control
Continuous
100 mg/kg/day,
Day1-21
Group II
100 mg/kg/day,
Day1-14
Group I
150 mg/kg/day,
Day1-7,15-21