(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau

(43) International Publication Date
7 May 2009 (07.05.2009)

PCT

(10) International Publication Number
WO 2009/057811 A3

(51) International Patent Classification:
C07D 401/12 (2006.01) *A61K 31/506* (2006.01)
C07D 403/12 (2006.01) *A61P 1/16* (2006.01)
A61K 31/444 (2006.01)

(21) International Application Number:
PCT/JP2008/070153

(22) International Filing Date: 29 October 2008 (29.10.2008)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
2007-281601 30 October 2007 (30.10.2007) JP
2007-336157 27 December 2007 (27.12.2007) JP

(71) Applicant *(for all designated States except US)*: **OTSUKA PHARMACEUTICAL CO., LTD.** [JP/JP]; 9, Kanda-Tsukasamachi 2-chome, Chiyoda-ku, Tokyo, 1018535 (JP).


(72) Inventors; and

(75) Inventors/Applicants *(for US only)*: **SUMIDA, Takumi** [JP/JP]; c/o OTSUKA PHARMACEUTICAL CO., LTD., 1-7-1, Doshomachi, Chuo-ku, Osaka-shi, Osaka, 5410045 (JP). **TABUSA, Fujio** [JP/JP]; c/o OTSUKA PHARMACEUTICAL CO., LTD., 1-7-1, Doshomachi, Chuo-ku, Osaka-shi, Osaka, 5410045 (JP). **SEKIGUCHI, Kazuo** [JP/JP]; c/o OTSUKA PHARMACEUTICAL CO., LTD., 1-7-1, Doshomachi, Chuo-ku, Osaka-shi, Osaka, 5410045 (JP). **KODAMA, Takeshi** [JP/JP]; c/o OTSUKA PHARMACEUTICAL CO., LTD., 1-7-1, Doshomachi, Chuo-ku, Osaka-shi, Osaka, 5410045 (JP). **YASUMURA, Koichi** [JP/JP]; c/o OTSUKA PHARMACEUTICAL CO., LTD., 1-7-1, Doshomachi, Chuo-ku, Osaka-shi, Osaka, 5410045 (JP). **KOJIMA, Yutaka** [JP/JP]; c/o OTSUKA PHARMACEUTICAL CO., LTD., 1-7-1, Doshomachi, Chuo-ku, Osaka-shi, Osaka, 5410045 (JP). **MOTOYAMA, Masaaki** [JP/JP]; c/o OTSUKA PHARMACEUTICAL CO., LTD., 1-7-1, Doshomachi, Chuo-ku, Osaka-shi, Osaka, 5410045 (JP). **MIYAJIMA, Keisuke** [JP/JP]; c/o OTSUKA PHARMACEUTICAL CO., LTD., 1-7-1, Doshomachi, Chuo-ku, Osaka-shi, Osaka, 5410045 (JP). **YOSHIDA, Kenji** [JP/JP]; c/o OTSUKA PHARMACEUTICAL CO., LTD., 1-7-1, Doshomachi, Chuo-ku, Osaka-shi, Osaka, 5410045 (JP). **KAN, Keizo** [JP/JP]; c/o OTSUKA PHARMACEUTICAL CO., LTD., 1-7-1, Doshomachi, Chuo-ku, Osaka-shi, Osaka, 5410045 (JP). **SAKAMOTO, Makoto** [JP/JP]; c/o OTSUKA PHARMACEUTICAL CO., LTD., 1-7-1, Doshomachi, Chuo-ku, Osaka-shi, Osaka, 5410045 (JP). **TAKASU, Hideki** [JP/JP]; c/o OTSUKA PHARMACEUTICAL CO., LTD., 1-7-1, Doshomachi, Chuo-ku, Osaka-shi, Osaka, 5410045 (JP). **NAKAGAWA, Takashi** [JP/JP]; c/o OTSUKA PHARMACEUTICAL CO., LTD., 1-7-1, Doshomachi, Chuo-ku, Osaka-shi, Osaka, 5410045 (JP). **OHI, Naoto** [JP/JP]; c/o OTSUKA PHARMACEUTICAL CO., LTD., 1-7-1, Doshomachi, Chuo-ku, Osaka-shi, Osaka, 5410045 (JP). **HARADA, Yasuo** [JP/JP]; c/o OTSUKA PHARMACEUTICAL CO., LTD., 1-7-1, Doshomachi, Chuo-ku, Osaka-shi, Osaka, 5410045 (JP). **HASHIMOTO, Norikazu** [JP/JP]; c/o OTSUKA PHARMACEUTICAL CO., LTD., 1-7-1, Doshomachi, Chuo-ku, Osaka-shi, Osaka, 5410045 (JP). **MATSUYAMA, Hironori** [JP/JP]; c/o OTSUKA PHARMACEUTICAL CO., LTD., 1-7-1, Doshomachi, Chuo-ku, Osaka-shi, Osaka, 5410045 (JP). **IIDA, Masatoshi** [JP/JP]; c/o OTSUKA PHARMACEUTICAL CO., LTD., 1-7-1, Doshomachi, Chuo-ku, Osaka-shi, Osaka, 5410045 (JP). **FUJITA, Shigekazu** [JP/JP]; c/o OTSUKA PHARMACEUTICAL CO., LTD., 1-7-1, Doshomachi, Chuo-ku, Osaka-shi, Osaka, 5410045 (JP). **FUKUSHIMA, Tae** [JP/JP]; c/o OTSUKA PHARMACEUTICAL CO., LTD., 1-7-1, Doshomachi, Chuo-ku, Osaka-shi, Osaka, 5410045 (JP).


(74) Agents: **Saegusa & Partners** et al.; Kitahama TNK Building, 1-7-1, Doshomachi, Chuo-kuOsaka-shi, Osaka, 5410045 (JP).

[Continued on next page]

(54) Title: HETEROCYCLIC COMPOUND AND PHARMACEUTICAL COMPOSITION THEREOF



(1)



(2)

(57) Abstract: The present invention provides a heterocyclic compound represented by General Formula (1): wherein R^1 is a group R^5-Z_1-, etc., Z_1 is a lower alkylene group, etc., and R^5 is a group represented by General Formula; wherein R^{13} is a hydrogen atom, etc., m is an integer from 1 to 5; R^2 is a hydrogen atom: Y is CH or N: A_1 is a heterocyclic ring selected from the group consisting of indolediyl groups, wherein the heterocyclic ring may have at least one substituent: T is a group -CO-, etc.: R^3 is a hydrogen atom, etc.: R^4 is a lower alkyl group optionally substituted by one or more hydroxy groups, etc.: R^3 and R^4, together with the nitrogen atom to which they bind, may bind to each other and form a 5- to 10-membered saturated heterocyclic ring, wherein the heterocyclic ring may have at least one substituent. The heterocyclic compound of the present invention has excellent effects of suppressing the production of collagen and/or treating tumors.

WO 2009/057811 A3

(81) **Designated States** *(unless otherwise indicated, for every kind of national protection available)*: AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) **Designated States** *(unless otherwise indicated, for every kind of regional protection available)*: ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, NO, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— *with international search report*

— *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments*

(88) **Date of publication of the international search report:**
9 July 2009