


## CLAIMS

### ~~What is claimed~~ Claims


1. 1. A compound of Formula (I),




wherein:

R<sup>2</sup> is selected from the group consisting of:


(a)




(c) pyrazole or 1H-1,2,4-triazole each substituted with one or two members each independently selected from the group consisting of: H, Cl, C<sub>1-4</sub>alkyl, cyclopropyl and phenyl;



(f)



(g)



where X is selected from the group consisting of: O, S, NH, and NCH<sub>3</sub>;

R<sup>a</sup> is H or halo;


R<sup>b</sup> is selected from the group consisting of: H, halo and CH<sub>3</sub>;

R<sup>c</sup> is H or CF<sub>3</sub>; and

R<sup>d</sup> is H or CH<sub>3</sub>;


R<sup>3</sup> is selected from the group consisting of:


(~~ha~~) Phenyl; or phenyl independently substituted with one or two members selected from the group consisting of: halo and OC<sub>1-4</sub>haloalkyl;



(j) (~~c~~) C<sub>3-4</sub>cycloalkyl; and

R<sup>4</sup> is selected from the group consisting of: C<sub>1-4</sub>alkyl;





with the proviso that when R<sup>2</sup> is , then R<sup>3</sup> is cyclopropyl, and


~~pharmaceutically acceptable salts, isotopes, N-oxides, solvates, and stereoisomers thereof.~~



and pharmaceutically acceptable salts, isotopes, N-oxides, and stereoisomers thereof.



2. A compound as claimed in claim 1, wherein R<sup>2</sup> is







3. A compound as claimed in claim 1, wherein R<sup>2</sup> is







4. 4. A compound as claimed in claim 1, wherein R<sup>2</sup> is  or .

 or .


5. 5. A compound as claimed in claim 1, wherein R<sup>2</sup> is  or .

6. 6. A compound as claimed in claim 1, wherein R<sup>2</sup> is  or .


7. 7. A compound as claimed in claim 1, wherein R<sup>2</sup> is  or .

 or .


8. 8. A compound as claimed in claim 1, wherein R<sup>2</sup> is




9. 9. A compound as claimed in claim 1, wherein R<sup>2</sup> is




10. 10. A compound as claimed in claim 1, wherein R<sup>2</sup> is





11. 11. A compound as claimed in claim 1, wherein R<sup>2</sup> is




12. 12. A compound as claimed in claim 1, wherein R<sup>2</sup> is .

13. 13. A compound as claimed in claim 1, wherein R<sup>2</sup> is



14. 14. A compound as claimed in claim 1, wherein R<sup>2</sup> is .



15. 14. A compound as claimed in claim 1, wherein R<sup>3</sup> is phenyl, 3,5-difluorophenyl, 3-chlorophenyl, 3-fluorophenyl, or 3-(difluoromethoxy)phenyl.

16. 15. A compound as claimed in claim 1, wherein R<sup>3</sup> is cyclopropyl.

17. 16. A compound as claimed in claim 1, wherein R<sup>4</sup> is CH<sub>3</sub>.

18. 17. A compound as claimed in claim 1, wherein X is O.

19. 18. A compound as claimed in claim 1, wherein X is S.

20. 19. A compound as claimed in claim 1, wherein X is NH or NCH<sub>3</sub>.

21. 20. A compound selected from the group consisting of:

(2-Methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(naphthalen-1-yl)methanone;

(3-Cyclopropyl-2-methyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(2,3-dichlorophenyl)methanone;

(3-Cyclopropyl-2-methyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(naphthalen-1-yl)methanone;

(2-Fluoro-3-(trifluoromethoxy)phenyl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(2-Methoxy-6-(trifluoromethyl)phenyl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(3-Methoxy-5-(trifluoromethyl)phenyl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(2-Methoxy-3-methylphenyl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(2-Ethyl-3-methoxyphenyl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(3,4-Dimethoxyphenyl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(2,6-Dimethoxyphenyl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(3,5-Dimethoxyphenyl)-(2-methyl-3-phenyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(2-Chloro-3-hydroxyphenyl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(2-Chloro-3-methoxyphenyl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(3-Chloro-2-methoxy-phenyl)-(2-methyl-3-phenyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(2-Chloro-6-methoxyphenyl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(3-Chloro-5-methoxyphenyl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(2-Amino-3-methylphenyl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(2-(1H-1,2,4-Triazol-1-yl)phenyl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(2-Methyl-3-morpholinophenyl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(5-Chloro-1-methyl-1H-pyrazol-4-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(1,5-Dimethyl-1H-pyrazol-4-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(5-Cyclopropyl-1-methyl-1H-pyrazol-4-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(2-Methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1-phenyl-1H-1,2,4-triazol-3-yl)methanone;

(6-(Difluoromethoxy)pyridin-2-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(2-Methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(6-(trifluoromethoxy)pyridin-2-yl)methanone;

5-(2-Methyl-3-phenyl-4,5,6,7-tetrahydro-2H-pyrazolo[3,4-c]pyridine-6-carbonyl)-2H-benzo[b][1,4]oxazin-3(4H)-one;

(4-Methyl-3,4-dihydro-2H-benzo[b][1,4]oxazin-7-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

Benzo[d][1,3]dioxol-4-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

Benzo[d][1,3]dioxol-5-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(2,2-Difluorobenzo[d][1,3]dioxol-4-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(2-Methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(4H-thieno[3,2-b]pyrrol-2-yl)methanone;

(2-Methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(6-methylimidazo[2,1-b]thiazol-5-yl)methanone;

Benzofuran-7-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

Benzofuran-4-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

Benzofuran-5-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

Benzofuran-3-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;  
 Benzo[b]thiophen-7-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;  
 Benzo[b]thiophen-4-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;  
 Benzo[b]thiophen-5-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;  
 Benzo[b]thiophen-3-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;  
 (3-Chlorobenzo[b]thiophen-2-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;  
 (1H-Indol-4-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;  
 (1H-Indol-5-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;  
 (1H-Indol-3-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;  
 (1H-Indol-7-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;  
 (1H-Indol-6-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;  
 (5-Fluoro-1H-indol-4-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;  
 (7-Chloro-1H-indol-3-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;  
 (4-Chloro-1H-indol-3-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;  
 (7-Methyl-1H-indol-2-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(1-Methyl-1H-indol-4-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(1-Methyl-1H-indol-3-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

Benzo[d]isoxazol-3-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(6-Chlorobenzo[d]isoxazol-3-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

Benzo[c]isoxazol-3-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

Benzo[d]oxazol-6-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

Benzo[d]oxazol-2-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

Benzo[d]oxazol-5-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

Benzo[d]thiazol-7-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

Benzo[d]thiazol-5-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

Benzo[d]thiazol-4-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

Benzo[d]thiazol-2-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

Benzo[d]isothiazol-3-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(1H-Indazol-5-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(1H-Indazol-4-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(1H-Indazol-3-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(1H-Indazol-7-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(1H-Indazol-6-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(7-Chloro-1H-indazol-3-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(1-Methyl-1H-indazol-3-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(1H-Benzo[d]imidazol-5-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(2-Methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(2-(trifluoromethyl)-1H-benzo[d]imidazol-4-yl)methanone;

(2-Methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(pyrazolo[1,5-a]pyridin-5-yl)methanone;

(2-Methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(pyrazolo[1,5-a]pyridin-3-yl)methanone;

(2-Methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(pyrazolo[1,5-a]pyridin-7-yl)methanone;

Imidazo[1,5-a]pyridin-1-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

Imidazo[1,5-a]pyridin-6-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

Imidazo[1,5-a]pyridin-7-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

Imidazo[1,5-a]pyridin-5-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

Imidazo[1,2-a]pyridin-5-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

Imidazo[1,2-a]pyridin-3-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(5-Chloro-2-methylimidazo[1,2-a]pyridin-3-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(2-Methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1H-pyrrolo[3,2-c]pyridin-3-yl)methanone;

(1-Methyl-1H-pyrrolo[2,3-b]pyridin-4-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

[1,2,4]Triazolo[1,5-a]pyridin-5-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(2-Methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-4-yl)methanone;

Isoquinolin-4-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

Isoquinolin-1-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(2-Methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-5-yl)methanone;

(2-Methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;

(2-Ethyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;

Isoquinolin-5-yl(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(2-Methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-8-yl)methanone;


(2-Methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-2-yl)methanone;

(2-Methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-3-yl)methanone;


(8-Fluoroquinolin-4-yl)(2-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;  
 (2-Methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinoxalin-5-yl)methanone;  
 (3-(3-(Difluoromethoxy)phenyl)-2-methyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;  
 (3-(3-Chlorophenyl)-2-methyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;  
 (3-(3-Fluorophenyl)-2-methyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;  
 (3-(3,5-Difluorophenyl)-2-methyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;  
 Benzo[d]isoxazol-3-yl(2-methyl-3-(5-methylthiophen-2-yl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;  
 (2-Methyl-3-(5-(trifluoromethyl)thiophen-2-yl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;  
 (3-(1H-Indol-2-yl)-2-methyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone; and  
 (2-Methyl-3-(1-methyl-1H-indol-2-yl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;  
 and pharmaceutically acceptable salts, isotopes, N-oxides, ~~solvates~~, and stereoisomers thereof.

~~22.~~ 21. A pharmaceutical composition comprising:

(A) ~~a therapeutically effective amount of~~ at least one compound of Formula (I):




$R^2$  is selected from the group consisting of:


[illegible]

(c) pyrazole or 1H-1,2,4-triazole each substituted with one or two members each independently selected from the group consisting of: H, Cl, C<sub>1-4</sub>alkyl, cyclopropyl and phenyl;


(d)




(e)



(f)



(g)



where X is selected from the group consisting of: O, S, NH, and NCH<sub>3</sub>;

R<sup>a</sup> is H or halo;


R<sup>b</sup> is selected from the group consisting of: H, halo and CH<sub>3</sub>;

R<sup>c</sup> is H or CF<sub>3</sub>; and

R<sup>d</sup> is H or CH<sub>3</sub>;


R<sup>3</sup> is selected from the group consisting of:


(h) Phenyl; or phenyl independently substituted with one or two members selected from the group consisting of: halo and OC<sub>1-4</sub>haloalkyl;



(j) C<sub>3-4</sub>cycloalkyl; and

R<sup>4</sup> is selected from the group consisting of: C<sub>1-4</sub>alkyl;




with the proviso that when  $R^2$  is , then  $R^3$  is cyclopropyl;  
and pharmaceutically acceptable salts, isotopes, N-oxides, solvates, and stereoisomers of  
compounds of Formula (I);

(B) at least one pharmaceutically acceptable excipient.

~~23.~~ 22. A pharmaceutical composition comprising a therapeutically effective amount of at  
least one compound of claim ~~21~~20 and at least one pharmaceutically acceptable excipient.


~~24.~~ A method of treating a subject suffering from or diagnosed with a disease, disorder, or  
condition mediated by MGL receptor activity, comprising administering to a subject in  
need of such treatment a therapeutically effective amount of at least one compound of  
Formula (I):



wherein:

$R^2$  is selected from the group consisting of:


(a)




(b) pyridyl substituted with  $OC_{1-4}$  haloalkyl;

(c) pyrazole or 1H-1,2,4-triazole each substituted with one or two members each independently selected from the group consisting of: H, Cl, C<sub>1-4</sub>alkyl, cyclopropyl and phenyl;


(d)




(e)



(f)



(g)



where X is selected from the group consisting of: O, S, NH, and NCH<sub>3</sub>;

R<sup>a</sup> is H or halo;


R<sup>b</sup> is selected from the group consisting of: H, halo and CH<sub>3</sub>;

R<sup>c</sup> is H or CF<sub>3</sub>; and


R<sup>d</sup> is H or CH<sub>3</sub>;

R<sup>e</sup> is selected from the group consisting of:

(h) Phenyl; or phenyl independently substituted with one or two members selected from the group consisting of: halo and  $\text{OC}_{1-4}\text{haloalkyl}$ ;



$\text{R}^4$  is selected from the group consisting of:  $\text{C}_{1-4}\text{alkyl}$ ;


with the proviso that when  $\text{R}^2$  is , then  $\text{R}^3$  is cyclopropyl;  
 and pharmaceutically acceptable salts, isotopes, N-oxides, solvates, and stereoisomers of compounds of Formula (I).


25. The method of claim 24, wherein the MGL receptor mediated disease, disorder, or condition is selected from the group consisting of: pain, psychiatric conditions, neurological conditions, cancers and eye conditions.

26. The method of claim 25, wherein the MGL receptor mediated disease, disorder or condition is selected from the group consisting of major depressive disorder, treatment resistant depression, anxious depression and bipolar disorder

27. The method of claim 25, wherein the MGL receptor mediated disease, disorder or condition is inflammatory pain.

28. 23. A compound, having the structure of Formula (II):







wherein

$R^1$  is  $C_{1-4}$ alkyl;


$R^{2a}$  is selected from the group consisting of:





(c) 5-Membered heteroaryl selected from the group consisting of:




(d) 5,6-Fused or 6,5-fused heteroaryl selected from the group consisting of:










(e) Fused 6,6 heteroaryl selected from the group consisting of:





(f) Heterocycloalkyl selected from the group consisting of:






$R^{3a}$  is selected from the group consisting of:

(g) (a) Phenyl; or phenyl substituted with one, two, or three members each independently selected from the group consisting of: halo,  $C_{1-4}$ alkyl,  $C_{1-4}$ haloalkyl,  $OC_{1-4}$ alkyl, and  $OC_{1-6}$ haloalkyl;


(h) (b) 5-Membered heteroaryl selected from the group consisting of: ,  $CF_3$  , and ;

(i) (c) 6-Membered heteroaryl selected from the group consisting of: , and ;

(j) (d) 5,6-Fused or 6,5-fused heteroaryl selected from the group consisting of:




(k) (e) Heterocycloalkyl selected from the group consisting of:



R<sup>e</sup> is selected from the group consisting of: OC<sub>1-4</sub>alkyl, OC<sub>1-4</sub>haloalkyl, (C=O)NHCH<sub>3</sub>, and 5-membered heteroaryl ring containing two or three nitrogen members, wherein the 5-membered heteroaryl ring is optionally substituted with one R<sup>f</sup> member;

R<sup>f</sup> is selected from the group consisting of: H, halo, C<sub>1-4</sub>alkyl, C<sub>1-4</sub>haloalkyl, OC<sub>1-4</sub>alkyl, and OC<sub>1-4</sub>haloalkyl;

R<sup>g</sup> is selected from the group consisting of: OC<sub>1-4</sub>alkyl, OC<sub>1-4</sub>haloalkyl, CH<sub>2</sub>OCH<sub>3</sub>, CH<sub>2</sub>OH,



R<sup>h</sup> is selected from the group consisting of: H, C<sub>1-4</sub>alkyl, C<sub>1-4</sub>haloalkyl, and C<sub>3-6</sub>cycloalkyl;

R<sup>i</sup> is selected from the group consisting of: H, halo, C<sub>1-4</sub>alkyl, C<sub>1-4</sub>haloalkyl, OC<sub>1-4</sub>alkyl, C<sub>3-6</sub>cycloalkyl, and C<sub>3-6</sub>cycloalkyl substituted with one or two members independently selected from: F and CH<sub>3</sub>;







R<sup>j</sup> is selected from the group consisting of: H, halo, C<sub>1-4</sub>alkyl and C<sub>1-4</sub>haloalkyl;

R<sup>4a</sup> is selected from the group consisting of: CH<sub>3</sub>, CF<sub>2</sub>H, CF<sub>3</sub>, C<sub>3-6</sub>cycloalkyl, and phenyl; and pharmaceutically acceptable salts, isotopes, N-oxides, ~~solvents~~, and stereoisomers thereof.


25. A compound as claimed in claim 23, wherein R<sup>1</sup> is CH<sub>2</sub>CH<sub>3</sub>.




Figure 1 displays chemical structures of 18F-labeled compounds, organized into three horizontal rows. Each structure consists of a benzene ring substituted with a fluorine atom (F) and a 18F-labeled benzyl ether group (18F-CH2-CH2-O-). The structures are separated by commas and wavy lines indicating attachment points.

- Top Row:** Shows 18F-labeled benzyl ethers with various fluorine and 18F substitutions on the benzene ring. The structures include:
  - 18F-CH2-CH2-O-C6H4-F (para)
  - 18F-CH2-CH2-O-C6H4-F (meta)
  - 18F-CH2-CH2-O-C6H4-F (ortho)
  - 18F-CH2-CH2-O-C6H3(F)2 (1,3-difluoro)
  - 18F-CH2-CH2-O-C6H3(F)2 (1,4-difluoro)
  - 18F-CH2-CH2-O-C6H3(F)2 (1,2-difluoro)
  - 18F-CH2-CH2-O-C6H2(F)3 (1,3,5-trifluoro)
  - 18F-CH2-CH2-O-C6H2(F)3 (1,3,4-trifluoro)
- Middle Row:** Shows 18F-labeled benzyl ethers with fluorine and 18F substitutions, and also includes a 18F-labeled benzyl ether with a trifluoromethoxy group. The structures include:
  - 18F-CH2-CH2-O-C6H4-F (para)
  - 18F-CH2-CH2-O-C6H4-F (meta)
  - 18F-CH2-CH2-O-C6H4-F (ortho)
  - 18F-CH2-CH2-O-C6H3(F)2 (1,3-difluoro)
  - 18F-CH2-CH2-O-C6H3(F)2 (1,4-difluoro)
  - 18F-CH2-CH2-O-C6H3(F)2 (1,2-difluoro)
  - 18F-CH2-CH2-O-C6H2(F)3 (1,3,5-trifluoro)
  - 18F-CH2-CH2-O-C6H2(F)3 (1,3,4-trifluoro)
- Bottom Row:** Shows 18F-labeled benzyl ethers with fluorine and 18F substitutions, and also includes a 18F-labeled benzyl ether with a trifluoromethoxy group. The structures include:
  - 18F-CH2-CH2-O-C6H4-F (para)
  - 18F-CH2-CH2-O-C6H4-F (meta)
  - 18F-CH2-CH2-O-C6H4-F (ortho)
  - 18F-CH2-CH2-O-C6H3(F)2 (1,3-difluoro)
  - 18F-CH2-CH2-O-C6H3(F)2 (1,4-difluoro)
  - 18F-CH2-CH2-O-C6H3(F)2 (1,2-difluoro)
  - 18F-CH2-CH2-O-C6H2(F)3 (1,3,5-trifluoro)
  - 18F-CH2-CH2-O-C6H2(F)3 (1,3,4-trifluoro)








32. 27. A compound as claimed in claim 2823, wherein  $R^{2a}$  is ; where  $R^e$














36. 31. A compound as claimed in claim 2823, wherein R<sup>2a</sup> is





37. 32. A compound as claimed in claim 2823, wherein R<sup>2a</sup> is





38. 33. A compound as claimed in claim 2823, wherein R<sup>2a</sup> is .

39. 34. A compound as claimed in claim 2823, wherein R<sup>2a</sup> is





40. 35. A compound as claimed in claim 2823, wherein R<sup>2a</sup> is







41. 36. A compound as claimed in claim 2823, wherein R<sup>2a</sup> is




42. 37. A compound as claimed in claim 2823, wherein R<sup>2a</sup> is




43. 38. A compound as claimed in claim 2823, wherein R<sup>2a</sup> is





44. 39. A compound as claimed in claim 2823, wherein R<sup>2a</sup> is





45. 40. A compound as claimed in claim 2823, wherein R<sup>2a</sup> is











46. ~~41.~~ A compound as claimed in claim ~~28~~23, wherein R<sup>2a</sup> is







47. ~~42.~~ A compound as claimed in claim ~~28~~23, wherein R<sup>2a</sup> is












51. 46. A compound as claimed in claim 2823, wherein R<sup>2a</sup> is









52. ~~47.~~ A compound as claimed in claim ~~28~~23, wherein R<sup>2a</sup> is




53. ~~48.~~ A compound as claimed in claim ~~28~~23, wherein R<sup>2a</sup> is





54. 49. A compound as claimed in claim ~~28~~23, wherein R<sup>2a</sup> is




55. 50. A compound as claimed in claim ~~28~~23, wherein R<sup>2a</sup> is .

56. 51. A compound as claimed in claim ~~28~~23, wherein R<sup>2a</sup> is







57. 52. A compound as claimed in claim ~~28~~23, wherein R<sup>2a</sup> is




58. 53. A compound as claimed in claim ~~28~~23, wherein R<sup>2a</sup> is




59. 54. A compound as claimed in claim 2823, wherein R<sup>2a</sup> is





60. 55. A compound as claimed in claim 2823, wherein R<sup>2a</sup> is





61. 56. A compound as claimed in claim 2823, wherein R<sup>2a</sup> is




62. 57. A compound as claimed in claim 2823, wherein R<sup>2a</sup> is



63. 58. A compound as claimed in claim 2823, wherein R<sup>2a</sup> is



64. 59. A compound as claimed in claim 2823, wherein R<sup>2a</sup> is




65. 60. A compound as claimed in claim 2823, wherein R<sup>3a</sup> is Phenyl; or phenyl substituted with one member selected from the group consisting of: F, Cl, OCH<sub>3</sub>, OCH<sub>2</sub>CH<sub>3</sub>, OCH(CH<sub>3</sub>)<sub>2</sub>, OCHF<sub>2</sub>, CF<sub>3</sub>, CF<sub>2</sub>CH<sub>3</sub>, OCF<sub>2</sub>H, and OCF<sub>3</sub>.


66. 61. A compound as claimed in claim 2823, wherein R<sup>3a</sup> is phenyl substituted with two or three members independently selected from the group consisting of: F, Cl, CH<sub>3</sub>, CF<sub>2</sub>H, OCF<sub>2</sub>H and OCH<sub>3</sub>.


67. 62. A compound as claimed in claim 2823, wherein R<sup>3a</sup> is 3,5-difluorophenyl, 3,5-dichlorophenyl, 3-chloro-5-fluorophenyl, 3-fluoro-5-methoxyphenyl, 3-chloro-4-methoxyphenyl, 3-fluoro-4-methoxyphenyl, or 3,4,5-trifluorophenyl.

68. 63. A compound as claimed in claim ~~28~~23, wherein R<sup>3a</sup> is



69. 64. A compound as claimed in claim ~~28~~23, wherein R<sup>3a</sup> is





70. 65. A compound as claimed in claim 2823, wherein R<sup>4a</sup> is CH<sub>3</sub>.


71. 66. A compound as claimed in claim 2823, wherein R<sup>4a</sup> is CF<sub>3</sub>.

72. 67. A compound as claimed in claim 2823, wherein R<sup>4a</sup> is CF<sub>2</sub>H.


73. 68. A compound as claimed in claim 2823, wherein R<sup>4a</sup> is phenyl.

69. The compound of claim 28, 23, having the structure of Formula (IIA):

74.




and pharmaceutically acceptable salts, isotopes, N-oxides, ~~solvates~~, and stereoisomers thereof, ~~having the structure of Formula (IIA):~~, wherein



wherein

R<sup>1</sup> is CH<sub>3</sub>;

R<sup>2a</sup> is selected from the group consisting of:




R<sup>4a</sup> is CH<sub>3</sub> or phenyl; and


each R<sup>n</sup> is independently selected from the group consisting of: H, Cl and F; and

m is 1,2, or 3.

70. The compound of claim 28, ~~23~~, having the structure of Formula (IIB):



~~75.~~—and pharmaceutically acceptable salts, isotopes, N-oxides, ~~solvates~~, and stereoisomers thereof, ~~having the structure of Formula (IIB):~~



wherein

R<sup>1</sup> is CH<sub>3</sub> or CH<sub>2</sub>CH<sub>3</sub>

R<sup>e</sup> is selected from the group consisting of: OC<sub>1-4</sub>alkyl, OC<sub>1-4</sub>haloalkyl,

(C=O)NHCH<sub>3</sub>, and 5-membered heteroaryl ring containing two or three nitrogen members, wherein the 5-membered heteroaryl ring is optionally substituted with one R<sup>f</sup> member;

R<sup>f</sup> is selected from the group consisting of: H, halo, C<sub>1-4</sub>alkyl, C<sub>1-4</sub>haloalkyl, OC<sub>1-4</sub>alkyl, and OC<sub>1-4</sub>haloalkyl;

R<sup>3a</sup> is phenyl substituted with one, two, or three members independently selected from halo or C<sub>1-4</sub>alkyl; and  
R<sup>4a</sup> is CH<sub>3</sub>.


~~76.~~ 71. A compound of claim ~~75~~70, wherein  
R<sup>1</sup> is CH<sub>3</sub>;

R<sup>e</sup> is selected from the group consisting of: OC<sub>1-4</sub>alkyl, OC<sub>1-4</sub>haloalkyl, (C=O)NHCH<sub>3</sub>,  
and 5-membered heteroaryl ring containing two or three nitrogen members, wherein  
the 5-membered heteroaryl ring is optionally substituted with one R<sup>f</sup> member;


R<sup>f</sup> is selected from the group consisting of: H, halo, C<sub>1-4</sub>alkyl, C<sub>1-4</sub>haloalkyl,  
OC<sub>1-4</sub>alkyl, and OC<sub>1-4</sub>haloalkyl;

R<sup>3a</sup> is 3-chlorophenyl, 3,5-difluorophenyl, 3-fluoro-5-methyl-phenyl, or 3,4,5-  
trifluorophenyl; and  
R<sup>4a</sup> is CH<sub>3</sub>.

72. The compound of claim ~~28,~~ 23, having the structure of Formula (IIC):




~~77.~~ and pharmaceutically acceptable salts, isotopes, N-oxides, ~~solvates,~~ and stereoisomers  
thereof, ~~having the structure of Formula (IIC);~~ wherein





~~wherein~~

R<sup>1</sup> is CH<sub>3</sub>;

R<sup>2a</sup> is selected from the group consisting of:







$R^i$  is selected from the group consisting of: H, F,  $CH_3$ ,  $CF_3$ ,  $CF_2H$ ,  $OCH_3$ , and cyclopropyl;

$R^j$  is selected from the group consisting of: H, Br, F,  $CH_3$ , and  $CF_3$ ;

$R^m$  is H or  $CH_3$ ;

$R^n$  is selected from the group consisting of: H, halo and  $OCH_3$ ;

$R^o$  is selected from the group consisting of: H,  $CH_3$ ,  $CF_3$ ,  $CF_2H$ , and  $CH_2CH_2F$ ;

Y is CH or N;


and


$R^{3a}$  is phenyl substituted with one, two or three members each independently selected from the group consisting of: Cl, F,  $CH_3$ , and  $OCH_3$ .


~~78.~~ 73. A compound of claim ~~77~~72, wherein





$R^1$  is  $CH_3$ ;


R<sup>2a</sup> is
























R<sup>3a</sup> is 3-chlorophenyl, 3,5-difluorophenyl, 3,5-dichlorophenyl, 3-fluoro-5-methylphenyl, 3-chloro-5-methoxy-phenyl, or 3,4,5-trifluorophenyl.

74. The compound of claim 28, 23, having the structure of Formula (IID):





79. and pharmaceutically acceptable salts, isotopes, N-oxides, solvates, and stereoisomers thereof, having the structure of Formula (IID): wherein



wherein

R<sup>2a</sup> is selected from the group consisting of:





$R^f$  is selected from the group consisting of: H, F and  $\text{OCH}_3$ ;

$R^j$  is selected from the group consisting of: H, Cl, F and  $\text{CF}_3$ ;

$R^k$  is selected from the group consisting of: H, Br,  $\text{CH}_3$ ,  $\text{CF}_3$ , OH, and  $\text{OCH}_2\text{CH}_2\text{F}$ ;


$R^m$  is H or  $\text{CH}_3$ ; and

$R^p$  is selected from the group consisting of: H,  $\text{CH}_3$ , and  $\text{OCH}_3$ ;

$R^{3a}$  is selected from the group consisting of:


- (a) Phenyl; or phenyl substituted with one, two or three members each independently selected from the group consisting of: Cl, F,  $\text{C}_{1-4}\text{alkyl}$ ,  $\text{CF}_3$ ,  $\text{OC}_{1-4}\text{alkyl}$ ,  $\text{OCF}_3$ , and  $\text{OCF}_2\text{H}$ ; and

(b)



~~80.~~ A75. The compound of claim ~~80~~23, wherein  $R^{2a}$  is





R<sup>3a</sup> is 5-methylfuran-2-yl, 5-(trifluoromethyl)furan-2-yl, pyridin-3-yl, 5-fluoropyridin-3-yl, 5-(trifluoromethyl)pyridin-3-yl, phenyl, 3-chlorophenyl, 3,5-difluorophenyl, 3,5-

R<sup>4a</sup> is CH<sub>3</sub>.


\*C1=CN(R4a)C(=C(R3a)C2CCN(C2)C(=O)C3(\*)C3)C1


(IIE)

R4a-N1C(=N2C(=C(R3a)CCN2C(=O)A)CC1

(IIE)

ring                       is selected from the group consisting of:






where

Y is CH or N;

R<sup>f</sup> is H or F;

R<sup>g</sup> is selected from the group consisting of: OC<sub>1-4</sub>alkyl, CH<sub>2</sub>OCH<sub>3</sub>, CH<sub>2</sub>OH,



R<sup>h</sup> is selected from the group consisting of: C<sub>1-4</sub>alkyl, CF<sub>3</sub>, and cyclopropyl;

R<sup>i</sup> is selected from the group consisting of: H, halo, C<sub>1-4</sub>alkyl, CF<sub>2</sub>H, CF<sub>3</sub>, OCH<sub>3</sub>, cyclopropyl, cyclobutyl, and cyclopropyl substituted with one or two members independently selected from: F and CH<sub>3</sub>;


R<sup>j</sup> is selected from the group consisting of: H, Cl, F, and CH<sub>3</sub>;

R<sup>m</sup> is H, CH<sub>3</sub>, or CH<sub>2</sub>CH<sub>3</sub>;


R<sup>3a</sup> is selected from the group consisting of: phenyl, 3-chlorophenyl, 5-difluorophenyl, 3-fluoro-5-methyl-phenyl, and 3,4,5-trifluorophenyl; and

R<sup>4a</sup> is selected from the group consisting of: CH<sub>3</sub>, C<sub>3-6</sub>cycloalkyl, and phenyl.


77. The compound of claim 28, 23, having the structure of Formula (IIF):





82. and pharmaceutically acceptable salts, isotopes, N-oxides, solvates, and stereoisomers thereof, having the structure of Formula (IIF); wherein



wherein

ring  is selected from the group consisting of:





where

R<sup>h</sup> is CH<sub>3</sub>;

R<sup>j</sup> is H or CF<sub>2</sub>H;

R<sup>m</sup> is H or CH<sub>3</sub>;

R<sup>3a</sup> is 3-chlorophenyl or 3,4,5-trifluorophenyl.

83. 78. A compound selected from the group consisting of:

(3-(3,5-Difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;

(S)-(2,7-Dimethyl-3-(5-methylfuran-2-yl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinoxalin-6-yl)methanone;

(S)-(2,7-Dimethyl-3-(pyridin-3-yl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinoxalin-6-yl)methanone;

(S)-(3-(5-Fluoropyridin-3-yl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinoxalin-6-yl)methanone;

(2,7-Dimethyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;

(R)-(2,7-Dimethyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;

(S)-(2,7-Dimethyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;

(7-Methyl-2,3-diphenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;

(R)-(7-Methyl-2,3-diphenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;

(S)-(7-Methyl-2,3-diphenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;

(S)-(3-Chloro-5-(trifluoromethoxy)phenyl)(3-(3-chlorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(S)-(3-(3-Chlorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1-phenyl-1H-1,2,4-triazol-3-yl)methanone;

(S)-(3-(3-Chlorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(5-ethyl-1-(2-fluorophenyl)-1H-1,2,4-triazol-3-yl)methanone;

(S)-(3-(3-Chlorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(4-(hydroxymethyl)pyridin-2-yl)methanone;

(S)-(3-(3-Chlorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(5-(methoxymethyl)pyridin-3-yl)methanone;

(S)-(3-(3-Chlorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(6-isopropoxy-pyridin-3-yl)methanone;

(S)-(3-(3-Chlorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(5-isopropoxy-pyridin-3-yl)methanone;

(S)-Benzo[d][1,3]dioxol-4-yl(3-(3-chlorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(S)-6-(3-(3-Chlorophenyl)-2,7-dimethyl-4,5,6,7-tetrahydro-2H-pyrazolo[3,4-c]pyridine-6-carbonyl)benzo[d]oxazol-2(3H)-one;

(S)-(3-(3-Chlorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(2-methylbenzo[d]oxazol-6-yl)methanone;

(3-(3-Chlorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(furo[3,2-b]pyridin-6-yl)methanone;

(R)-(3-(3-Chlorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(furo[3,2-b]pyridin-6-yl)methanone;

(S)-(3-(3-Chlorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(furo[3,2-b]pyridin-6-yl)methanone;

(S)-(3-(3-Chlorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(furo[3,2-b]pyridin-2-yl)methanone;

(S)-(3-(3-Chlorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1H-pyrrolo[2,3-b]pyridin-6-yl)methanone;

(S)-(3-(3-Chlorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1,5-naphthyridin-2-yl)methanone;

(3-(3-Chlorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinoxalin-6-yl)methanone;

(R)-(3-(3-Chlorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinoxalin-6-yl)methanone;

(S)-(3-(3-Chlorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinoxalin-6-yl)methanone;

(S)-(8-Bromoquinoxalin-6-yl)(3-(3-chlorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(7-Ethyl-3-(3-fluorophenyl)-2-methyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;

[(7S)-3-(3,5-Difluorophenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[2-(2-fluoroethoxy)phenyl]methanone;

(S)-(3-(3,5-Difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(4-(2-fluoroethoxy)phenyl)methanone;

(S)-(3-(3,5-Difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(3-(2-fluoroethoxy)phenyl)methanone;

~~(S)-[3-(3,5-difluorophenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[3-(2-fluoroethoxy)phenyl]methanone;~~

(S)-(3-(3,5-Difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(2-fluoro-3-(2-fluoroethoxy)phenyl)methanone;

(S)-(3-(3,5-Difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(2-fluoro-5-(2-fluoroethoxy)phenyl)methanone;

(S)-(3-(3,5-Difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(3-fluoro-5-(2-fluoroethoxy)phenyl)methanone;

(S)-(3-(3,5-Difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(4-fluoro-3-(2-fluoroethoxy)phenyl)methanone;

[2-Chloro-3-(2-fluoroethoxy)phenyl]-[(7S)-3-(3,5-difluorophenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;

~~[2-chloro-5-(2-fluoroethoxy)phenyl]-[(7S)-3-(3,5-difluorophenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone~~4-Isopropyl-6-piperazin-1-yl-pyrimidin-2-ylamine;

(S)-(2-(2H-1,2,3-Triazol-2-yl)phenyl)(3-(3,5-difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(3-(3,5-Difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1-phenyl-1H-1,2,4-triazol-3-yl)methanone;

(S)-(3-(3,5-Difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(5-ethyl-1-phenyl-1H-1,2,4-triazol-3-yl)methanone;

(S)-(3-(3,5-Difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1-(2-fluoroethyl)-1H-indol-4-yl)methanone;

(S)-(3-(3,5-Difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1-(2-(fluoro-<sup>18</sup>F)ethyl)-1H-indol-5-yl);

(S)-(3-(3,5-Difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1-(2-fluoroethyl)-1H-pyrrolo[2,3-b]pyridin-4-yl)methanone;

(S)-(3-(3,5-Difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(furo[3,2-b]pyridin-6-yl)methanone;

(R)-(3-(3,5-Difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(furo[3,2-b]pyridin-6-yl)methanone;

(2-(Difluoromethyl)-3-(3,5-difluorophenyl)-7-methyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;

(3-(3,5-Difluorophenyl)-7-methyl-2-(trifluoromethyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;

(3-(3,5-Difluorophenyl)-7-methyl-2-(methyl-d3)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;

(R)-(3-(3,5-Difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;

(S)-(3-(3,5-Difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;

(3-(3,5-Difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(isoquinolin-3-yl)methanone;

(3-(3,5-Difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(isoquinolin-7-yl)methanone;

(4-Bromoquinolin-6-yl)(3-(3,5-difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(5-Chloroquinolin-6-yl)(3-(3,5-difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(S)-(3-(3,5-Difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(8-(trifluoromethyl)quinolin-6-yl)methanone;

(S)-(3-(3,5-Difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(3-(trifluoromethyl)quinolin-6-yl)methanone;

(S)-(3-(3,5-Difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(3-(2-fluoroethoxy)quinolin-6-yl)methanone;

(3-(3,5-Difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinoxalin-6-yl)methanone;

(S)-(3-(3,5-Difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinoxalin-6-yl)methanone;

(R)-(3-(3,5-Difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinoxalin-6-yl)methanone;

(S)-(3-(3,5-Difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1,5-naphthyridin-2-yl)methanone;

(S)-(3-(3,5-Difluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(7-fluoroquinoxalin-6-yl)methanone;

(S)-(3-(3,5-Dichlorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(2-methylbenzo[d]oxazol-6-yl)methanone;

(S)-(3-(3,5-Dichlorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1-methyl-1H-pyrazolo[3,4-b]pyridin-3-yl)methanone;

(S)-(3-(3,5-Dichlorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;

(S)-(3-(3,5-Dichlorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinoxalin-6-yl)methanone;

(S)-(3-(3,5-Dichlorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(2-methylquinoxalin-6-yl)methanone;

(3-(3-Chloro-5-fluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;

(S)-(3-(3-Chloro-5-fluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;

(R)-(3-(3-Chloro-5-fluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;

(3-(3-Chloro-5-fluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinoxalin-6-yl)methanone;

(S)-(3-(3-Chloro-5-fluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinoxalin-6-yl)methanone;

(R)-(3-(3-Chloro-5-fluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinoxalin-6-yl)methanone;

(S)-(3-(3-Chloro-4-methylphenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinoxalin-6-yl)methanone;

(S)-(3-(3-Fluoro-5-(trifluoromethyl)phenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinoxalin-6-yl)methanone;

(S)-(3-(3-Fluoro-4-methoxyphenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinoxalin-6-yl)methanone;

(S)-(3-(3-Fluoro-5-methoxyphenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinoxalin-6-yl)methanone;

(S)-(3-(3-Fluoro-5-methoxyphenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(7-fluoroquinoxalin-6-yl)methanone;

(S)-(3-(3-Chloro-4-methoxyphenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinoxalin-6-yl)methanone;

(S)-(3-(4-(Difluoromethoxy)-3-fluorophenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinoxalin-6-yl)methanone;

(S)-(3-(3,5-Difluoro-4-methylphenyl)-2,7-dimethyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinoxalin-6-yl)methanone;

(S)-(2-Chloro-3-methoxyphenyl)(2,7-dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(S)-(3-Chloro-5-methoxyphenyl)(2,7-dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(5-fluoro-2-(1H-pyrazol-1-yl)phenyl)methanone;

(S)-(3-(1H-1,2,4-Triazol-1-yl)phenyl)(2,7-dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(4-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1-methyl-5-(trifluoromethyl)-1H-pyrazol-4-yl)methanone;

(S)-(1-(tert-Butyl)-5-(trifluoromethyl)-1H-pyrazol-4-yl)(2,7-dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(5-methoxy-1-methyl-1H-pyrazol-3-yl)methanone;

(S)-(5-Cyclopropyl-1-methyl-1H-pyrazol-4-yl)(2,7-dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(5-ethyl-1-phenyl-1H-1,2,4-triazol-3-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(5-methoxypyridin-3-yl)methanone;

(S)-6-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-4,5,6,7-tetrahydro-2H-pyrazolo[3,4-c]pyridine-6-carbonyl)-4-methyl-2H-benzo[b][1,4]oxazin-3(4H)-one;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1H-indol-7-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1-methyl-1H-indol-7-yl)methanone;

(S)-(2,7-dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1-methyl-1H-indol-4-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1H-indazol-7-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1-methyl-1H-indazol-7-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(7-methyl-1H-indazol-5-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1-methyl-1H-indazol-5-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(imidazo[1,5-a]pyridin-8-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(imidazo[1,2-a]pyridin-3-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(furo[3,2-c]pyridin-4-yl)methanone;

(S)-Benzo[d]isoxazol-3-yl(2,7-dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1H-pyrrolo[3,2-c]pyridin-4-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1-methyl-1H-pyrrolo[3,2-c]pyridin-4-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1H-pyrrolo[3,2-c]pyridin-3-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1-methyl-1H-pyrrolo[3,2-c]pyridin-3-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1-methyl-1H-pyrrolo[3,2-b]pyridin-3-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1-methyl-1H-pyrrolo[2,3-c]pyridin-3-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1-methyl-1H-pyrrolo[2,3-b]pyridin-2-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1-methyl-1H-pyrrolo[2,3-b]pyridin-3-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1-methyl-1H-pyrrolo[2,3-c]pyridin-4-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1-methyl-1H-pyrrolo[2,3-b]pyridin-4-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(pyrazolo[1,5-a]pyridin-4-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(pyrazolo[1,5-a]pyridin-5-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(pyrazolo[1,5-a]pyrazin-3-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1-methyl-1H-pyrazolo[3,4-b]pyridin-3-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1-methyl-1H-pyrazolo[3,4-b]pyridin-5-yl)methanone;

(S)-(2-(Difluoromethyl)-7-methyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;

(R)-(2-(Difluoromethyl)-7-methyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;

(R)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;

(S)-(2,7-dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-8-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(isoquinolin-1-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(8-fluoroquinolin-4-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(2-methylquinolin-4-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(2-methoxyquinolin-4-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(8-fluoro-2-methylquinolin-4-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinoxalin-6-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(2-methylquinoxalin-6-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1,5-naphthyridin-2-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1,5-naphthyridin-3-yl)methanone;

(S)-(2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1,6-naphthyridin-8-yl)methanone;

(S)-(2,7-Dimethyl-3-(5-(trifluoromethyl)furan-2-yl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinoxalin-6-yl)methanone;

(S)-(2,7-Dimethyl-3-(5-(trifluoromethyl)pyridin-3-yl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinoxalin-6-yl)methanone;

(2,7-Dimethyl-3-(1-methyl-1H-indol-4-yl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;

(2,7-Dimethyl-3-(1-methyl-1H-indol-2-yl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;

(2,7-Dimethyl-3-(1-methyl-1H-indol-3-yl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;

(2,7-Dimethyl-3-(1-methyl-1H-indol-5-yl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone; and

(2,7-Dimethyl-3-(1-methyl-1H-indol-7-yl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(quinolin-6-yl)methanone;

(S)-(3-(3,5-Difluorophenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl)-[3-(2-fluoranylethoxy)-2-fluoro-phenyl]methanone;

[2-Chloro-3-(2-fluoranylethoxy)phenyl]-[(7S)-3-(3,5-difluorophenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;

(S)-[3-(3,5-Difluorophenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[3-(2-fluoranylethoxy)-5-fluoro-phenyl]methanone;

(3-Methoxyphenyl)-[(7S)-7-methyl-2,3-diphenyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;

[(7S)-3-(3-Fluoro-5-methyl-phenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(4-methoxyphenyl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(2-methoxyphenyl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(3-methoxyphenyl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(4-methoxyphenyl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[3-(trifluoromethoxy)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[2-(trifluoromethoxy)phenyl]methanone;  
 [4-(Difluoromethoxy)phenyl]-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(2-fluoro-4-methoxy-phenyl)methanone;  
 -3-[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c] pyridine-6-carbonyl]-N-methyl-benzamide;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(4-imidazol-1-ylphenyl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[4-(1H-pyrazol-4-yl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[4-(1H-pyrazol-5-yl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[3-(1H-pyrazol-3-yl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[4-methoxy-3-(1-methylpyrazol-3-yl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[3-(1H-pyrazol-4-yl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[3-(1-methylpyrazol-4-yl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[2-fluoro-5-(1-methylpyrazol-4-yl)phenyl]methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[3-(4-fluoropyrazol-1-yl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[3-(3-methyl-1,2,4-triazol-1-yl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[3-fluoro-5-(1,2,4-triazol-1-yl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[3-methoxy-5-(1,2,4-triazol-1-yl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[2-(1,2,4-triazol-1-yl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[2-fluoro-6-(1,2,4-triazol-1-yl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[5-fluoro-2-(1,2,4-triazol-1-yl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[2-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[3-(triazol-2-yl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[3-fluoro-5-(triazol-2-yl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[2-fluoro-5-(triazol-2-yl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[3-methyl-5-(triazol-2-yl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[3-(triazol-2-yl)-5-(trifluoromethyl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[2-fluoro-6-(triazol-2-yl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[5-methoxy-2-(triazol-2-yl)phenyl]methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[3-(1,2,4-triazol-4-yl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[4-fluoro-3-(1,2,4-triazol-4-yl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[3-fluoro-5-(1,2,4-triazol-4-yl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[3-methyl-5-(1,2,4-triazol-4-yl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[4-methyl-3-(1,2,4-triazol-4-yl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[3-(1,2,4-triazol-4-yl)-4-(trifluoromethyl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[3-(1,2,4-triazol-4-yl)-5-(trifluoromethyl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[4-methoxy-3-(1,2,4-triazol-4-yl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[3-methoxy-5-(1,2,4-triazol-4-yl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[2-(1,2,4-triazol-4-yl)phenyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-methoxy-3-pyridyl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(5-methoxy-2-pyridyl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-methoxy-3-methyl-2-pyridyl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(3-methoxy-2-pyridyl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[5-(methoxymethyl)-3-pyridyl]methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(5-isopropoxy-3-pyridyl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-methoxy-2-methyl-3-pyridyl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(4-methoxy-3-methyl-2-pyridyl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(5-methoxy-2-methyl-3-pyridyl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(4-methoxy-2-pyridyl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(5-methoxy-6-methyl-3-pyridyl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(3-methoxy-4-pyridyl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(2-methoxy-4-pyridyl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(5-methoxy-4-methyl-3-pyridyl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(2-methoxy-3-methyl-4-pyridyl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(3-fluoro-2-methoxy-4-pyridyl)methanone;  
 - (3-Chloro-2-methoxy-4-pyridyl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 - (3-Chloro-4-methoxy-2-pyridyl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(5-pyrazol-1-yl-3-pyridyl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-methyl-3-(triazol-2-yl)-2-pyridyl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-pyrazol-1-yl-2-pyridyl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(5-methyl-1-phenyl-1,2,4-triazol-3-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[1-(4-fluorophenyl)-5-methyl-1,2,4-triazol-3-yl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[1-(2-pyridyl)-1,2,4-triazol-3-yl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[1-(3-fluoro-2-pyridyl)-1,2,4-triazol-3-yl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[5-(2-pyridyl)-2-thienyl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(5-methoxypyrazin-2-yl)methanone;  
 (1,5-Dimethylpyrazol-4-yl)-[(7S)-3-(3-fluoro-5-methyl-phenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(5-isopropyl-1-methyl-pyrazol-4-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[1-(trifluoromethyl)pyrazol-4-yl]methanone;  
 [5-(Difluoromethyl)-1-methyl-pyrazol-4-yl]-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 (1-Cyclopropylpyrazol-4-yl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 [1-Cyclopropyl-3-(trifluoromethyl)pyrazol-4-yl]-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 (5-Cyclobutyl-1-methyl-pyrazol-4-yl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[1-methyl-5-(1-methylcyclopropyl)pyrazol-4-yl]methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[5-(1-fluorocyclopropyl)-1-methyl-pyrazol-4-yl]methanone;  
 (5-(2,2-Difluorocyclopropyl)-1-methyl-1H-pyrazol-4-yl)((S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-4,5-dihydro-2H-pyrazolo[3,4-c]pyridin-6-yl)methanone;  
 (5-((R\*)-)-2,2-difluorocyclopropyl)-1-methyl-1H-pyrazol-4-yl)((S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;  
 (5-((S\*)-)-2,2-Difluorocyclopropyl)-1-methyl-1H-pyrazol-4-yl)((S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone;  
 ((S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(cis-5-(2-fluorocyclopropyl)-1-methyl-1H-pyrazol-4-yl)methanone;  
 ((S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(trans-5-(2-fluorocyclopropyl)-1-methyl-1H-pyrazol-4-yl)methanone;  
 ((S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(1-methyl-cis-5-(2-methylcyclopropyl)-1H-pyrazol-4-yl)methanone;  
 (S\*)-(1-(2-(Bicyclo[1.1.1]pentan-1-yl)-7-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(5-cyclopropyl-1-methyl-1H-pyrazol-4-yl)methanone;  
 (1,3-Dimethylpyrazol-4-yl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(1,3,5-trimethylpyrazol-4-yl)methanone;  
 (1,5-Dimethylpyrazol-4-yl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 [1-Cyclopropyl-5-(trifluoromethyl)pyrazol-4-yl]-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[1-methyl-3-(1-methylcyclopropyl)pyrazol-4-yl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[3-(1-fluorocyclopropyl)-1-methyl-pyrazol-4-yl]methanone;  
 (R)-(5-cyclopropyl-1-methyl-1H-pyrazol-4-yl) (7-methyl-2,3-diphenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c] pyridin-6-yl) methanone;

(S)-(5-cyclopropyl-1-methyl-1H-pyrazol-4-yl) (7-methyl-2,3-diphenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c] pyridin-6-yl)methanone;

(1,2-Dimethylpyrrol-3-yl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;

(4,5-Dimethylisoxazol-3-yl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(5-fluoro-1H-indol-6-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(7-fluoro-1H-indol-4-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(5-fluoro-1H-indol-3-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(5-fluoro-1-methyl-indol-3-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(4-fluoro-1H-indol-3-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-fluoro-1H-indol-3-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(7-fluoro-1H-indol-3-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-methyl-1H-indol-3-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(1H-indazol-3-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(4-fluoro-1H-indazol-3-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-fluoro-1H-indazol-3-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(5-fluoro-1H-indazol-3-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(2-methylindazol-3-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(1-methylbenzimidazol-4-yl)methanone;  
 1H-Benzotriazol-4-yl-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(1H-pyrrolo[2,3-b]pyridin-5-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(5-fluoro-1H-pyrrolo[2,3-b]pyridin-4-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(5-fluoro-1-methyl-pyrrolo[2,3-b]pyridin-4-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[5-(trifluoromethyl)-1H-pyrrolo[2,3-b]pyridin-4-yl] methanone;  
 [(7S)-3-(3,5-Difluorophenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[1-(2-fluoranylethyl)pyrrolo[2,3-b]pyridin-4-yl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(1H-pyrrolo[2,3-b]pyridin-3-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(5-fluoro-1H-pyrrolo[2,3-b]pyridin-3-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(2-methyl-1H-pyrrolo[2,3-b]pyridin-3-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(1H-pyrrolo[2,3-c]pyridin-7-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(3-fluoropyrazolo[1,5-a]pyridin-4-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(3-fluoropyrazolo[1,5-a]pyridin-5-yl)methanone;  
 (3-Bromopyrazolo[1,5-a]pyridin-4-yl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(3-methylpyrazolo[1,5-a]pyridin-4-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-pyrazolo[1,5-a]pyridin-3-yl-methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(2-methylpyrazolo[1,5-a]pyridin-3-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(5-methylpyrazolo[1,5-a]pyridin-3-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-fluoropyrazolo[1,5-a]pyridin-3-yl)methanone;  
 (2-Cyclopropyl-7-methyl-pyrazolo[1,5-a]pyridin-3-yl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl] -(7-methylpyrazolo[1,5-a] pyridin-3-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(7-methoxypyrazolo[1,5-a]pyridin-3-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-methoxypyrazolo[1,5-a]pyridin-3-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(5-methoxypyrazolo[1,5-a]pyridin-3-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl]-(4-methoxypyrazolo[1,5-a]pyridin-3-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-imidazo[1,2-a]pyridin-6-yl-methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-imidazo[1,2-a]pyridin-8-yl-methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(7-fluoroimidazo[1,2-a]pyridin-3-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl] -(2-methylimidazo[1,2-a]pyridin-5-yl)methanone;

[(7S)-3-(3-Chloro-5-methoxy-phenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl)-(2-methylimidazo[1,2-a] pyridin-3-yl) methanone;  
 [(7S)-3-(3-Fluoro-5-methyl-phenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl] - (2-methylimidazo[1,2-a] pyridin-3-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(2-methylimidazo[1,2-a]pyridin-3-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(3-methylimidazo[1,2-a]pyridin-2-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(7-methylimidazo[1,2-a]pyridin-3-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-methylimidazo[1,2-a]pyridin-3-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(5-methylimidazo[1,2-a]pyridin-3-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(7-fluoro-2-methyl-imidazo[1,2-a]pyridin-3-yl)methanone;  
 (2,8-Dimethylimidazo[1,2-a] pyridin-3-yl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl]methanone;  
 (2,7-Dimethylimidazo[1,2-a]pyridin-3-yl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 (2,6-Dimethylimidazo[1,2-a]pyridin-3-yl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 [(7S)-3-(3-Chloro-5-methoxy-phenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-fluoro-2-methyl-imidazo[1,2-a]pyridin-3-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-fluoro-2-methyl-imidazo[1,2-a]pyridin-3-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-fluoro-2,8-dimethyl-imidazo[1,2-a]pyridin-3-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-fluoro-2,7-dimethyl-imidazo[1,2-a]pyridin-3-yl)methanone;

(6,8-Difluoro-2-methyl-imidazo[1,2-a]pyridin-3-yl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-methoxy-2-methyl-imidazo[1,2-a]pyridin-3-yl)methanone;

[2-(Difluoromethyl)imidazo[1,2-a]pyridin-3-yl]-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl]-[2-(trifluoromethyl) imidazo[1,2-a]pyridin-3-yl]methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-[5-methyl-2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl]-pyrrolo[1,2-a] pyrazin-1-yl-methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl]-pyrrolo[1,2-a]pyrazin-8-yl-methanone;

(2,4-Dimethylpyrrolo[1,2-a] pyrimidin-8-yl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl] methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(3-methylimidazo[1,5-a]pyridin-6-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl]-(7-methylimidazo[1,5-a]pyridin-1-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-imidazo[1,5-a]pyridin-1-yl-methanone;

(3-Cyclopropylimidazo[1,5-a]pyridin-1-yl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(1H-pyrazolo[3,4-b]pyridin-4-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(1H-pyrazolo[3,4-b]pyridin-5-yl)methanone;

(1,6-Dimethylpyrazolo[3,4-b]pyridin-4-yl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;

(1,3-Dimethylpyrazolo[3,4-b]pyridin-4-yl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(1H-pyrazolo[3,4-b]pyridin-3-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(1-methylpyrazolo[3,4-b]pyridin-3-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(5-fluoro-1H-pyrazolo[3,4-b]pyridin-3-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(2-methylpyrazolo[3,4-c]pyridin-7-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(1H-pyrazolo[3,4-c]pyridin-3-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(1-methylpyrazolo[3,4-c]pyridin-3-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(1H-pyrazolo[3,4-c]pyridin-7-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(1-methylpyrazolo[3,4-c]pyridin-7-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(1H-pyrazolo[4,3-c]pyridin-7-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(1H-pyrazolo[4,3-c]pyridin-3-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(1H-pyrazolo[4,3-b]pyridin-3-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-([1,2,4]triazolo[4,3-a]pyridin-3-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-([1,2,4]triazolo[4,3-a]pyridin-5-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-([1,2,4]triazolo[4,3-a]pyridin-6-yl)methanone;

[3-(Difluoromethyl)-[1,2,4]triazolo[4,3-a]pyridin-6-yl]-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(triazolo[1,5-a]pyridin-3-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl] -(2-methylpyrazolo[1,5-b] pyridazin-3-yl) methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl] -(5-methylpyrazolo[1,5-b] pyridazin-3-yl) methanone;

(2-Cyclopropyl-4-methyl-pyrazolo[1,5-b]pyridazin-3-yl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;

(2-Cyclopropyl-5-methyl-pyrazolo[1,5-b]pyridazin-3-yl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;

(2,4-Dimethylpyrazolo[1,5-a] pyrazin-3-yl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl] methanone;

(2-Cyclopropyl-4-methyl-pyrazolo[1,5-a]pyrazin-3-yl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl]-pyrazolo[1,5-a]pyrimidin-3-yl-methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(2-methylpyrazolo[1,5-a]pyrimidin-3-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl] -(7-methylpyrazolo[1,5-a] pyrimidin-3-yl) methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-methylpyrazolo[1,5-a]pyrimidin-3-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-imidazo[1,2-b]pyridazin-6-yl-methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl] -(2-methylimidazo[1,2-b]pyridazin-6-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-imidazo[1,2-b]pyridazin-3-yl-methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(2-methylimidazo[1,2-b]pyridazin-3-yl)methanone;  
 (2,8-Dimethylimidazo[1,2-b] pyridazin-3-yl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl]methanone;  
 (2,7-Dimethylimidazo[1,2-b] pyridazin-3-yl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl] methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl]-(2-methylimidazo[1,2-a]pyrimidin-3-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(2,5,8-trimethylimidazo[1,2-a]pyrazin-3-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl] -(6-methylimidazo[1,5-a]pyrimidin-8-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl] -(3-methylimidazo[1,5-a]pyrimidin-8-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl] -(3-methylimidazo[1,5-a] pyrazin-1-yl) methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl]-[3-(trifluoromethyl) imidazo[1,5-a] pyrazin-1-yl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(5-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-yl)methanone;  
 [(7S)-3-(3-Fluoro-5-methyl-phenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl] - (7-methylpyrrolo[2,3-d] pyrimidin-4-yl) methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(7-methylpyrrolo[2,3-d]pyrimidin-4-yl)methanone;  
 (5,7-Dimethylpyrrolo[2,3-d] pyrimidin-4-yl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl] methanone;  
 [(7S)-2,7-Dimethyl-3-[3-(trifluoromethyl) phenyl]-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl]-(6-quinolyl)methanone;  
 (6,7-Dimethylpyrrolo[2,3-d] pyrimidin-4-yl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl]methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(7H-purin-6-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl]-(1-methylpyrazolo[3,4-d]pyrimidin-4-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(5-methyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl] -(7-methylquinoxalin-6-yl) methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c] pyridin-6-yl] -(2-methylquinoxalin-5-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(3-methylquinoxalin-5-yl)methanone;  
 (2,3-Dimethylquinoxalin-6-yl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-quinoxalin-2-yl-methanone;  
 Cinnolin-3-yl-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-quinazolin-6-yl-methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-quinazolin-7-yl-methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(8-fluoroquinazolin-4-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-quinazolin-4-yl-methanone;  
 (2-Deuterioquinoxalin-6-yl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-pyrido[4,3-d]pyrimidin-5-yl-methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(1,5-naphthyridin-4-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(1,6-naphthyridin-5-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(2-methyl-1,6-naphthyridin-5-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(1,6-naphthyridin-3-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(1,7-naphthyridin-5-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(1,8-naphthyridin-3-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(1,8-naphthyridin-4-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(o-tolyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-2,7-Dimethyl-3-[2-(trifluoromethyl)phenyl]-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-2,7-Dimethyl-3-[4-(trifluoromethyl)phenyl]-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(3-Methoxyphenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(2-Methoxyphenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(4-Ethoxyphenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(3-Isopropoxyphenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-[3-(Difluoromethoxy)phenyl]-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;

[(7S)-2,7-Dimethyl-3-[4-(trifluoromethoxy)phenyl]-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-2,7-Dimethyl-3-[3-(trifluoromethoxy)phenyl]-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(2,4-Difluorophenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(2,3-Difluorophenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(4-Chloro-3-fluoro-phenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(3-Chloro-4-fluoro-phenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(2-Chloro-4-fluoro-phenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(3,4-Dichlorophenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(5-Fluoro-2-methoxy-phenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(4-Fluoro-3-methoxy-phenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(2-Fluoro-3-methoxy-phenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(3-Fluoro-5-methyl-phenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(4-Methoxy-3-methyl-phenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(3-Chloro-5-methoxy-phenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(4-Chloro-2,3-difluoro-phenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;

[(7S)-2,7-Dimethyl-3-(2,3,4-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(1-oxidoquinolin-1-ium-6-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(2-hydroxy-6-quinolyl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(4-hydroxy-6-quinolyl)methanone;  
 [(7S)-2,7-Dimethyl-3-(6-methyl-3-pyridyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-2,7-Dimethyl-3-(2-methyl-4-pyridyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-[6-(Difluoromethyl)-3-pyridyl]-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-2,7-Dimethyl-3-[6-(trifluoromethyl)-3-pyridyl]-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-2,7-Dimethyl-3-[2-(trifluoromethyl)-4-pyridyl]-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-2,7-Dimethyl-3-[5-(trifluoromethyl)-3-thienyl]-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(6-Methoxy-3-pyridyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(2-Methoxy-4-pyridyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-[6-(Difluoromethoxy)-3-pyridyl]-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-[5-(Difluoromethoxy)-3-pyridyl]-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(6-Methoxy-5-methyl-3-pyridyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;

[(7S)-3-[6-Methoxy-5-(trifluoromethyl)-3-pyridyl]-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(1H-Indol-7-yl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(Benzofuran-6-yl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(Benzofuran-5-yl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(Benzofuran-7-yl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(Benzofuran-4-yl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(5-Fluorobenzofuran-7-yl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(1,3-Benzothiazol-4-yl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(2,1,3-Benzoxadiazol-4-yl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(2,3-Dihydrobenzofuran-7-yl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(1,3-Benzodioxol-5-yl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(1,3-Benzodioxol-4-yl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-3-(2,2-Difluoro-1,3-benzodioxol-4-yl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-quinolyl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(5-isoquinolyl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(6-isoquinolyl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(5-fluoro-3-quinolyl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(8-fluoro-4-isoquinolyl)methanone;  
 (4-Bromo-6-quinolyl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(2-methyl-6-quinolyl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(4-methyl-6-quinolyl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(8-methoxy-4-quinolyl)methanone;  
 5,6-Dihydro-4H-pyrrolo[1,2-b]pyrazol-3-yl-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyridin-3-yl)methanone;  
 6,7-Dihydro-5H-pyrazolo[5,1-b][1,3]oxazin-2-yl-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 6,7-Dihydro-5H-pyrazolo[5,1-b][1,3]oxazin-3-yl-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(3-methyl-6,7-dihydro-5H-pyrazolo[5,1-b][1,3]oxazin-2-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(2,6,6-trimethyl-4,7-dihydropyrazolo[5,1-c][1,4]oxazin-3-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(3,6,6-trimethyl-4,7-dihydropyrazolo[5,1-c][1,4]oxazin-2-yl)methanone;  
 ((S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-4,5-dihydro-2H-pyrazolo[3,4-c]pyridin-6(7H)-yl)(7-(trifluoromethyl)-4,5,6,7-tetrahydropyrazolo[1,5-a]pyrimidin-3-yl)methanone;  
 6,7-Dihydro-5H-pyrrolo[1,2-a]imidazol-3-yl-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-  
 (5,6,7,8-tetrahydroimidazo[1,2-a]pyridin-3-yl)methanone;  
 [2-(Difluoromethyl)-5,6,7,8-tetrahydroimidazo[1,2-a]pyridin-3-yl]-[(7S)-2,7-dimethyl-3-(3,4,5-  
 trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 6,8-Dihydro-5H-imidazo[2,1-c][1,4]oxazin-3-yl-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-  
 5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 3,4-Dihydro-2H-pyrano[2,3-b]pyridin-6-yl-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-  
 dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 3,4-Dihydro-2H-pyrano[2,3-b]pyridin-5-yl-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-  
 dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 6,8-Dihydro-5H-pyrano[3,4-b]pyridin-4-yl-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-  
 dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 6,8-Dihydro-5H-pyrano[3,4-b]pyridin-2-yl-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-  
 dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 7,8-Dihydro-5H-pyrano[4,3-b]pyridin-3-yl-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-  
 dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 3,4-Dihydro-2H-pyrano[3,2-b]pyridin-8-yl-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-  
 dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 2,3-Dihydro-[1,4]dioxino[2,3-b]pyridin-8-yl-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-  
 dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 2,3-Dihydro-[1,4]dioxino[2,3-b]pyridin-7-yl-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-  
 dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 3,4-Dihydro-2H-pyrido[3,2-b][1,4]oxazin-7-yl-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-  
 dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(4-  
 methyl-2,3-dihydropyrido[3,2-b][1,4]oxazin-7-yl)methanone;  
 3,4-Dihydro-2H-pyrano[2,3-c]pyridin-6-yl-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-  
 dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-  
 (1,2,3,4-tetrahydroisoquinolin-5-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-  
 (1,2,3,4-tetrahydroisoquinolin-8-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-  
 isochroman-5-yl-methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-  
 isochroman-7-yl-methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-  
 isochroman-6-yl-methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-  
 isochroman-8-yl-methanone;  
 Chroman-6-yl-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-  
 c]pyridin-6-yl]methanone;  
 Chroman-5-yl-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-  
 c]pyridin-6-yl]methanone;  
 Chroman-7-yl-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-  
 c]pyridin-6-yl]methanone;  
 Chroman-8-yl-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-  
 c]pyridin-6-yl]methanone;  
 4-[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridine-6-  
 carbonyl]-3H-1,3-benzoxazol-2-one;  
 4-[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridine-6-  
 carbonyl]-3-methyl-1,3-benzoxazol-2-one;  
 5-[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridine-6-  
 carbonyl]-3H-1,3-benzoxazol-2-one;  
 7-[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridine-6-  
 carbonyl]-3H-1,3-benzoxazol-2-one;  
 6-[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridine-6-  
 carbonyl]-3H-1,3-benzoxazol-2-one;  
 7-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridine-6-  
 carbonyl]-3-methyl-1,3-benzoxazol-2-one;

7-[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridine-6-carbonyl]-4-methyl-1,4-benzoxazin-3-one;

~~[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridine-6-carbonyl]-4-methyl-1,4-benzoxazin-3-one;~~

-3,4-Dihydro-2H-1,4-benzoxazin-8-yl-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;

[(7S)-3-[3-(Difluoromethyl)-4-fluoro-phenyl]-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(2-methoxy-3-methyl-4-pyridyl)methanone;

[(7S)-3-[3-(1,1-Difluoroethyl)phenyl]-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(2-methoxy-3-methyl-4-pyridyl)methanone;

[(7S)-3-[3-(Difluoromethoxy)-4-fluoro-phenyl]-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(2-methoxy-3-methyl-4-pyridyl)methanone;

Chroman-7-yl-[(7S)-3-[3-(difluoromethoxy)-5-fluoro-phenyl]-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;

[(7S)-3-[3-(Difluoromethoxy)-5-fluoro-phenyl]-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(2-methoxy-3-methyl-4-pyridyl)methanone;

[(7S)-3-(4-Fluoro-3-methyl-phenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(2-methoxy-3-methyl-4-pyridyl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(3-methoxy-2-methyl-4-pyridyl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(1-methyl-4-phenyl-imidazol-2-yl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(1-phenylimidazol-4-yl)methanone;


[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(3-methyl-2-(2-pyridyl)imidazol-4-yl)methanone;


[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(2-fluoro-6-pyrazol-1-yl-phenyl)methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-spiro[3,4-dihydro-1,4-benzoxazine-2,1'-cyclopropane]-8-yl-methanone;

[(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(3-fluoro-1H-pyrrolo[2,3-b]pyridin-4-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(9-methylpurin-6-yl)methanone;  
 [(7S)-2,7-Dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(3-fluoro-5-methoxy-4-pyridyl)methanone;  
 (3-Chloro-4-methoxy-2-pyridyl)-[(7S)-3-[3-(difluoromethyl)-5-fluoro-phenyl]-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 [(7S)-3-[3-(Difluoromethyl)-5-fluoro-phenyl]-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(2-methoxy-3-methyl-4-pyridyl)methanone;  
 Chroman-7-yl-[(7S)-3-[3-(difluoromethyl)-5-fluoro-phenyl]-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 Chroman-7-yl-[(7S)-3-(3-fluoro-5-methoxy-phenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 (3-Chloro-4-methoxy-2-pyridyl)-[(7S)-3-[3-(difluoromethoxy)-5-fluoro-phenyl]-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 [(7S)-3-(3-Fluoro-5-methoxy-phenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]-(2-methoxy-3-methyl-4-pyridyl)methanone;  
 (3-Chloro-4-methoxy-2-pyridyl)-[(7S)-3-(3-fluoro-5-methoxy-phenyl)-2,7-dimethyl-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;  
 racemic-(2-(Bicyclo[1.1.1]pentan-1-yl)-7-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(5-cyclopropyl-1-methyl-1H-pyrazol-4-yl)methanone; and  
~~(R\*)-(1)-(2-(Bicyclo[1.1.1]pentan-1-yl)-7-methyl-3-phenyl-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)(5-cyclopropyl-1-methyl-1H-pyrazol-4-yl)methanone;~~  
~~((S)-(1,6-Dimethyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl)(2,7-dimethyl-3-(3,4,5-trifluorophenyl)-2,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)methanone; and~~  
~~Cyclopropyl-2-methyl-imidazo[1,2-a]pyridin-3-yl)-[(7S)-2,7-dimethyl-3-(3,4,5-trifluorophenyl)-5,7-dihydro-4H-pyrazolo[3,4-c]pyridin-6-yl]methanone;~~  
 and pharmaceutically acceptable salts, isotopes, N-oxides, solvates, and stereoisomers thereof.

84. 79. A compound selected from the group consisting of:






and pharmaceutically acceptable salts, isotopes, N-oxides, solvates, and stereoisomers.

85. 80. A pharmaceutical composition comprising:


(A) ~~a therapeutically effective amount of~~ at least one compound of Formula (II):




wherein

$R^1$  is  $C_{1-4}$ alkyl;


R<sup>2a</sup> is selected from the group consisting of:




(b) 6-Membered heteroaryl selected from the group consisting of:




(c) 5-Membered heteroaryl selected from the group consisting of:



(d) 5,6-Fused or 6,5-fused heteroaryl selected from the group consisting of:









The chemical structures are organized into five groups, labeled (a) through (e), each representing a different substitution pattern on the quinoline and isoquinoline rings. The structures are shown as repeating units in a polymer chain, indicated by wavy lines and subscripts.

- (a)** Quinoline, isoquinoline, and their N-oxide forms.
- (b)** Quinoline, isoquinoline, and their N-oxide forms with a fluorine substituent.
- (c)** Quinoline, isoquinoline, and their N-oxide forms with a fluorine substituent.
- (d)** Quinoline, isoquinoline, and their N-oxide forms with a fluorine substituent.
- (e)** Quinoline, isoquinoline, and their N-oxide forms with a fluorine substituent.

(f) Heterocycloalkyl selected from the group consisting of:






$R^{3a}$  is selected from the group consisting of:

(g) (a) Phenyl; or phenyl substituted with one, two, or three members each independently selected from the group consisting of: halo,  $C_{1-4}$ alkyl,  $C_{1-4}$ haloalkyl,  $OC_{1-4}$ alkyl, and  $OC_{1-6}$ haloalkyl;


(h) (b) 5-Membered heteroaryl selected from the group consisting of: , , and , ;

(i) (c) 6-Membered heteroaryl selected from the group consisting of: , , and ;

(j) (d) 5,6-Fused or 6,5-fused heteroaryl selected from the group consisting of:




(k) (e) Heterocycloalkyl selected from the group consisting of:



$R^e$  is selected from the group consisting of:  $OC_{1-4}alkyl$ ,  $OC_{1-4}haloalkyl$ ,  $(C=O)NHCH_3$ , and 5-membered heteroaryl ring containing two or three nitrogen members, wherein the 5-membered heteroaryl ring is optionally substituted with one  $R^f$  member;

$R^f$  is selected from the group consisting of: H, halo,  $C_{1-4}alkyl$ ,  $C_{1-4}haloalkyl$ ,  $OC_{1-4}alkyl$ , and  $OC_{1-4}haloalkyl$ ;

$R^g$  is selected from the group consisting of:  $OC_{1-4}alkyl$ ,  $OC_{1-4}haloalkyl$ ,  $CH_2OCH_3$ ,



$R^h$  is selected from the group consisting of: H,  $C_{1-4}alkyl$ ,  $C_{1-4}haloalkyl$ , and  $C_{3-6}cycloalkyl$ ;

$R^i$  is selected from the group consisting of: H, halo,  $C_{1-4}alkyl$ ,  $C_{1-4}haloalkyl$ ,  $OC_{1-4}alkyl$ ,  $C_{3-6}cycloalkyl$ , and  $C_{3-6}cycloalkyl$  substituted with one or two members independently selected from: F and  $CH_3$ ;

$R^j$  is selected from the group consisting of: H, halo,  $C_{1-4}alkyl$  and  $C_{1-4}haloalkyl$ ;

R<sup>k</sup> is selected from the group consisting of: H, halo, OH, C<sub>1-4</sub>alkyl, C<sub>1-4</sub>haloalkyl, OC<sub>1-4</sub>alkyl, and OC<sub>1-4</sub>haloalkyl;

R<sup>m</sup> is H or C<sub>1-4</sub>alkyl;

R<sup>n</sup> is selected from the group consisting of: H, halo and OC<sub>1-4</sub>alkyl;

R<sup>o</sup> is selected from the group consisting of: H, C<sub>1-4</sub>alkyl, and C<sub>1-4</sub>haloalkyl;

R<sup>p</sup> is selected from the group consisting of: H, C<sub>1-4</sub>alkyl, and OC<sub>1-4</sub>alkyl;

Y is CH or N; and


R<sup>4a</sup> is selected from the group consisting of: CH<sub>3</sub>, CF<sub>2</sub>H, CF<sub>3</sub>, C<sub>3-6</sub>cycloalkyl, and phenyl; and pharmaceutically acceptable salts, isotopes, N-oxides, solvates, and stereoisomers of compounds of Formula (II); and

(B) at least one pharmaceutically acceptable excipient.


~~86.~~ 81. A pharmaceutical composition comprising a therapeutically effective amount of at least one compound of claim ~~83~~78 and at least one pharmaceutically acceptable excipient.

~~87.~~ 82. A pharmaceutical composition comprising a therapeutically effective amount of at least one compound of claim ~~84~~79 and at least one pharmaceutically acceptable excipient.

~~88.~~ A method of treating a subject suffering from or diagnosed with a disease, disorder, or condition mediated by MGL receptor activity, comprising administering to a subject in need of such treatment a therapeutically effective amount of at least one compound of Formula (II):




83. A compound, having the structure of Formula (II):




wherein

$R^1$  is  $C_{1-4}alkyl-CH_3$ ;


$R^{2a}$  is selected from the group consisting of:




(b) a fused 6-Membered,6 heteroaryl selected from the group consisting of:




(c) 5-Membered heteroaryl selected from the group consisting of:






(d) 5,6-Fused or 6,5-fused heteroaryl selected from the group consisting of:






(e) Fused 6,6 heteroaryl selected from the group consisting of:








R<sup>3a</sup> is selected from the group consisting of:




(g) ~~Phenyl; or phenyl substituted with one, two, or three members each independently selected from the group consisting of: halo, C<sub>1-4</sub>alkyl, C<sub>1-4</sub>haloalkyl, OC<sub>1-4</sub>alkyl, and OC<sub>1-6</sub>haloalkyl;~~


(h) ~~5-Membered heteroaryl selected from the group consisting of:~~ 




(i) ~~6-Membered heteroaryl selected from the group consisting of:~~ 



(j) ~~5,6-Fused or 6,5-fused heteroaryl selected from the group consisting of:~~




(k) ~~Heterocycloalkyl selected from the group consisting of:~~



R<sup>e</sup>

R<sup>f</sup> is selected from the group consisting of: OC<sub>1-4</sub>alkyl, OC<sub>1-4</sub>haloalkyl, (C=O)NHCH<sub>3</sub>, and 5-membered heteroaryl ring containing two or three nitrogen members, wherein the 5-membered heteroaryl ring is optionally substituted with one R<sup>f</sup> member;  
R<sup>f</sup> is selected from the group consisting of: H, halo, C<sub>1-4</sub>alkyl, C<sub>1-4</sub>haloalkyl, OC<sub>1-4</sub>alkyl, and OC<sub>1-4</sub>haloalkyl;

$R^g$  is selected from the group consisting of:  $OC_{1-4}alkyl$ ,  $OC_{1-4}haloalkyl$ ,  $CH_2OCH_3$ ,



$R^h$  is selected from the group consisting of: H,  $C_{1-4}alkyl$ ,  $C_{1-4}haloalkyl$ , and  $C_{3-6}cycloalkyl$ ;

$R^i$  is selected from the group consisting of: H, halo,  $C_{1-4}alkyl$ ,  $C_{1-4}haloalkyl$ ,  $OC_{1-4}alkyl$ ,  $C_{3-6}cycloalkyl$ , and  $C_{3-6}cycloalkyl$  substituted with one or two members independently selected from: H and F and  $CH_3$ ;

$R^j$  is selected from the group consisting of: H, halo,  $C_{1-4}alkyl$  and  $C_{1-4}haloalkyl$ ;

$R^k$  is selected from the group consisting of: H, halo, OH,  $C_{1-4}alkyl$ ,  $C_{1-4}haloalkyl$ ,  $OC_{1-4}alkyl$ , and  $OC_{1-4}haloalkyl$ ;

$R^m$  is H or  $C_{1-4}alkyl$ ;

$R^n$  is selected from the group consisting of: H, halo and  $OC_{1-4}alkyl$ ;


$R^o$  is selected from the group consisting of: H,  $C_{1-4}alkyl$ , and  $C_{1-4}haloalkyl$ ;

$R^p$  is selected from the group consisting of: H,  $C_{1-4}alkyl$ ,  $CH_3$  and  $OC_{1-4}alkyl-OCH_3$ ;

Y is CH or N; and

$R^{4a}$  is selected from the group consisting of:  $CH_3$ ,  $CF_2H$ ,  $CF_3$ ,  $C_{3-6}cycloalkyl$ , and phenyl;  $CH_3$ ; and pharmaceutically acceptable salts, isotopes, N-oxides, solvates, and stereoisomers of compounds of Formula (II). thereof.

84. The method compound of claim 8883, wherein the MGL-receptor mediated disease, disorder, or condition compound is selected from the group consisting of: pain, psychiatric conditions, neurological conditions, cancers;




89. \_\_\_\_\_ and eye conditions pharmaceutically acceptable salts thereof.

~~90. The method of claim 89, wherein the MGL receptor mediated disease, disorder or condition is selected from the group consisting of major depressive disorder, treatment resistant depression, anxious depression and bipolar disorder.~~

85. The compound of claim 84, wherein the compound is a free base.


86. The ~~method~~ compound of claim 8983, wherein the compound is:



and pharmaceutically acceptable salts thereof.

~~87. The compound of claim 86, wherein the MGL receptor mediated disease, disorder or condition is inflammatory pain~~  
compound is a free base.


88. The compound of claim 83, wherein the compound is:



and pharmaceutically acceptable salts thereof.

89. The compound of claim 88, wherein the compound is a free base.


90. The compound of claim 83, wherein the compound is:



and pharmaceutically acceptable salts thereof.

91. The compound of claim 90, wherein the compound is a free base.

92. The compound of claim 83, wherein the compound is:



and pharmaceutically acceptable salts thereof.

91. 93. The compound of claim 92, wherein the compound is a free base.