


Claims

1. A method of treating or preventing a hyperproliferative disease or disorder or an infectious disease or disorder, the method comprising administering to a subject in need thereof a compound of formula (I)



wherein:

R^{1A} and R^{1B} are mutually linked to form, together with the nitrogen atom that they are attached to, a heterocycloalkyl which is optionally substituted with one or more groups R^{11} ;

or, alternatively, R^{1A} and R^{1B} are each independently selected from hydrogen, C_{1-5} alkyl, C_{2-5} alkenyl, C_{2-5} alkynyl, $-\text{CO}(C_{1-5} \text{ alkyl})$, carbocyclyl, and heterocyclyl, wherein said alkyl, said alkenyl, said alkynyl, and the alkyl moiety of said $-\text{CO}(C_{1-5} \text{ alkyl})$ are each optionally substituted with one or more groups R^{12} , and further wherein said carbocyclyl and said heterocyclyl are each optionally substituted with one or more groups R^{13} ;

each R^{11} is independently selected from C_{1-5} alkyl, C_{2-5} alkenyl, C_{2-5} alkynyl, $-(C_{0-3} \text{ alkylene})-\text{OH}$, $-(C_{0-3} \text{ alkylene})-\text{O}(C_{1-5} \text{ alkyl})$, $-(C_{0-3} \text{ alkylene})-\text{O}(C_{1-5} \text{ alkylene})-\text{OH}$, $-(C_{0-3} \text{ alkylene})-\text{O}(C_{1-5} \text{ alkylene})-\text{O}(C_{1-5} \text{ alkyl})$, $-(C_{0-3} \text{ alkylene})-\text{SH}$, $-(C_{0-3} \text{ alkylene})-\text{S}(C_{1-5} \text{ alkyl})$, $-(C_{0-3} \text{ alkylene})-\text{NH}_2$, $-(C_{0-3} \text{ alkylene})-\text{NH}(C_{1-5} \text{ alkyl})$, $-(C_{0-3} \text{ alkylene})-\text{N}(C_{1-5} \text{ alkyl})(C_{1-5} \text{ alkyl})$, $-(C_{0-3} \text{ alkylene})-\text{halogen}$, $-(C_{0-3} \text{ alkylene})-(C_{1-5} \text{ haloalkyl})$, $-(C_{0-3} \text{ alkylene})-\text{O}(C_{1-5} \text{ haloalkyl})$, $-(C_{0-3} \text{ alkylene})-\text{CF}_3$, $-(C_{0-3} \text{ alkylene})-\text{CN}$, $-(C_{0-3} \text{ alkylene})-\text{NO}_2$, $-(C_{0-3} \text{ alkylene})-\text{CHO}$, $-(C_{0-3}$

alkylene)-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-COOH, -(C₀₋₃ alkylene)-CO-O-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-O-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-CO-NH₂, -(C₀₋₃ alkylene)-CO-NH(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-CO-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-NH-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-N(C₁₋₅ alkyl)-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO₂-NH₂, -(C₀₋₃ alkylene)-SO₂-NH(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO₂-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-NH-SO₂-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-N(C₁₋₅ alkyl)-SO₂-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO₂-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-carbocyclyl, and -(C₀₋₃ alkylene)-heterocyclyl, wherein the carbocyclyl moiety of said -(C₀₋₃ alkylene)-carbocyclyl and the heterocyclyl moiety of said -(C₀₋₃ alkylene)-heterocyclyl are each optionally substituted with one or more groups independently selected from C₁₋₅ alkyl, C₂₋₅ alkenyl, C₂₋₅ alkynyl, -OH, -O(C₁₋₅ alkyl), -O(C₁₋₅ alkylene)-OH, -O(C₁₋₅ alkylene)-O(C₁₋₅ alkyl), -SH, -S(C₁₋₅ alkyl), -NH₂, -NH(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)(C₁₋₅ alkyl), halogen, C₁₋₅ haloalkyl, -O-(C₁₋₅ haloalkyl), -CF₃, -CN, -NO₂, -CHO, -CO-(C₁₋₅ alkyl), -COOH, -CO-O-(C₁₋₅ alkyl), -O-CO-(C₁₋₅ alkyl), -CO-NH₂, -CO-NH(C₁₋₅ alkyl), -CO-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -NH-CO-(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)-CO-(C₁₋₅ alkyl), -SO₂-NH₂, -SO₂-NH(C₁₋₅ alkyl), -SO₂-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -NH-SO₂-(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)-SO₂-(C₁₋₅ alkyl), -SO-(C₁₋₅ alkyl), -SO₂-(C₁₋₅ alkyl), cycloalkyl, and heterocycloalkyl;

each R¹² is independently selected from -OH, -O(C₁₋₅ alkyl), -O(C₁₋₅ alkylene)-OH, -O(C₁₋₅ alkylene)-O(C₁₋₅ alkyl), -SH, -S(C₁₋₅ alkyl), -NH₂, -NH(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)(C₁₋₅ alkyl), halogen, C₁₋₅ haloalkyl, -O-(C₁₋₅ haloalkyl), -CF₃, -CN, -NO₂, -CHO, -CO-(C₁₋₅ alkyl), -COOH, -CO-O-(C₁₋₅ alkyl), -O-CO-(C₁₋₅ alkyl), -CO-NH₂, -CO-NH(C₁₋₅ alkyl), -CO-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -NH-CO-(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)-CO-(C₁₋₅ alkyl), -SO₂-NH₂, -SO₂-NH(C₁₋₅ alkyl), -SO₂-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -NH-SO₂-(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)-SO₂-(C₁₋₅ alkyl), -SO-(C₁₋₅ alkyl), -SO₂-(C₁₋₅ alkyl), cycloalkyl, and heterocycloalkyl;

each R¹³ is independently selected from C₁₋₅ alkyl, C₂₋₅ alkenyl, C₂₋₅ alkynyl, -(C₀₋₃ alkylene)-OH, -(C₀₋₃ alkylene)-O(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-O(C₁₋₅ alkylene)-OH, -(C₀₋₃ alkylene)-O(C₁₋₅ alkylene)-O(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SH, -(C₀₋₃ alkylene)-S(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-NH₂, -(C₀₋₃ alkylene)-NH(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-halogen, -(C₀₋₃ alkylene)-(C₁₋₅ haloalkyl), -(C₀₋₃ alkylene)-O-(C₁₋₅ haloalkyl), -(C₀₋₃ alkylene)-CF₃, -(C₀₋₃

alkylene)-CN, -(C₀₋₃ alkylene)-NO₂, -(C₀₋₃ alkylene)-CHO, -(C₀₋₃ alkylene)-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-COOH, -(C₀₋₃ alkylene)-CO-O-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-O-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-CO-NH₂, -(C₀₋₃ alkylene)-CO-NH(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-CO-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-NH-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-N(C₁₋₅ alkyl)-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO₂-NH₂, -(C₀₋₃ alkylene)-SO₂-NH(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO₂-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-NH-SO₂-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-N(C₁₋₅ alkyl)-SO₂-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO₂-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-cycloalkyl, and -(C₀₋₃ alkylene)-heterocycloalkyl;

R² and R⁴ are each independently selected from hydrogen, C₁₋₅ alkyl, C₂₋₅ alkenyl, C₂₋₅ alkynyl, -(C₀₋₃ alkylene)-OH, -(C₀₋₃ alkylene)-O(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-O(C₁₋₅ alkylene)-OH, -(C₀₋₃ alkylene)-O(C₁₋₅ alkylene)-O(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SH, -(C₀₋₃ alkylene)-S(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-NH₂, -(C₀₋₃ alkylene)-NH(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-halogen, -(C₀₋₃ alkylene)-(C₁₋₅ haloalkyl), -(C₀₋₃ alkylene)-O-(C₁₋₅ haloalkyl), -(C₀₋₃ alkylene)-CF₃, -(C₀₋₃ alkylene)-CN, -(C₀₋₃ alkylene)-NO₂, -(C₀₋₃ alkylene)-CHO, -(C₀₋₃ alkylene)-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-COOH, -(C₀₋₃ alkylene)-CO-O-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-O-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-CO-NH₂, -(C₀₋₃ alkylene)-CO-NH(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-CO-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-NH-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-N(C₁₋₅ alkyl)-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO₂-NH₂, -(C₀₋₃ alkylene)-SO₂-NH(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO₂-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-NH-SO₂-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-N(C₁₋₅ alkyl)-SO₂-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO₂-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-carbocyclyl, and -(C₀₋₃ alkylene)-heterocyclyl, wherein the carbocyclyl moiety of said -(C₀₋₃ alkylene)-carbocyclyl and the heterocyclyl moiety of said -(C₀₋₃ alkylene)-heterocyclyl are each optionally substituted with one or more groups independently selected from C₁₋₅ alkyl, C₂₋₅ alkenyl, C₂₋₅ alkynyl, -OH, -O(C₁₋₅ alkyl), -O(C₁₋₅ alkylene)-OH, -O(C₁₋₅ alkylene)-O(C₁₋₅ alkyl), -SH, -S(C₁₋₅ alkyl), -NH₂, -NH(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)(C₁₋₅ alkyl), halogen, C₁₋₅ haloalkyl, -O-(C₁₋₅ haloalkyl), -CF₃, -CN, -NO₂, -CHO, -CO-(C₁₋₅ alkyl), -COOH, -CO-O-(C₁₋₅ alkyl), -O-CO-(C₁₋₅ alkyl), -CO-NH₂, -CO-NH(C₁₋₅ alkyl), -CO-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -NH-CO-(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)-CO-(C₁₋₅ alkyl), -SO₂-NH₂, -SO₂-NH(C₁₋₅ alkyl), -SO₂-N(C₁₋₅

alkyl)(C₁₋₅ alkyl), -NH-SO₂-(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)-SO₂-(C₁₋₅ alkyl), -SO-(C₁₋₅ alkyl), -SO₂-(C₁₋₅ alkyl), cycloalkyl, and heterocycloalkyl;

R³ is selected from hydrogen, C₁₋₅ alkyl, C₂₋₅ alkenyl, C₂₋₅ alkynyl, -(C₁₋₅ alkylene)-OH, -(C₁₋₅ alkylene)-O(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-O(C₁₋₅ alkylene)-OH, -(C₁₋₅ alkylene)-O(C₁₋₅ alkylene)-O(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-SH, -(C₁₋₅ alkylene)-S(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-NH₂, -(C₁₋₅ alkylene)-NH(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-halogen, C₁₋₅ haloalkyl, -(C₁₋₅ alkylene)-O-(C₁₋₅ haloalkyl), -(C₁₋₅ alkylene)-CF₃, -(C₁₋₅ alkylene)-CN, -(C₁₋₅ alkylene)-NO₂, -(C₁₋₅ alkylene)-Si(C₁₋₅ alkyl)₃, -(C₁₋₅ alkylene)-O(C₁₋₅ alkylene)-Si(C₁₋₅ alkyl)₃, -(C₁₋₅ alkylene)-CHO, -(C₁₋₅ alkylene)-CO-(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-COOH, -(C₁₋₅ alkylene)-CO-O-(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-O-CO-(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-CO-NH₂, -(C₁₋₅ alkylene)-CO-NH(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-CO-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-NH-CO-(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-N(C₁₋₅ alkyl)-CO-(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-NH-CO-O-(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-N(C₁₋₅ alkyl)-CO-O-(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-O-CO-NH-(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-O-CO-N(C₁₋₅ alkyl)-(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-SO₂-NH₂, -(C₁₋₅ alkylene)-SO₂-NH(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-SO₂-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-NH-SO₂-(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-N(C₁₋₅ alkyl)-SO₂-(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-SO-(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-SO₂-(C₁₋₅ alkyl), -(C₀₋₅ alkylene)-carbocyclyl, and -(C₀₋₅ alkylene)-heterocyclyl, wherein the carbocyclyl moiety of said -(C₀₋₅ alkylene)-carbocyclyl and the heterocyclyl moiety of said -(C₀₋₅ alkylene)-heterocyclyl are each optionally substituted with one or more groups independently selected from C₁₋₅ alkyl, C₂₋₅ alkenyl, C₂₋₅ alkynyl, -OH, -O(C₁₋₅ alkyl), -O(C₁₋₅ alkylene)-OH, -O(C₁₋₅ alkylene)-O(C₁₋₅ alkyl), -SH, -S(C₁₋₅ alkyl), -NH₂, -NH(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)(C₁₋₅ alkyl), halogen, C₁₋₅ haloalkyl, -O-(C₁₋₅ haloalkyl), -CF₃, -CN, -NO₂, -CHO, -CO-(C₁₋₅ alkyl), -COOH, -CO-O-(C₁₋₅ alkyl), -O-CO-(C₁₋₅ alkyl), -CO-NH₂, -CO-NH(C₁₋₅ alkyl), -CO-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -NH-CO-(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)-CO-(C₁₋₅ alkyl), -NH-CO-O-(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)-CO-O-(C₁₋₅ alkyl), -O-CO-NH-(C₁₋₅ alkyl), -O-CO-N(C₁₋₅ alkyl)-(C₁₋₅ alkyl), -SO₂-NH₂, -SO₂-NH(C₁₋₅ alkyl), -SO₂-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -NH-SO₂-(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)-SO₂-(C₁₋₅ alkyl), -SO-(C₁₋₅ alkyl), -SO₂-(C₁₋₅ alkyl), cycloalkyl, and heterocycloalkyl.

L is C₁₋₅ alkylene, wherein one or more -CH₂- units comprised in said alkylene are each optionally replaced by a group independently selected from -N(R^L)-, -N(R^L)-CO-, -CO-N(R^L)-, -CO-, -O-, -CO-O-, -O-CO-, -S-, -SO-, -SO₂-, -SO₂-N(R^L)-, and -N(R^L)-SO₂-;

each R^L is independently selected from hydrogen and C₁₋₅ alkyl;

ring A is aryl or monocyclic heteroaryl, wherein said aryl or said monocyclic heteroaryl is optionally substituted with one or more groups R^A; and

each R^A is independently selected from C₁₋₅ alkyl, C₂₋₅ alkenyl, C₂₋₅ alkynyl, -(C₀₋₃ alkylene)-OH, -(C₀₋₃ alkylene)-O(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-O(C₁₋₅ alkylene)-OH, -(C₀₋₃ alkylene)-O(C₁₋₅ alkylene)-O(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SH, -(C₀₋₃ alkylene)-S(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-NH₂, -(C₀₋₃ alkylene)-NH(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-halogen, -(C₀₋₃ alkylene)-(C₁₋₅ haloalkyl), -(C₀₋₃ alkylene)-O-(C₁₋₅ haloalkyl), -(C₀₋₃ alkylene)-CF₃, -(C₀₋₃ alkylene)-CN, -(C₀₋₃ alkylene)-NO₂, -(C₀₋₃ alkylene)-CHO, -(C₀₋₃ alkylene)-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-COOH, -(C₀₋₃ alkylene)-CO-O-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-O-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-CO-NH₂, -(C₀₋₃ alkylene)-CO-NH(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-CO-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-NH-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-N(C₁₋₅ alkyl)-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO₂-NH₂, -(C₀₋₃ alkylene)-SO₂-NH(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO₂-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-NH-SO₂-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-N(C₁₋₅ alkyl)-SO₂-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO₂-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-carbocyclyl, and -(C₀₋₃ alkylene)-heterocyclyl, wherein the carbocyclyl moiety of said -(C₀₋₃ alkylene)-carbocyclyl and the heterocyclyl moiety of said -(C₀₋₃ alkylene)-heterocyclyl are each optionally substituted with one or more groups independently selected from C₁₋₅ alkyl, C₂₋₅ alkenyl, C₂₋₅ alkynyl, -OH, -O(C₁₋₅ alkyl), -O(C₁₋₅ alkylene)-OH, -O(C₁₋₅ alkylene)-O(C₁₋₅ alkyl), -SH, -S(C₁₋₅ alkyl), -NH₂, -NH(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)(C₁₋₅ alkyl), halogen, C₁₋₅ haloalkyl, -O-(C₁₋₅ haloalkyl), -CF₃, -CN, -NO₂, -CHO, -CO-(C₁₋₅ alkyl), -COOH, -CO-O-(C₁₋₅ alkyl), -O-CO-(C₁₋₅ alkyl), -CO-NH₂, -CO-NH(C₁₋₅ alkyl), -CO-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -NH-CO-(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)-CO-(C₁₋₅ alkyl), -SO₂-NH₂, -SO₂-NH(C₁₋₅ alkyl), -SO₂-N(C₁₋₅ alkyl)(C₁₋₅

alkyl), -NH-SO₂-(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)-SO₂-(C₁₋₅ alkyl), -SO-(C₁₋₅ alkyl), -SO₂-(C₁₋₅ alkyl), cycloalkyl, and heterocycloalkyl;

or a pharmaceutically acceptable salt, solvate or prodrug thereof.