
CLAIMS

WHAT IS CLAIMED IS:

1. A compound represented by Formula (I):



(I);

or a salt thereof, wherein:

X^1, X^2, X^3, and X^4 are each independently selected from $C(R^1)$, N, and $N^+(-O^-)$, wherein at least one of X^1, X^2, X^3, or X^4 is N; and no more than two of X^1, X^2, X^3, and X^4 are N;

each R^1 is independently selected from:

hydrogen;

halogen, $-NO_2$, -CN, $-OR^{10a}$, $-SR^{10a}$, $-N(R^{10a})_2$, $-C(O)R^{10a}$, $-C(O)N(R^{10a})_2$, $-N(R^{10a})C(O)R^{10a}$, $-N(R^{10a})C(O)N(R^{10a})_2$, $-OC(O)N(R^{10a})_2$, $-N(R^{10a})C(O)OR^{10a}$, $-C(O)OR^{10a}$, $-OC(O)R^{10a}$, $-S(O)R^{10a}$, and $-S(O)_2R^{10a}$;

C_{1-6} alkyl, C_{2-6} alkenyl, and C_{2-6} alkynyl, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10a}$, $-SR^{10a}$, $-N(R^{10a})_2$, $-C(O)R^{10a}$, $-C(O)N(R^{10a})_2$, $-N(R^{10a})C(O)R^{10a}$, $-C(O)OR^{10a}$, $-OC(O)R^{10a}$, $-N(R^{10a})C(O)N(R^{10a})_2$, $-OC(O)N(R^{10a})_2$, $-N(R^{10a})C(O)OR^{10a}$, $-S(O)R^{10a}$, $-S(O)_2R^{10a}$, $-NO_2$, =O, =S, $=N(R^{10a})$, -CN, C_{3-10} carbocycle, and 3- to 10-membered heterocycle, wherein each C_{3-10} carbocycle, and 3- to 10-membered heterocycle is optionally substituted with one or more substituents independently selected from R^{9a}; and

C_{3-10} carbocycle and 3- to 10-membered heterocycle, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10a}$, $-SR^{10a}$, $-N(R^{10a})_2$, $-C(O)R^{10a}$, $-C(O)N(R^{10a})_2$, $-N(R^{10a})C(O)R^{10a}$, $-N(R^{10a})C(O)N(R^{10a})_2$, $-OC(O)N(R^{10a})_2$, $-N(R^{10a})C(O)OR^{10a}$, $-C(O)OR^{10a}$, $-OC(O)R^{10a}$, $-S(O)R^{10a}$, $-S(O)_2R^{10a}$, $-NO_2$, =O, =S, $=N(R^{10a})$, -CN, C_{1-6} alkyl, C_{2-6} alkenyl, and C_{2-6} alkynyl, wherein each C_{1-6} alkyl, C_{2-6} alkenyl, and C_{2-6} alkynyl is optionally substituted with one or more substituents independently selected from R^{9a};

R^2 is selected from:

C_{1-6} alkyl, C_{2-6} alkenyl, and C_{2-6} alkynyl, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10b}$, $-SR^{10b}$, -

$N(R^{10b})_2$, $-C(O)R^{10b}$, $-C(O)N(R^{10b})_2$, $-N(R^{10b})C(O)R^{10b}$, $-C(O)OR^{10b}$, $-OC(O)R^{10b}$, $-N(R^{10b})C(O)N(R^{10b})_2$, $-OC(O)N(R^{10b})_2$, $-N(R^{10b})C(O)OR^{10b}$, $-S(O)R^{10b}$, $-S(O)_2R^{10b}$, $-NO_2$, =O, =S, $=N(R^{10b})$, -CN, C_{3-10} carbocycle, and 3- to 10-membered heterocycle, wherein each C_{3-10} carbocycle and 3- to 10-membered heterocycle is optionally substituted with one or more substituents independently selected from R^{9b}; and

C_{3-10} carbocycle and 3- to 10-membered heterocycle, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10b}$, $-SR^{10b}$, $-N(R^{10b})_2$, $-C(O)R^{10b}$, $-C(O)N(R^{10b})_2$, $-N(R^{10b})C(O)R^{10b}$, $-N(R^{10b})C(O)N(R^{10b})_2$, $-OC(O)N(R^{10b})_2$, $-N(R^{10b})C(O)OR^{10b}$, $-C(O)OR^{10b}$, $-OC(O)R^{10b}$, $-S(O)R^{10b}$, $-S(O)_2R^{10b}$, $-NO_2$, =O, =S, $=N(R^{10b})$, -CN, C_{1-6} alkyl, C_{2-6} alkenyl, and C_{2-6} alkynyl, wherein each C_{1-6} alkyl, C_{2-6} alkenyl, and C_{2-6} alkynyl is optionally substituted with one or more substituents independently selected from R^{9b};

R^3 and R^4 are each independently selected from:

hydrogen, halogen, $-OR^{10c}$, $-SR^{10c}$, $-N(R^{10c})_2$, $-NO_2$, and -CN; and

C_{1-6} alkyl optionally substituted with one or more substituents independently selected from halogen, $-OR^{10c}$, $-SR^{10c}$, $-N(R^{10c})_2$, $-NO_2$, and -CN; or

R^3 together with R^4 form a 3- to 10- membered heterocycle or C_{3-10} carbocycle, wherein the 3- to 10- membered heterocycle or C_{3-10} carbocycle is optionally substituted with one or more substituents independently selected from R^{9c};

R^5 and R^6 are each independently selected from:

hydrogen, halogen, $-OR^{10c}$, $-SR^{10c}$, $-N(R^{10c})_2$, $-NO_2$, and -CN;

C_{1-6} alkyl, optionally substituted with one or more substituents independently selected from halogen, $-OR^{10c}$, $-SR^{10c}$, $-N(R^{10c})_2$, $-NO_2$, -CN, C_{3-10} carbocycle, and 3- to 10-membered heterocycle, wherein each C_{3-10} carbocycle and 3- to 10-membered heterocycle is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10c}$, $-SR^{10c}$, $-N(R^{10c})_2$, $-NO_2$, and -CN; and

C_{3-10} carbocycle and 3- to 10-membered heterocycle, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10c}$, $-SR^{10c}$, $-N(R^{10c})_2$, $-NO_2$, and -CN; or

R^5 together with R^6 form a 3- to 10- membered heterocycle or C_{3-10} carbocycle, wherein the 3- to 10- membered heterocycle or C_{3-10} carbocycle is optionally substituted with one or more substituents independently selected from R^{9c};

R^7 is selected from:

hydrogen and C_{1-6} alkyl optionally substituted with one or more substituents independently selected from halogen, $-OR^{10d}$, $-SR^{10d}$, $-N(R^{10d})_2$, $-NO_2$, and -CN;

R^8 is selected from:

hydrogen; and

C_{1-6} alkyl optionally substituted with one or more substituents independently selected from halogen, $-OR^{10e}$, $-SR^{10e}$, $-N(R^{10e})_2$, $-NO_2$, -CN, C_{3-10} carbocycle, and 3- to 10-membered heterocycle, wherein each C_{3-10} carbocycle and 3- to 10-membered heterocycle is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10e}$, $-SR^{10e}$, $-N(R^{10e})_2$, $-NO_2$, and -CN;

each R^{9a} is independently selected from:

halogen, $-OR^{10a}$, $-SR^{10a}$, $-N(R^{10a})_2$, $-C(O)R^{10a}$, $-C(O)N(R^{10a})_2$, $-N(R^{10a})C(O)R^{10a}$, $-N(R^{10a})C(O)N(R^{10a})_2$, $-OC(O)N(R^{10a})_2$, $-N(R^{10a})C(O)OR^{10a}$, $-C(O)OR^{10a}$, $-OC(O)R^{10a}$, $-S(O)R^{10a}$, $-S(O)_2R^{10a}$, $-NO_2$, =O, =S, $=N(R^{10a})$, and -CN; and

C_{1-3} alkyl, C_{2-3} alkenyl, and C_{2-3} alkynyl, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10a}$, $-SR^{10a}$, $-N(R^{10a})_2$, $-C(O)R^{10a}$, $-C(O)N(R^{10a})_2$, $-N(R^{10a})C(O)R^{10a}$, $-N(R^{10a})C(O)N(R^{10a})_2$, $-OC(O)N(R^{10a})_2$, $-N(R^{10a})C(O)OR^{10a}$, $-C(O)OR^{10a}$, $-OC(O)R^{10a}$, $-S(O)R^{10a}$, $-S(O)_2R^{10a}$, $-NO_2$, =O, =S, $=N(R^{10a})$, and -CN;

each R^{9b} is independently selected from:

halogen, $-OR^{10b}$, $-SR^{10b}$, $-N(R^{10b})_2$, $-C(O)R^{10b}$, $-C(O)N(R^{10b})_2$, $-N(R^{10b})C(O)R^{10b}$, $-N(R^{10b})C(O)N(R^{10b})_2$, $-OC(O)N(R^{10b})_2$, $-N(R^{10b})C(O)OR^{10b}$, $-C(O)OR^{10b}$, $-OC(O)R^{10b}$, $-S(O)R^{10b}$, $-S(O)_2R^{10b}$, $-NO_2$, =O, =S, $=N(R^{10b})$, and -CN; and

C_{1-3} alkyl, C_{2-3} alkenyl, and C_{2-3} alkynyl, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10b}$, $-SR^{10b}$, $-N(R^{10b})_2$, $-C(O)R^{10b}$, $-C(O)N(R^{10b})_2$, $-N(R^{10b})C(O)R^{10b}$, $-N(R^{10b})C(O)N(R^{10b})_2$, $-OC(O)N(R^{10b})_2$, $-N(R^{10b})C(O)OR^{10b}$, $-C(O)OR^{10b}$, $-OC(O)R^{10b}$, $-S(O)R^{10b}$, $-S(O)_2R^{10b}$, $-NO_2$, =O, =S, $=N(R^{10b})$, and -CN;

each R^{9c} is independently selected from:

halogen, $-OR^{10c}$, $-SR^{10c}$, $-N(R^{10c})_2$, $-C(O)R^{10c}$, $-C(O)N(R^{10c})_2$, $-N(R^{10c})C(O)R^{10c}$, $-N(R^{10c})C(O)N(R^{10c})_2$, $-OC(O)N(R^{10c})_2$, $-N(R^{10c})C(O)OR^{10c}$, $-C(O)OR^{10c}$, $-OC(O)R^{10c}$, $-S(O)R^{10c}$, $-S(O)_2R^{10c}$, $-NO_2$, =O, =S, $=N(R^{10c})$, and -CN; and

C_{1-3} alkyl, C_{2-3} alkenyl, and C_{2-3} alkynyl, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10c}$, $-SR^{10c}$, $-N(R^{10c})_2$, $-C(O)R^{10c}$, $-C(O)N(R^{10c})_2$, $-N(R^{10c})C(O)R^{10c}$, $-N(R^{10c})C(O)N(R^{10c})_2$, -

$OC(O)N(R^{10c})_2$, $-N(R^{10c})C(O)OR^{10c}$, $-C(O)OR^{10c}$, $-OC(O)R^{10c}$, $-S(O)R^{10c}$, $-S(O)_2R^{10c}$, $-NO_2$, =O, =S, $=N(R^{10c})$, and -CN; and

each R^{10a}, R^{10b}, R^{10c}, R^{10d}, and R^{10e} is independently selected from:

hydrogen;

C_{1-6} alkyl, C_{2-6} alkenyl, and C_{2-6} alkynyl, each of which is optionally substituted with one or more substituents independently selected from halogen, -CN, -OH, -SH, $-NO_2$, $-NH_2$, =O, =S, -O-C_{1-6} alkyl, -S-C_{1-6} alkyl, $-N(C_{1-6}$ alkyl$)_2$, $-NH(C_{1-6}$ alkyl), C_{3-10} carbocycle, and 3- to 10-membered heterocycle; and

C_{3-10} carbocycle, and 3- to 10-membered heterocycle, each of which is optionally substituted with one or more substituents independently selected from halogen, -CN, -OH, -SH, $-NO_2$, $-NH_2$, =O, =S, -O-C_{1-6} alkyl, -S-C_{1-6} alkyl, $-N(C_{1-6}$ alkyl$)_2$, $-NH(C_{1-6}$ alkyl), C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-10} carbocycle, 3- to 10-membered heterocycle, and C_{1-6} haloalkyl;

wherein if X^3 and X^1 are both N, then R^8 is selected from hydrogen and C_{1-4} alkyl optionally substituted with one or more substituents independently selected from halogen, $-OR^{10}$, $-SR^{10}$, $-N(R^{10})_2$, $-NO_2$, and -CN; and

wherein if X^4 and X^2 are both N, then R^8 is selected from hydrogen and C_{1-4} alkyl optionally substituted with one or more substituents independently selected from halogen, $-OR^{10}$, $-SR^{10}$, $-N(R^{10})_2$, $-NO_2$, and -CN.

2. The compound or salt of claim 1, wherein X1, X2, X3, and X4 are each independently selected from $C(R^1)$ and N.
3. The compound or salt of claim 1, wherein one of X^1, X^2, X^3, or X^4 is N, and three of X^1, X^2, X^3, or X^4 are independently selected from $C(R^1)$.
4. The compound or salt of any one of claims 1 to 3, wherein each R^1 is independently selected from:






hydrogen;

halogen, $-NO_2$, -CN, $-OR^{10a}$, $-SR^{10a}$, $-N(R^{10a})_2$, $-C(O)R^{10a}$, and $-C(O)N(R^{10a})_2$;

C_{1-6} alkyl, optionally substituted with one or more substituents independently selected from halogen, $-OR^{10a}$, $-SR^{10a}$, and $-N(R^{10a})_2$; and

C_{3-10} carbocycle and 3- to 10-membered heterocycle, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10a}$, $-SR^{10a}$, and $-N(R^{10a})_2$.

5. The compound or salt of any one of claims 1 to 4, wherein each R^1 is independently selected from hydrogen, -CN, -OH, -OMe, -OEt, -O*i*Pr, -F, -Cl, -Br, -Me, -Et, $-CF_3$, $-CHF_2$, $-CH_2F$,

OCF_3, $-OCHF_2$, $-OCH_2F$, $-C(O)NH_2$, , , , , and .

6. The compound or salt of any one of claims 1 to 5, wherein R^2 is selected from

   C_{1-6} alkyl, optionally substituted with one or more substituents independently selected from halogen, $-OR^{10b}$, $-SR^{10b}$, $-N(R^{10b})_2$, -CN, =O, C_{3-10} carbocycle, and 3- to 10-membered heterocycle, wherein the C_{3-10} carbocycle and 3- to 10-membered heterocycle are each optionally substituted with one or more R^{9b}; and

   C_{3-10} carbocycle and 3- to 10-membered heterocycle, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10b}$, $-SR^{10b}$, $-N(R^{10b})_2$, =O, -CN, and C_{1-6} alkyl, wherein each C_{1-6} alkyl is optionally substituted with one or more R^{9b}.

7. The compound or salt of any one of claims 1 to 6, wherein R^2 is selected from

   C_{1-6} alkyl, optionally substituted with one or more substituents independently selected from -F, Cl, -OH, C_{3-10} carbocycle, and 3- to 10-membered heterocycle, wherein the C_{3-10} carbocycle and 3- to 10-membered heterocycle are each optionally substituted with one or more R^{9b}; and




















   C_{3-10} carbocycle and 3- to 10-membered heterocycle, each of which is optionally substituted with one or more substituents independently selected from -F, -Cl, and -CN.

8. The compound or salt of any one of claims 1 to 7, wherein R^2 is selected from C_2 alkyl, optionally substituted with one or more substituents independently selected from C_{3-10} carbocycle and 3- to 10-membered heterocycle, wherein the C_{3-10} carbocycle and 3- to 10-membered heterocycle are each optionally substituted with one or more substituents independently selected from -F, -Cl, and -CN.

9. The compound or salt of any one of claims 1 to 7, wherein R^2 is C_{1-6} alkyl, optionally substituted with one or more substituents independently selected from -F, -OH, C_{3-10} carbocycle and 3- to 10-membered heterocycle, wherein the C_{3-10} carbocycle and 3- to 10-membered heterocycle are each optionally substituted with one or more R^{9b}.













10. The compound or salt of any one of claims 1 to 7 or claim 9, wherein R^2 is C_{1-6} alkyl, optionally substituted with one or more substituents independently selected from -F, -OH, C_{3-10} carbocycle and 3- to 10-membered heterocycle, wherein each C_{3-10} carbocycle and 3- to 10-membered


















heterocycle is independently selected from phenyl, 2-pyridyl, and 3-pyridyl, and each phenyl, 2-pyridyl, and 3-pyridyl is optionally substituted with one or more R^{9b}.














11. The compound or salt of any one of claims 1 to 6, wherein R^2 is selected from , , , , , , , , , , , , , , , , , , and .

12. The compound or salt of any one of claims 1 to 11, wherein R^3 and R^4 are each independently selected from: hydrogen; and $C_{1\text{-}6}$ alkyl optionally substituted with one or more halogen.
13. The compound or salt of any one of claims 1 to 11, wherein R^3 and R^4 are each independently selected from: hydrogen, -OH, and C_1 alkyl.
14. The compound or salt of any one of claims 1 to 13, wherein R^3 and R^4 are each independently selected from: hydrogen
15. The compound or salt of any one of claims 1 to 14, wherein R^5 and R^6 are each independently selected from: hydrogen.
16. The compound or salt of any one of claims 1 to 15, wherein R^5 and R^6 are each independently selected from: hydrogen and $C_{1\text{-}3}$ alkyl; or R^7 is selected from hydrogen and $C_{1\text{-}4}$ alkyl; or R^8 is selected from hydrogen and $C_{1\text{-}4}$ alkyl.
17. The compound or salt of any one of claims 1 to 16, wherein R^7 is selected from hydrogen.
18. The compound or salt of any one of claims 1 to 17, wherein R^8 is selected from hydrogen.
















19. The compound or salt of any one of claims 1 to 18, wherein each R^{9a}, R^{9b}, and R^{9c} is independently selected from: halogen, -OH, -O(C_{1-6} alkyl), -O(C_{1-6} haloalkyl), -CN, and C_{1-3} alkyl.
20. The compound or salt of any one of claims 1 to 19, wherein each R^{10a}, R^{10b}, R^{10c}, R^{10d}, and R^{10e} is independently selected from hydrogen, C_{1-6} alkyl optionally substituted with one or more substituents independently selected from halogen, C_{3-10} carbocycle, and 3- to 10-membered heterocycle.
21. The compound or salt of any one of claims 1 to 20, wherein each R^{10a}, R^{10b}, R^{10c}, R^{10d}, and R^{10e} is independently selected from hydrogen.
22. The compound or salt of claim 1, wherein the compound or salt is selected from:


,

,

,

,

,

,

,

,

,

,

,

,


,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,



,

,

,

,

,

,

,

,

,

,

,

,

,

















,


,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,















,














,

,


















,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

















,





,


,

,

,

,

,

,

,

,

,

,

,

,

,

,



,

,

,

,

,

,

,

,

,

,

,

,

,


,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,


,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,


,

,

, and

, or a salt of any one thereof.

23. A compound represented by Formula (II):


(II);

or a salt thereof, wherein:

n is 0, 1, 2, 3, or 4;

each R^1 is independently selected from:

halogen, $-NO_2$, -CN, $-OR^{10a}$, $-SR^{10a}$, $-N(R^{10a})_2$, $-C(O)R^{10a}$, $-C(O)N(R^{10a})_2$, $-N(R^{10a})C(O)R^{10a}$, $-N(R^{10a})C(O)N(R^{10a})_2$, $-OC(O)N(R^{10a})_2$, $-N(R^{10a})C(O)OR^{10a}$, $-C(O)OR^{10a}$, $-OC(O)R^{10a}$, $-S(O)R^{10a}$, and $-S(O)_2R^{10a}$;

C_{1-6} alkyl, C_{2-6} alkenyl, and C_{2-6} alkynyl, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10a}$, $-SR^{10a}$, $-N(R^{10a})_2$, $-C(O)R^{10a}$, $-C(O)N(R^{10a})_2$, $-N(R^{10a})C(O)R^{10a}$, $-C(O)OR^{10a}$, $-OC(O)R^{10a}$, $-N(R^{10a})C(O)N(R^{10a})_2$, $-OC(O)N(R^{10a})_2$, $-N(R^{10a})C(O)OR^{10a}$, $-S(O)R^{10a}$, $-S(O)_2R^{10a}$, $-NO_2$, =O, =S, $=N(R^{10a})$, -CN, C_{3-10} carbocycle, and 3- to 10-membered heterocycle, wherein each C_{3-10} carbocycle and 3- to 10-membered heterocycle is optionally substituted with one or more substituents independently selected from R^{9a}; and

C_{3-10} carbocycle and 3- to 10-membered heterocycle, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10a}$, $-SR^{10a}$, $-N(R^{10a})_2$, $-C(O)R^{10a}$, $-C(O)N(R^{10a})_2$, $-N(R^{10a})C(O)R^{10a}$, $-N(R^{10a})C(O)N(R^{10a})_2$, $-OC(O)N(R^{10a})_2$, $-N(R^{10a})C(O)OR^{10a}$, $-C(O)OR^{10a}$, $-OC(O)R^{10a}$, $-S(O)R^{10a}$, $-S(O)_2R^{10a}$, $-NO_2$, =O, =S, $=N(R^{10a})$, -CN, C_{1-6} alkyl, C_{2-6} alkenyl, and C_{2-6} alkynyl, wherein each C_{1-6} alkyl, C_{2-6} alkenyl, and C_{2-6} alkynyl is optionally substituted with one or more substituents independently selected from R^{9a};

R^2 is selected from:

halogen, $-NO_2$, -CN, $-OR^{10b}$, $-SR^{10b}$, $-N(R^{10b})_2$, $-C(O)R^{10b}$, $-C(O)N(R^{10b})_2$, $-N(R^{10b})C(O)R^{10b}$, $-N(R^{10b})C(O)N(R^{10b})_2$, $-OC(O)N(R^{10b})_2$, $-N(R^{10b})C(O)OR^{10b}$, $-C(O)OR^{10b}$, $-OC(O)R^{10b}$, $-S(O)R^{10b}$, and $-S(O)_2R^{10b}$;

C_{1-6} alkyl, C_{2-6} alkenyl, and C_{2-6} alkynyl, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10b}$, $-SR^{10b}$, $-N(R^{10b})_2$, $-C(O)R^{10b}$, $-C(O)N(R^{10b})_2$, $-N(R^{10b})C(O)R^{10b}$, $-C(O)OR^{10b}$, $-OC(O)R^{10b}$, $-N(R^{10b})C(O)N(R^{10b})_2$, $-OC(O)N(R^{10b})_2$, $-N(R^{10b})C(O)OR^{10b}$, $-S(O)R^{10b}$, $-S(O)_2R^{10b}$, $-NO_2$, =O, =S, $=N(R^{10b})$, -CN, C_{3-10} carbocycle, and 3- to 10-membered heterocycle, wherein each C_{3-10} carbocycle and 3- to 10-membered heterocycle is optionally substituted with one or more substituents independently selected from R^{9b}; and

C_{3-10} carbocycle and 3- to 10-membered heterocycle, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10b}$, $-SR^{10b}$, $-N(R^{10b})_2$, $-C(O)R^{10b}$, $-C(O)N(R^{10b})_2$, $-N(R^{10b})C(O)R^{10b}$, $-N(R^{10b})C(O)N(R^{10b})_2$, $-OC(O)N(R^{10b})_2$, $-N(R^{10b})C(O)OR^{10b}$, $-C(O)OR^{10b}$, $-OC(O)R^{10b}$, $-S(O)R^{10b}$, $-S(O)_2R^{10b}$, $-NO_2$, =O, =S, $=N(R^{10b})$, -CN, C_{1-6} alkyl, C_{2-6} alkenyl, and C_{2-6} alkynyl, wherein each C_{1-6} alkyl, C_{2-6} alkenyl, and C_{2-6} alkynyl is optionally substituted with one or more substituents independently selected from R^{9b}; or

R^2 together with R^{11} form a 3- to 10-membered heterocycle or C_{3-10} carbocycle, wherein the 3- to 10-membered heterocycle or C_{3-10} carbocycle is optionally substituted with one or more substituents independently selected from $R^{9b'}$;

R^3 and R^4 are each independently selected from:

hydrogen, halogen, $-OR^{10c}$, $-SR^{10c}$, $-N(R^{10c})_2$, $-NO_2$, and -CN; and

C_{1-6} alkyl optionally substituted with one or more substituents independently selected from halogen, $-OR^{10c}$, $-SR^{10c}$, $-N(R^{10c})_2$, $-NO_2$, and -CN; or

R^3 together with R^4 form a 3- to 10-membered heterocycle or C_{3-10} carbocycle, wherein the 3- to 10-membered heterocycle or C_{3-10} carbocycle is optionally substituted with one or more substituents independently selected from R^{9c};

R^5 and R^6 are each independently selected from:

hydrogen, halogen, $-OR^{10d}$, $-SR^{10d}$, $-N(R^{10d})_2$, $-NO_2$, and -CN; and

C_{1-6} alkyl optionally substituted with one or more substituents independently selected from halogen, $-OR^{10d}$, $-SR^{10d}$, $-N(R^{10d})_2$, $-NO_2$, and -CN; or

R^5 together with R^6 form a 3- to 10-membered heterocycle or C_{3-10} carbocycle, wherein the 3- to 10-membered heterocycle or C_{3-10} carbocycle is optionally substituted with one or more substituents independently selected from R^{9d};

R^7 is selected from:

hydrogen and C_{1-6} alkyl optionally substituted with one or more substituents independently selected from halogen, $-OR^{10e}$, $-SR^{10e}$, $-N(R^{10e})_2$, $-NO_2$, and -CN;

R^8 is selected from:

hydrogen and C_{1-6} alkyl optionally substituted with one or more substituents independently selected from halogen, $-OR^{10f}$, $-SR^{10f}$, $-N(R^{10f})_2$, $-NO_2$, and -CN;

R^{11} is selected from:

halogen, $-NO_2$, -CN, $-OR^{10g}$, $-SR^{10g}$, $-N(R^{10g})_2$, $-C(O)R^{10g}$, $-C(O)N(R^{10g})_2$, $-N(R^{10g})C(O)R^{10g}$, $-N(R^{10g})C(O)N(R^{10g})_2$, $-OC(O)N(R^{10g})_2$, $-N(R^{10g})C(O)OR^{10g}$, $-C(O)OR^{10g}$, $-OC(O)R^{10g}$, $-S(O)R^{10g}$, and $-S(O)_2R^{10g}$; and

C_{1-6} alkyl, C_{2-6} alkenyl, and C_{2-6} alkynyl, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10g}$, $-SR^{10g}$, $-N(R^{10g})_2$, $-C(O)R^{10g}$, $-C(O)N(R^{10g})_2$, $-N(R^{10g})C(O)R^{10g}$, $-C(O)OR^{10g}$, $-OC(O)R^{10g}$, $-N(R^{10g})C(O)N(R^{10g})_2$, $-OC(O)N(R^{10g})_2$, $-N(R^{10g})C(O)OR^{10g}$, $-S(O)R^{10g}$, $-S(O)_2R^{10g}$, $-NO_2$, =S, $=N(R^{10g})$, -CN, C_{3-10} carbocycle, and 3- to 10-membered heterocycle, wherein each C_{3-10} carbocycle and 3- to 10-membered heterocycle is optionally substituted with one or more substituents independently selected from R^{9g};

R^{12} is selected from

hydrogen;

C_{1-6} alkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, -CN, -OH, $-OR^{10h}$, $-N(R^{10h})_2$, $-NO_2$, $-C(O)R^{10h}$, $-SR^{10h}$, and $-S(O)R^{10h}$; and

C_{3-6} carbocycle and 3- to 10-membered heterocycle, each of which is optionally substituted with one or more substituents independently selected from the group consisting of halogen, -CN, -OH, $-OR^{10h}$, $-N(R^{10h})_2$, $-NO_2$, $-C(O)R^{10h}$, $-SR^{10h}$, and $-S(O)R^{10h}$; or

R^{12}, R^{11}, and R^2 come together to form a C_5-C_{10} bridged ring system;

each R^{9a} is independently selected from:

halogen, $-OR^{10a}$, $-SR^{10a}$, $-N(R^{10a})_2$, $-C(O)R^{10a}$, $-C(O)N(R^{10a})_2$, $-N(R^{10a})C(O)R^{10a}$, $-N(R^{10a})C(O)N(R^{10a})_2$, $-OC(O)N(R^{10a})_2$, $-N(R^{10a})C(O)OR^{10a}$, $-C(O)OR^{10a}$, $-OC(O)R^{10a}$, $-S(O)R^{10a}$, $-S(O)_2R^{10a}$, $-NO_2$, =O, =S, $=N(R^{10a})$, and -CN; and

C_{1-3} alkyl, C_{2-3} alkenyl, and C_{2-3} alkynyl, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10a}$, $-SR^{10a}$, $-N(R^{10a})_2$, $-C(O)R^{10a}$, $-C(O)N(R^{10a})_2$, $-N(R^{10a})C(O)R^{10a}$, $-N(R^{10a})C(O)N(R^{10a})_2$, -

$OC(O)N(R^{10a})_2$, $-N(R^{10a})C(O)OR^{10a}$, $-C(O)OR^{10a}$, $-OC(O)R^{10a}$, $-S(O)R^{10a}$, $-S(O)_2R^{10a}$, $-NO_2$, =O, =S, $=N(R^{10a})$, and -CN;

each R^{9b} is independently selected from:

halogen, $-OR^{10b}$, $-SR^{10b}$, $-N(R^{10b})_2$, $-C(O)R^{10b}$, $-C(O)N(R^{10b})_2$, $-N(R^{10b})C(O)R^{10b}$, $-N(R^{10b})C(O)N(R^{10b})_2$, $-OC(O)N(R^{10b})_2$, $-N(R^{10b})C(O)OR^{10b}$, $-C(O)OR^{10b}$, $-OC(O)R^{10b}$, $-S(O)R^{10b}$, $-S(O)_2R^{10b}$, $-NO_2$, =O, =S, $=N(R^{10b})$, and -CN; and

C_{1-3} alkyl, C_{2-3} alkenyl, and C_{2-3} alkynyl, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10b}$, $-SR^{10b}$, $-N(R^{10b})_2$, $-C(O)R^{10b}$, $-C(O)N(R^{10b})_2$, $-N(R^{10b})C(O)R^{10b}$, $-N(R^{10b})C(O)N(R^{10b})_2$, $-OC(O)N(R^{10b})_2$, $-N(R^{10b})C(O)OR^{10b}$, $-C(O)OR^{10b}$, $-OC(O)R^{10b}$, $-S(O)R^{10b}$, $-S(O)_2R^{10b}$, $-NO_2$, =O, =S, $=N(R^{10b})$, and -CN;

each $R^{9b'}$ is independently selected from:

halogen, $-OR^{10b}$, $-SR^{10b}$, $-N(R^{10b})_2$, $-C(O)R^{10b}$, $-C(O)N(R^{10b})_2$, $-N(R^{10b})C(O)R^{10b}$, $-N(R^{10b})C(O)N(R^{10b})_2$, $-OC(O)N(R^{10b})_2$, $-N(R^{10b})C(O)OR^{10b}$, $-C(O)OR^{10b}$, $-OC(O)R^{10b}$, $-S(O)R^{10b}$, $-S(O)_2R^{10b}$, $-NO_2$, =O, =S, $=N(R^{10b})$, and -CN; and

C_{1-3} alkyl, C_{2-3} alkenyl, and C_{2-3} alkynyl, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10b}$, $-SR^{10b}$, $-N(R^{10b})_2$, $-C(O)R^{10b}$, $-C(O)N(R^{10b})_2$, $-N(R^{10b})C(O)R^{10b}$, $-N(R^{10b})C(O)N(R^{10b})_2$, $-OC(O)N(R^{10b})_2$, $-N(R^{10b})C(O)OR^{10b}$, $-C(O)OR^{10b}$, $-OC(O)R^{10b}$, $-S(O)R^{10b}$, $-S(O)_2R^{10b}$, $-NO_2$, =O, =S, $=N(R^{10b})$, and -CN;

each R^{9c} is independently selected from:

halogen, $-OR^{10c}$, $-SR^{10c}$, $-N(R^{10c})_2$, $-C(O)R^{10c}$, $-C(O)N(R^{10c})_2$, $-N(R^{10c})C(O)R^{10c}$, $-N(R^{10c})C(O)N(R^{10c})_2$, $-OC(O)N(R^{10c})_2$, $-N(R^{10c})C(O)OR^{10c}$, $-C(O)OR^{10c}$, $-OC(O)R^{10c}$, $-S(O)R^{10c}$, $-S(O)_2R^{10c}$, $-NO_2$, =O, =S, $=N(R^{10c})$, and -CN; and

C_{1-3} alkyl, C_{2-3} alkenyl, and C_{2-3} alkynyl, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10c}$, $-SR^{10c}$, $-N(R^{10c})_2$, $-C(O)R^{10c}$, $-C(O)N(R^{10c})_2$, $-N(R^{10c})C(O)R^{10c}$, $-N(R^{10c})C(O)N(R^{10c})_2$, $-OC(O)N(R^{10c})_2$, $-N(R^{10c})C(O)OR^{10c}$, $-C(O)OR^{10c}$, $-OC(O)R^{10c}$, $-S(O)R^{10c}$, $-S(O)_2R^{10c}$, $-NO_2$, =O, =S, $=N(R^{10c})$, and -CN;

each R^{9d} is independently selected from:

halogen, $-OR^{10d}$, $-SR^{10d}$, $-N(R^{10d})_2$, $-C(O)R^{10d}$, $-C(O)N(R^{10d})_2$, $-N(R^{10d})C(O)R^{10d}$, $-N(R^{10d})C(O)N(R^{10d})_2$, $-OC(O)N(R^{10d})_2$, $-N(R^{10d})C(O)OR^{10d}$, $-C(O)OR^{10d}$, $-OC(O)R^{10d}$, $-S(O)R^{10d}$, $-S(O)_2R^{10d}$, $-NO_2$, =O, =S, $=N(R^{10d})$, and -CN; and

C_{1-3} alkyl, C_{2-3} alkenyl, and C_{2-3} alkynyl, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10d}$, $-SR^{10d}$, $-N(R^{10d})_2$, $-C(O)R^{10d}$, $-C(O)N(R^{10d})_2$, $-N(R^{10d})C(O)R^{10d}$, $-N(R^{10d})C(O)N(R^{10d})_2$, $-OC(O)N(R^{10d})_2$, $-N(R^{10d})C(O)OR^{10d}$, $-C(O)OR^{10d}$, $-OC(O)R^{10d}$, $-S(O)R^{10d}$, $-S(O)_2R^{10d}$, $-NO_2$, =O, =S, $=N(R^{10d})$, and -CN;

each R^{9g} is independently selected from:

halogen, $-OR^{10g}$, $-SR^{10g}$, $-N(R^{10g})_2$, $-C(O)R^{10g}$, $-C(O)N(R^{10g})_2$, $-N(R^{10g})C(O)R^{10g}$, $-N(R^{10g})C(O)N(R^{10g})_2$, $-OC(O)N(R^{10g})_2$, $-N(R^{10g})C(O)OR^{10g}$, $-C(O)OR^{10g}$, $-OC(O)R^{10g}$, $-S(O)R^{10g}$, $-S(O)_2R^{10g}$, $-NO_2$, =O, =S, $=N(R^{10g})$, and -CN; and

C_{1-3} alkyl, C_{2-3} alkenyl, and C_{2-3} alkynyl, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10g}$, $-SR^{10g}$, $-N(R^{10g})_2$, $-C(O)R^{10g}$, $-C(O)N(R^{10g})_2$, $-N(R^{10g})C(O)R^{10g}$, $-N(R^{10g})C(O)N(R^{10g})_2$, $-OC(O)N(R^{10g})_2$, $-N(R^{10g})C(O)OR^{10g}$, $-C(O)OR^{10g}$, $-OC(O)R^{10g}$, $-S(O)R^{10g}$, $-S(O)_2R^{10g}$, $-NO_2$, =O, =S, $=N(R^{10g})$, and -CN; and

each R^{10a}, R^{10b}, R^{10c}, R^{10d}, R^{10e}, R^{10f}, R^{10g}, and R^{10h} is independently selected from:

hydrogen;

C_{1-6} alkyl, C_{2-6} alkenyl, and C_{2-6} alkynyl, each of which is optionally substituted with one or more substituents independently selected from halogen, -CN, -OH, -SH, $-NO_2$, $-NH_2$, =O, =S, -O-C_{1-6} alkyl, -S-C_{1-6} alkyl, $-N(C_{1-6}$ alkyl$)_2$, $-NH(C_{1-6}$ alkyl), C_{3-10} carbocycle, and 3- to 10-membered heterocycle; and

C_{3-10} carbocycle, and 3- to 10-membered heterocycle, each of which is optionally substituted with one or more substituents independently selected from halogen, -CN, -OH, -SH, $-NO_2$, $-NH_2$, =O, =S, -O-C_{1-6} alkyl, -S-C_{1-6} alkyl, $-N(C_{1-6}$ alkyl$)_2$, $-NH(C_{1-6}$ alkyl), C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-10} carbocycle, 3- to 10-membered heterocycle, and C_{1-6} haloalkyl.

24. The compound or salt of claim 23, wherein n is 1 or 2.

25. The compound or salt of claim 23 or 24, wherein each R^1 is independently selected from:

halogen, $-NO_2$, -CN, $-OR^{10a}$, $-SR^{10a}$, $-N(R^{10a})_2$, $-C(O)R^{10a}$;

C_{1-6} alkyl, optionally substituted with one or more substituents independently selected from halogen, $-OR^{10a}$, $-SR^{10a}$, $-N(R^{10a})_2$, =O, -CN, C_{3-10} carbocycle, and 3- to 10-membered heterocycle, wherein the C_{3-10} carbocycle and 3- to 10-membered heterocycle are each optionally substituted with one or more substituents independently selected from R^{9a}; and

C_{3-10} carbocycle and 3- to 10-membered heterocycle, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10a}$, $-SR^{10a}$, $-N(R^{10a})_2$, =O, -CN, and C_{1-6} alkyl, wherein each C_{1-6} alkyl is optionally substituted with one or more substituents independently selected from R^{9a}.

26. The compound or salt of any one of claims 23 to 25, wherein each R^1 is independently selected from: halogen, -CN, $-OR^{10a}$, $-SR^{10a}$, $-N(R^{10a})_2$, and C_{1-6} alkyl, wherein each C_{1-6} alkyl is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10a}$, $-SR^{10a}$, $-N(R^{10a})_2$, =O, and -CN.
27. The compound or salt of any one of claims 23 to 26, wherein each R^1 is independently selected from: -F, -Br, -CN, -OH, and $-CH_3$.
28. The compound or salt of any one of claims 23 to 27, wherein R^2 is selected from:

C_{3-10} carbocycle and 3- to 10-membered heterocycle, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10b}$, $-SR^{10b}$, $-N(R^{10b})_2$, $-C(O)R^{10b}$, $-NO_2$, =O, -CN, C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-10} carbocycle, and 3- to 10-membered heterocycle, wherein each C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-10} carbocycle, and 3- to 10-membered heterocycle is optionally substituted with one or more substituents independently selected from R^{9b}; or


R^2 together with R^{11} form a 3- to 10- membered heterocycle or C_{3-10} carbocycle, wherein the 3- to 10- membered heterocycle or C_{3-10} carbocycle is optionally substituted with one or more substituents independently selected from $R^{9b'}$.







29. The compound or salt of any one of claims 23 to 28, wherein R^2 is selected from: C_{3-10} carbocycle, and 3- to 10-membered heterocycle, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10b}$, =O, -CN, C_{1-6} alkyl, C_{2-6} alkynyl, C_{3-10} carbocycle, and 3- to 10-membered heterocycle, wherein each C_{1-6} alkyl, C_{2-6} alkynyl, C_{3-10} carbocycle, and 3- to 10-membered heterocycle is optionally substituted with one or more substituents independently selected from R^{9b}.
30. The compound or salt of any one of claims 23 to 29, wherein R^2 is selected from: C_{3-10} carbocycle and 3- to 10-membered heterocycle, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10b}$, =O, -CN, C_{1-6} alkyl, C_{2-6} alkynyl, C_{3-10} carbocycle, and 3- to 10-membered heterocycle.
31. The compound or salt of any one of claims 23 to 27, wherein R^2 is selected from: optionally substituted C_{6-10} carbocycle and optionally substituted 5- to 10-membered heterocycle.
32. The compound or salt of claim 31, wherein R^2 is selected from optionally substituted phenyl and optionally substituted 5- to 10-membered heteroaryl.







33. The compound or salt of claim 32, wherein R^2 is selected from optionally substituted 5- to 10-membered heteroaryl.








34. The compound or salt of claim 32, wherein R^2 is selected from phenyl, pyridinyl, pyrimidinyl, pyrazinyl, and pyridazinyl, any one of which is optionally substituted.






35. The compound or salt of any one of claims 23 to 34, wherein R^2 is selected from: C_{6-10} carbocycle and 5- to 10-membered heterocycle, each of which is optionally substituted with one or more substituents independently selected from -F, -Cl, -Br, -CN, -OH, -OCH_3, -CH_3, and -CF_3.






36. The compound or salt of any one of claims 23 to 27, wherein R^2 is selected from ,






, , , , , ,






, , , , , ,







, , , , , , ,









, , , , ,

, , , , ,

, , , , ,

, , , , , ,






, and

.

37. The compound or salt of any one of claims 23 to 28, wherein R^2 together with R^{11} form a 3- to 10-membered heterocycle or C_{3-10} carbocycle, wherein the 3- to 10-membered heterocycle or C_{3-10} carbocycle is optionally substituted with one or more substituents independently selected from $R^{9b'}$.
38. The compound or salt of any one of claims 23 to 28 or claim 37, wherein R^2 together with R^{11} form a C_{3-10} carbocycle or 3- to 10-membered heterocycle selected from dihydrobenzofuran and indene, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10b}$, $-SR^{10b}$, $-N(R^{10b})_2$, $-C(O)R^{10b}$, $-NO_2$, =O, and -CN; and C_{1-3} alkyl, optionally substituted with one or more substituents independently selected from halogen, $-OR^{10b}$, $-SR^{10b}$, $-N(R^{10b})_2$, $-C(O)R^{10b}$, $-NO_2$, =O, and -CN.
39. The compound or salt of any one of claim 23 to 28 or claims 37 to 38, wherein R^{12} is H; and R^2 together with R^{11} form a moiety selected from

,

,

,

,

,

,

,
and

.

40. The compound or salt of any one of claims 23 to 39, wherein R^3 and R^4 are each independently selected from: hydrogen, -OH, and C_{1-6} alkyl optionally substituted with one or more substituents independently selected from halogen.
41. The compound or salt of any one of claims 23 to 40, wherein R^3 and R^4 are each independently selected from: hydrogen.

42. The compound or salt of any one of claims 23 to 41, wherein R^5 and R^6 are each independently selected from: hydrogen and C_{1-6} alkyl; or R^5 and R^6 together form a cyclopropyl.
43. The compound or salt of claim 42, wherein R^5 and R^6 are each hydrogen.
44. The compound or salt of any one of claims 23 to 43, wherein R^7 is selected from hydrogen and C_{1-6} alkyl.
45. The compound or salt of any one of claims 23 to 44, wherein R^7 is selected from hydrogen.
46. The compound or salt of any one of claims 23 to 45, wherein R^8 is selected from: hydrogen and C_{1-6} alkyl.
47. The compound or salt of any one of claims 23 to 46, wherein R^8 is selected from: hydrogen.
48. The compound or salt of any one of claims 23 to 47, wherein R^{11} is selected from: C_{1-3} alkyl optionally substituted with one or more -OH.
49. The compound or salt of any one of claims 23 to 48, wherein R^{12} is hydrogen.
50. The compound or salt of any one of claims 23 to 49, wherein each R^{9a} is independently selected from: halogen, $-OR^{10a}$, -CN, and C_{1-3} alkyl.
51. The compound or salt of any one of claims 23 to 50, wherein each R^{9b} is independently selected from:

halogen, $-OR^{10b}$, $-SR^{10b}$, $-N(R^{10b})_2$, $-C(O)R^{10b}$, $-C(O)N(R^{10b})_2$, $-N(R^{10b})C(O)R^{10b}$, $-C(O)OR^{10b}$, $-OC(O)R^{10b}$, $-NO_2$, =O, and -CN;













C_{1-3} alkyl and C_{2-3} alkynyl, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10b}$, $-SR^{10b}$, $-N(R^{10b})_2$, $-C(O)R^{10b}$, $-C(O)N(R^{10b})_2$, $-N(R^{10b})C(O)R^{10b}$, $-C(O)OR^{10b}$, $-OC(O)R^{10b}$, $-NO_2$, =O, and -CN; and















C_{3-10} carbocycle and 3- to 10-membered heterocycle.

52. The compound or salt of any one of claims 23 to 51, wherein each R^{9b} is independently selected from: -F, -Cl, -Br, -CN, -OH, $-OCH_3$, $-CH_3$, and $-CF_3$.
53. The compound or salt of any one of claims 32 to 52, wherein each $R^{9b'}$ is independently selected from: halogen, $-OR^{10a}$, -CN, and C_{1-3} alkyl.
54. The compound or salt of any one of claims 23 to 53, wherein each R^{9c} is independently selected from: halogen, $-OR^{10a}$, -CN, and C_{1-3} alkyl; or each R^{9d} is independently selected from: halogen, $-OR^{10a}$, -CN, and C_{1-3} alkyl; or each R^{9g} is independently selected from: halogen, $-OR^{10a}$, -CN, and C_{1-3} alkyl.
55. The compound or salt of any one of claims 23 to 54, wherein each R^{10a}, R^{10b}, R^{10c}, R^{10d}, R^{10e}, R^{10f}, R^{10g}, and R^{10h} is independently selected from hydrogen, C_{1-6} alkyl optionally substituted

with one or more substituents independently selected from halogen, C_{3-10} carbocycle, and 3- to 10-membered heterocycle.















56. The compound or salt of claim 23, wherein the compound or salt is selected from:



,

,

,

,

,

,

,

,

,

,

,

,
















,

,

,

,

,

,

,

,

,

,

,

,

,

,













,




,


















,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,


,

,

,

,

,

,

,

,

,

,

,

,

,

,


















,

,

,

,

,

,

,

,

,

,

,

,












,

,

,

,



,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,


,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,


















,

,

,

,

,

,

,

,

,

,

,

















,

,















,

















,


,















,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,


,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,


,

,

,

,

,

,

,

,

,

,

,

,

,

,






,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,


,

,





,

,

,

,

,

,

,

,

,

,

,

,

,
















,


,



















,

,

,

,

,















,

,


















,

,

,











,

,

,

,

,

,

,

,

,

,

,

,

,

,

,




,

,




,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,



,

,

,

,

,

,

,

,

,

,

,

,

,

,

















,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,


,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,



















,

,



,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

















,

,

,


















,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,























,

,







,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,









,
















,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,






,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,


,

,

,

, and

, or a salt of any one thereof.

57. The compound of claim 23, wherein the compound or salt is selected from:



,

,

,

,

,

,

,

,


,

,

,

, and

,

,

,

,

,

,

,

,

,

,


,

,

, and

, or a salt of any one thereof

58. Use of a compound or salt of any one of claims 1 to 57 in the manufacture of a medicament for treating cardiovascular disease or a related condition in a subject in need thereof.

59. Use of a compound of Formula (III) or a salt thereof in the manufacture of a medicament for treating a cardiovascular disease or a related condition in a subject in need thereof:


(III);

wherein

X^1, X^2, X^3, and X^4 are each independently selected from $C(R^1)$, N, and $N^+(-O^-)$;

each R^1 is independently selected from:

hydrogen;

halogen, $-NO_2$, -CN, $-OR^{10a}$, $-SR^{10a}$, $-N(R^{10a})_2$, $-C(O)R^{10a}$, $-C(O)N(R^{10a})_2$, $-N(R^{10a})C(O)R^{10a}$, $-N(R^{10a})C(O)N(R^{10a})_2$, $-OC(O)N(R^{10a})_2$, $-N(R^{10a})C(O)OR^{10a}$, $-C(O)OR^{10a}$, $-OC(O)R^{10a}$, $-S(O)R^{10a}$, and $-S(O)_2R^{10a}$;

C_{1-6} alkyl, C_{2-6} alkenyl, and C_{2-6} alkynyl, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10a}$, $-SR^{10a}$, $-N(R^{10a})_2$, $-C(O)R^{10a}$, $-C(O)N(R^{10a})_2$, $-N(R^{10a})C(O)R^{10a}$, $-C(O)OR^{10a}$, $-OC(O)R^{10a}$, $-N(R^{10a})C(O)N(R^{10a})_2$, $-OC(O)N(R^{10a})_2$, $-N(R^{10a})C(O)OR^{10a}$, $-S(O)R^{10a}$, $-S(O)_2R^{10a}$, $-NO_2$, =O, =S, $=N(R^{10a})$, -CN, C_{3-10} carbocycle and 3- to 10-membered heterocycle, wherein

each C_{3-10} carbocycle and 3- to 10-membered heterocycle is optionally substituted with one or more substituents independently selected from R^{9a}; and

C_{3-10} carbocycle and 3- to 10-membered heterocycle, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10a}$, $-SR^{10a}$, $-N(R^{10a})_2$, $-C(O)R^{10a}$, $-C(O)N(R^{10a})_2$, $-N(R^{10a})C(O)R^{10a}$, $-N(R^{10a})C(O)N(R^{10a})_2$, $-OC(O)N(R^{10a})_2$, $-N(R^{10a})C(O)OR^{10a}$, $-C(O)OR^{10a}$, $-OC(O)R^{10a}$, $-S(O)R^{10a}$, $-S(O)_2R^{10a}$, $-NO_2$, =O, =S, $=N(R^{10a})$, -CN, C_{1-6} alkyl, C_{2-6} alkenyl, and C_{2-6} alkynyl, wherein each C_{1-6} alkyl, C_{2-6} alkenyl, and C_{2-6} alkynyl is optionally substituted with one or more substituents independently selected from R^{9a};

R^2 is selected from:

C_{1-6} alkyl, C_{2-6} alkenyl, and C_{2-6} alkynyl, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10b}$, $-SR^{10b}$, $-N(R^{10b})_2$, $-C(O)R^{10b}$, $-C(O)N(R^{10b})_2$, $-N(R^{10b})C(O)R^{10b}$, $-C(O)OR^{10b}$, $-OC(O)R^{10b}$, $-N(R^{10b})C(O)N(R^{10b})_2$, $-OC(O)N(R^{10b})_2$, $-N(R^{10b})C(O)OR^{10b}$, $-S(O)R^{10b}$, $-S(O)_2R^{10b}$, $-NO_2$, =O, =S, $=N(R^{10b})$, -CN, C_{3-10} carbocycle, and 3- to 10-membered heterocycle, wherein each C_{3-10} carbocycle and 3- to 10-membered heterocycle is optionally substituted with one or more substituents independently selected from R^{9b}; and

C_{3-10} carbocycle and 3- to 10-membered heterocycle, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10b}$, $-SR^{10b}$, $-N(R^{10b})_2$, $-C(O)R^{10b}$, $-C(O)N(R^{10b})_2$, $-N(R^{10b})C(O)R^{10b}$, $-N(R^{10b})C(O)N(R^{10b})_2$, $-OC(O)N(R^{10b})_2$, $-N(R^{10b})C(O)OR^{10b}$, $-C(O)OR^{10b}$, $-OC(O)R^{10b}$, $-S(O)R^{10b}$, $-S(O)_2R^{10b}$, $-NO_2$, =O, =S, $=N(R^{10b})$, -CN, C_{1-6} alkyl, C_{2-6} alkenyl, and C_{2-6} alkynyl, wherein each C_{1-6} alkyl, C_{2-6} alkenyl, and C_{2-6} alkynyl are each optionally substituted with one or more substituents independently selected from R^{9b};

R^3 and R^4 are each independently selected from:

hydrogen, halogen, $-OR^{10c}$, $-SR^{10c}$, $-N(R^{10c})_2$, $-NO_2$, and -CN; and

C_{1-6} alkyl optionally substituted with one or more substituents independently selected from halogen, $-OR^{10c}$, $-SR^{10c}$, $-N(R^{10c})_2$, $-NO_2$, and -CN; or

R^3 together with R^4 form a 3- to 10- membered heterocycle or C_{3-10} carbocycle, wherein the 3- to 10- membered heterocycle or C_{3-10} carbocycle is optionally substituted with one or more R^{9c};

R^5 and R^6 are each independently selected from:

hydrogen, halogen, $-OR^{10c}$, $-SR^{10c}$, $-N(R^{10c})_2$, $-NO_2$, and -CN;

C_{1-6} alkyl, C_{2-6} alkenyl, and C_{2-6} alkynyl, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10c}$, $-SR^{10c}$, $-N(R^{10c})_2$, $-NO_2$, -CN, and C_{3-10} carbocycle, and 3- to 10-membered heterocycle, wherein each C_{3-10} carbocycle, and 3- to 10-membered heterocycle is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10c}$, $-SR^{10c}$, $-N(R^{10c})_2$, $-NO_2$, and -CN; and

C_{3-10} carbocycle and 3- to 10-membered heterocycle, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10c}$, $-SR^{10c}$, $-N(R^{10c})_2$, $-NO_2$, and -CN; or

R^5 together with R^6 form a 3- to 10- membered heterocycle or C_{3-10} carbocycle, wherein the 3- to 10- membered heterocycle or C_{3-10} carbocycle is optionally substituted with one or more substituents independently selected from R^{9c};

R^7 is selected from:

hydrogen and C_{1-6} alkyl optionally substituted with one or more substituents independently selected from halogen, $-OR^{10d}$, $-SR^{10d}$, $-N(R^{10d})_2$, $-NO_2$, and -CN;

R^8 is selected from:

hydrogen; and

C_{1-6} alkyl optionally substituted with one or more substituents independently selected from halogen, $-OR^{10e}$, $-SR^{10e}$, $-N(R^{10e})_2$, $-NO_2$, -CN, C_{3-10} carbocycle, and 3- to 10-membered heterocycle, wherein each C_{3-10} carbocycle and 3- to 10-membered heterocycle is optionally substituted with one or more substituents independently selected from $-OR^{10e}$, $-SR^{10e}$, $-N(R^{10e})_2$, $-NO_2$, and -CN;

each R^{9a} is independently selected from:

halogen, $-OR^{10a}$, $-SR^{10a}$, $-N(R^{10a})_2$, $-C(O)R^{10a}$, $-C(O)N(R^{10a})_2$, $-N(R^{10a})C(O)R^{10a}$, $-N(R^{10a})C(O)N(R^{10a})_2$, $-OC(O)N(R^{10a})_2$, $-N(R^{10a})C(O)OR^{10a}$, $-C(O)OR^{10a}$, $-OC(O)R^{10a}$, $-S(O)R^{10a}$, $-S(O)_2R^{10a}$, $-NO_2$, =O, =S, $=N(R^{10a})$, and -CN; and

C_{1-3} alkyl, C_{2-3} alkenyl, and C_{2-3} alkynyl, each of which is optionally substituted with one or more substituents independently selected from halogen, $-OR^{10a}$, $-SR^{10a}$, $-N(R^{10a})_2$, $-C(O)R^{10a}$, $-C(O)N(R^{10a})_2$, $-N(R^{10a})C(O)R^{10a}$, $-N(R^{10a})C(O)N(R^{10a})_2$, $-OC(O)N(R^{10a})_2$, $-N(R^{10a})C(O)OR^{10a}$, $-C(O)OR^{10a}$, $-OC(O)R^{10a}$, $-S(O)R^{10a}$, $-S(O)_2R^{10a}$, $-NO_2$, =O, =S, $=N(R^{10a})$, and -CN;

each R^{9b} is independently selected from:

halogen, -OR^{10b}, -SR^{10b}, -$N(R^{10b})_2$, -$C(O)R^{10b}$, -$C(O)N(R^{10b})_2$, -$N(R^{10b})C(O)R^{10b}$, -$N(R^{10b})C(O)N(R^{10b})_2$, -$OC(O)N(R^{10b})_2$, -$N(R^{10b})C(O)OR^{10b}$, -$C(O)OR^{10b}$, -$OC(O)R^{10b}$, -$S(O)R^{10b}$, -$S(O)_2R^{10b}$, -$NO_2$, =O, =S, =$N(R^{10b})$, and -CN; and

C_{1-3} alkyl, C_{2-3} alkenyl, and C_{2-3} alkynyl, each of which is optionally substituted with one or more substituents independently selected from halogen, -OR^{10b}, -SR^{10b}, -$N(R^{10b})_2$, -$C(O)R^{10b}$, -$C(O)N(R^{10b})_2$, -$N(R^{10b})C(O)R^{10b}$, -$N(R^{10b})C(O)N(R^{10b})_2$, -$OC(O)N(R^{10b})_2$, -$N(R^{10b})C(O)OR^{10b}$, -$C(O)OR^{10b}$, -$OC(O)R^{10b}$, -$S(O)R^{10b}$, -$S(O)_2R^{10b}$, -$NO_2$, =O, =S, =$N(R^{10b})$, and -CN;

each R^{9c} is independently selected from:

halogen, -OR^{10c}, -SR^{10c}, -$N(R^{10c})_2$, -$C(O)R^{10c}$, -$C(O)N(R^{10c})_2$, -$N(R^{10c})C(O)R^{10c}$, -$N(R^{10c})C(O)N(R^{10c})_2$, -$OC(O)N(R^{10c})_2$, -$N(R^{10c})C(O)OR^{10c}$, -$C(O)OR^{10c}$, -$OC(O)R^{10c}$, -$S(O)R^{10c}$, -$S(O)_2R^{10c}$, -$NO_2$, =O, =S, =$N(R^{10c})$, and -CN; and

C_{1-3} alkyl, C_{2-3} alkenyl, and C_{2-3} alkynyl, each of which is optionally substituted with one or more substituents independently selected from halogen, -OR^{10c}, -SR^{10c}, -$N(R^{10c})_2$, -$C(O)R^{10c}$, -$C(O)N(R^{10c})_2$, -$N(R^{10c})C(O)R^{10c}$, -$N(R^{10c})C(O)N(R^{10c})_2$, -$OC(O)N(R^{10c})_2$, -$N(R^{10c})C(O)OR^{10c}$, -$C(O)OR^{10c}$, -$OC(O)R^{10c}$, -$S(O)R^{10c}$, -$S(O)_2R^{10c}$, -$NO_2$, =O, =S, =$N(R^{10c})$, and -CN; and

each R^{10a}, R^{10b}, R^{10c}, R^{10d}, and R^{10e} is independently selected from:

hydrogen; and

C_{1-6} alkyl, C_{2-6} alkenyl, and C_{2-6} alkynyl, each of which is optionally substituted with one or more substituents independently selected from halogen, -CN, -OH, -SH, -NO_2, -NH_2, =O, =S, -O-C_{1-6} alkyl, -S-C_{1-6} alkyl, -$N(C_{1-6}$ alkyl$)_2$, -$NH(C_{1-6}$ alkyl), C_{3-10} carbocycle, and 3- to 10-membered heterocycle; and

C_{3-10} carbocycle, and 3- to 10-membered heterocycle, each of which is optionally substituted with one or more substituents independently selected from halogen, -CN, -OH, -SH, -NO_2, -NH_2, =O, =S, -O-C_{1-6} alkyl, -S-C_{1-6} alkyl, -$N(C_{1-6}$ alkyl$)_2$, -$NH(C_{1-6}$ alkyl), C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-10} carbocycle, 3- to 10-membered heterocycle, and C_{1-6} haloalkyl.

60. The use of claim 59, wherein the cardiovascular disease or related condition is selected from: heart failure with preserved ejection fraction (HFpEF); heart failure with mid-ranged ejection fraction (HFmrEF), heart failure with reduced ejection fraction (HFrEF); arrhythmia, stroke, valve disease, cardiomyopathy, cardiac transplant allograft vasculopathy, left ventricular (LV) hypertrophy; right ventricular (RV) hypertrophy, acute myocardial infarction, acute revascularization, ischemia, angina and myocarditis.

61. The use of claim 60, wherein the cardiovascular disease or related condition is selected from left ventricular (LV) hypertrophy.
62. The use of claim 60, wherein the cardiovascular disease or related condition is selected from heart failure with preserved ejection fraction (HFpEF).
63. The use of claim 62, wherein said HFpEF comprises one or more disorders selected from disorders of relaxation, disorders of chamber stiffness, and diabetic HFpEF.
64. The use of claim 60, wherein the cardiovascular disease or related condition is HFrEF.
65. The use of claim 60, wherein the cardiovascular disease or related condition is HFmrEF.
66. The use of claim 60, wherein:

    (i) the cardiovascular disease or related condition is stroke, and the stroke is a cardioembolic stroke or a cryptogenic stroke; or

    (ii) the cardiovascular disease or related condition is valve disease, and the valve disease is mitral valve disease or tricuspid valve disease; or

    (iii) the cardiovascular disease or related condition is valcular heart disease, and the valcular heart disease is aortic stenosis; or

    (iv) the cardiovascular disease or related condition is myocarditis, and the myocarditis is parasitic myocarditis, bacterial myocarditis, viral myocarditis, non-infectious myocarditis, auto-immune myocarditis, or eosinophilic myocarditis.
67. The use of claim 60, wherein:

    the cardiovascular disease or related condition is cardiomyopathy; and

    the cardiomyopathy is ischemic cardiomyopathy, toxic cardiomyopathy, restrictive cardiomyopathy, or dilated cardiomyopathy; and

    the restrictive cardiomyopathy comprises Loefllers Endocarditis, Endomyocardial fibrosis (EMF), hemochromatosis, Fabry cardiomyopathy, glycogen storage disease, a pressure-overloaded right ventricle (RV), Tetralogy of Fallot, pulmonic stenosis, amyloidosis, sarcoidosis, heart conditions related to chest radiation therapy, heart conditions related to mutations in the gene encoding Troponin I (beta myosin HC) mutations, heart conditions related to mutations in a gene encoding Troponin T (alpha cardiac actin), or heart conditions related to mutations in a desmin gene.
68. The use of claim 60, wherein the cardiovascular disease or related condition is hypertrophic cardiomyopathy (HCM).
69. The use of claim 60, wherein the cardiovascular disease or related condition is obstructive hypertrophic cardiomyopathy (oHCM).

70. The use of claim 60, wherein the cardiovascular disease or related condition is non-obstructive hypertrophic cardiomyopathy (nHCM).
71. The use of any one of claims 59 to 70, wherein the cardiovascular disease or related condition comprises left ventricle stiffness.
72. The use of any one of claims 59 to 71, wherein the cardiovascular disease or related condition comprises heart failure.
73. The use of any one of claims 59 to 72, wherein an additional active agent is to be administered to the subject.
74. A pharmaceutical composition comprising a pharmaceutically acceptable excipient and the compound or salt as defined in any one of claims 1 to 73.