



(51) International Patent Classification:
A61F 13/00 (2006.01)

(21) International Application Number:
PCT/US2010/039181

(22) International Filing Date:
18 June 2010 (18.06.2010)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
12/487,489 18 June 2009 (18.06.2009) US

(71) Applicant (for all designated States except US): **ADVANCED BIO-TECHNOLOGIES, INC.** [US/US];
1100 Satellite Boulevard, Suwanee, GA 30024 (US).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **GUILBAUD, Paul**
[FR/FR]; 14510 Kandi Court, Largo, FL 33774 (US).

(74) Agent: **PIPPENGER, Robert, S.**; Shumaker, Loop &
Kendrick, LLP, 101 East Kennedy Boulevard, Suite 2800,
Tampa, FL 33602 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report (Art. 21(3))

(54) Title: SILICONE SCAR TREATMENT PREPARATION




Figure 1

(57) Abstract: Disclosed is 1) a method for greatly increasing the solubility of useful actives in siloxane matrix-forming preparations, and 2) the associated preparations, themselves. Volatilizing coagents are utilized to give novel gels containing heretofore siloxane-insoluble additives.

