




FIG. 1

2/108




FIG. 2

3/108




FIG. 3

4/108




FIG. 4

5/108




FIG. 5

6/108




FIG. 6

7/108




FIG. 7

8/108




FIG. 8

9/108




FIG. 9

10/108




FIG. 10

11/108




FIG. 11

12/108




FIG. 12

13/108







FIG. 13

14/108





16/108



2-theta (deg)

FIG. 16

17/108




FIG. 17

18/108




FIG. 18

19/108




FIG. 19

20/108




FIG. 20

21/108




FIG. 21

22/108




FIG. 22

23/108




FIG. 23

24/108




FIG. 24

25/108




FIG. 25

26/108




FIG. 26

27/108




FIG. 27

28/108




FIG. 28

29/108




FIG. 29

30/108








FIG. 30


31/108




HCl salt, Lot 6044-161-1

 H_2SO_4 salt, Lot 6044-166-2 H_3PO_4 salt, Lot 6044-160-3


L-tartrate salt, Lot 6044-160-4



L-malate salt, Lot 6044-161-2



L-lactate salt, Lot 6044-160-6



Free base, Lot S00L06

FIG. 31

32/108




FIG. 32

33/108




FIG. 33




FIG. 34

35/108




FIG. 35

36/108




FIG. 36

37/108




FIG. 37




FIG. 38

39/108





FIG. 39

40/108



Temperature (°C)

FIG. 40

41/108




FIG. 41

42/108




FIG. 42

43/108




FIG. 43

44/108




FIG. 44

45/108




FIG. 45

46/108




FIG. 46

47/108




FIG. 47

48/108




FIG. 48

49/108




FIG. 49

50/108




FIG. 50

51/108




FIG. 51

52/108




FIG. 52

53/108




FIG. 53

54/108




FIG. 54

55/108





FIG. 55

56/108

**FIG. 56**

57/108





FIG. 57

58/108



Lab : METTLER

STAR^e SW 9.30

FIG. 58


59/108

HCl 6044-161-1_cycled at 220°C

Weight

HCl 6044-161-1_cycled at 220°C, 9.0393 mg

? Step	-2.9149 %
	-0.2635 mg
Residue	97.0851 %
	8.7758 mg
Left Limit	29.34 °C
Right Limit	131.20 °C
Inflect.Pt.	36.09 °C
Midpoint	55.96 °C




HCl 6044-161-1_cycled at 220°C

w

HCl 6044-161-1_cycled at 220°C, 9.0393 mg

Extrapol. Peak	171.40 °C
Peak Value	8.16 mW
normalized	0.90 W_g^{-1}
Left Limit	166.15 °C
Right Limit	179.30 °C
Peak	171.60 °C

Extrapol. Peak	202.47 °C
Peak Value	8.50 mW
normalized	0.94 W_g^{-1}
Left Limit	188.63 °C
Right Limit	214.91 °C
Peak	202.14 °C



Lab : METTLER

STAR^e SW 9.30

FIG. 59




FIG. 60

61/108




FIG. 61

62/108




FIG. 62

63/108




FIG. 63

64/108




FIG. 64

65/108




FIG. 65

66/108




FIG. 66

67/108




FIG. 67

68/108




FIG. 68

69/108




FIG. 69

70/108




FIG. 70

71/108




FIG. 71

72/108




FIG. 72

73/108




FIG. 73

74/108




FIG. 74

75/108




FIG. 75

76/108




FIG. 76

77/108




FIG. 77

78/108




FIG. 78

79/108




FIG. 79

80/108




FIG. 80

81/108




FIG. 81

82/108




FIG. 82

83/108




FIG. 83

84/108




FIG. 84

85/108




FIG. 85

86/108




FIG. 86

87/108




FIG. 87

88/108




FIG. 88

89/108




FIG. 89

90/108




FIG. 90

91/108




FIG. 91

92/108




FIG. 92

93/108




FIG. 93

94/108




FIG. 94

95/108




FIG. 95

96/108




FIG. 96

97/108




FIG. 97

98/108




FIG. 98

99/108




FIG. 99

100/108




FIG. 100

101/108




FIG. 101

102/108






FIG. 102

103/108

Linear scale



Semi-Logarithmic scale



- A: 60mg Cmpd 1 as AIC, QD x 6 days
- ▲— B: 160mg Cmpd 1 as AIC, QD x 6 days
- A: 400mg Cmpd 1 as AIC, QD x 6 days

FIG. 103

104/108






FIG. 104

105/108

Linear scale



Semi-Logarithmic scale



- D: 2 x 100 mg Compound 1 as AIC,
single oral dose administered under fasted conditions
- ▲— E: 1 x 200 mg Compound 1 as formulated tablet(s),
single oral dose administered under fasted conditions

FIG. 105

106/108





FIG. 106


107/108



Note: Treatment A: 60 mg Compound 1 as AIC, QD x 6 days
Treatment B: 160 mg Compound 1 as AIC, QD x 6 days
Treatment C: 400 mg Compound 1 as AIC, QD x 6 days

FIG. 107

108/108



Note: Treatment A: 60 mg Compound 1 as AIC, QD x 6 days
Treatment B: 160 mg Compound 1 as AIC, QD x 6 days
Treatment C: 400 mg Compound 1 as AIC, QD x 6 days

FIG. 108