


THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:

1. A compound of formula (I) or a pharmaceutically acceptable salt thereof;



wherein,

R1 is halogen, cyano, or C₁-C₃ alkyl optionally substituted by halogen;

R2 is C₁-C₆ alkyl optionally substituted one or more times by C₁-C₆ alkyl, C₂-C₆ alkenyl, hydroxyl, N,N-di-C₁-C₆ alkyl amino, N-mono-C₁-C₆ alkyl amino, O-Rg, Rg, phenyl, or by C₁-C₆ alkoxy wherein said alkoxy again may optionally be substituted by C₁-C₆ alkoxy, N,N-di-C₁-C₆ alkyl amino, Rg or phenyl; C₃-C₆ cycloalkyl optionally substituted by C₁-C₆ alkyl, N,N-di-C₁-C₆ alkyl amino or C₁-C₆ alkoxy-C₁-C₆ alkyl, and/or two of said optional substituents together with the atoms to which they are bound may form an annulated or spirocyclic 4 – 6 membered saturated heterocyclic ring comprising 1 – 2 O atoms; phenyl optionally substituted by C₁-C₆ alkoxy; a 5 - 6 membered heteroaryl ring having 1 to 3 heteroatoms selected from N and O said ring being optionally substituted by C₁-C₆ alkyl which may be optionally substituted by amino or hydroxy; Rg; or N,N-di-C₁-C₆ alkyl amino carbonyl; wherein

Rg is a 5 - 6 membered heterocyclic ring having 1 – 3 heteroatoms selected from N and O said ring being optionally substituted by C₁-C₆ alkyl, C₁-C₆ alkoxy- C₁-C₆ alkyl, C₁-C₆ alkoxy-carbonyl;

R is phenyl independently substituted two or more times by Ra, 2-pyridyl independently substituted one or more times by Rb, 3-pyridyl independently substituted one or more times by Rc, or 4-pyridyl independently substituted one or more times by Rd; wherein Ra independently from each other is halogen; cyano; -COOC₁-C₆ alkyl; C₁-C₆ alkoxy; C₁-C₆ alkyl optionally substituted by halogen or a 5 - 6 membered heterocyclyl ring having 1 to 2 heteroatoms selected from N and O which ring is optionally substituted by C₁-C₆ alkyl; a 5 - 6 membered heteroaryl ring having 1 to 3 heteroatoms selected from N and O said ring being optionally substituted by amino, C₁-C₆ alkyl optionally substituted by amino or hydroxy, or by N-mono- or N,N-di-C₁-C₆ alkylamino carbonyl;

and/or

two Ra together with the ring atoms to which they are bound may form a 5 to 6 membered heterocyclic or heteroaromatic ring having 1 to 2 N atoms, any such ring being optionally substituted by C₁-C₆ alkyl or oxo;

Rb, Rc and Rd independently from each other are halogen; oxo; hydroxyl; cyano; C₁-C₆ alkoxy optionally substituted by halogen; C₁-C₆ alkoxy carbonyl; phenyl; N,N-di-C₁-C₆ alkyl amino; C₁-C₆ alkyl optionally substituted by halogen or phenyl; a 5 - 6 membered heteroaryl ring having 1 to 3 N atoms said ring being optionally substituted by C₁-C₆ alkyl optionally substituted by amino or hydroxy, or by mono- or di-N-C₁-C₆ alkylamino carbonyl; O-Rh; or Rh; wherein

Rh is a 5 - 6 membered heterocyclyl ring having 1 to 4 heteroatoms selected from N, O and S said ring being optionally substituted by C₁-C₆ alkyl, hydroxyl or oxo.

2. A compound of claim 1 or a pharmaceutically acceptable salt thereof, wherein R1 is halogen;

R2 is C₁-C₆ alkyl optionally substituted one or more times by C₁-C₆ alkyl, C₂-C₆ alkenyl, hydroxyl, N,N-di-C₁-C₆ alkyl amino, N-mono-C₁-C₆ alkyl amino, O-Rg, Rg, phenyl, or by C₁-C₆ alkoxy, wherein said alkoxy again may optionally be substituted by C₁-C₆ alkoxy, N,N-di-C₁-C₆ alkyl amino, Rg or phenyl; wherein

Rg is a 5 - 6 membered heterocyclic ring containing 1 - 3 heteroatoms selected from N and O said ring being optionally substituted by C₁-C₆ alkyl, C₁-C₆ alkoxy- C₁-C₆ alkyl, C₁-C₆ alkoxy-carbonyl;

R is 2-pyridyl independently substituted one or more times by Rb, 3-pyridyl independently substituted one or more times by Rc, or 4-pyridyl independently substituted one or more times by Rd; and

Rb, Rc and Rd are as defined in claim 1.

3. A compound of claim 1 or 2, or a pharmaceutically acceptable salt thereof, wherein

R1 is chloro, and the remaining substituents are as defined therein.

4. A compound of claim 2, or a pharmaceutically acceptable salt thereof, wherein R1 is chloro;

R is 2-pyridyl independently substituted one or more times by Rb;
 or R is 3-pyridyl independently substituted one or more times by Rc;
 or R is 4-pyridyl independently substituted one or more times by Rd; wherein Rb, Rc and Rd are as defined in claim 1, and the remaining substituents are as defined in claim 2.

5. A compound of claim 1 or a pharmaceutically acceptable salt thereof, wherein
 R1 is halogen, cyano, or C₁-C₃ alkyl optionally substituted by halogen;
 R2 is C₁-C₆ alkyl optionally substituted one or more times by C₁-C₆ alkyl, C₂-C₆ alkenyl, hydroxyl, N,N-di-C₁-C₆ alkyl amino, N-mono-C₁-C₆ alkyl amino, O-Rg, Rg, phenyl, or by C₁-C₆ alkoxy wherein said alkoxy again may optionally be substituted by C₁-C₆ alkoxy, N,N-di-C₁-C₆ alkyl amino, Rg or phenyl; C₃-C₆ cycloalkyl optionally substituted by C₁-C₆ alkyl, N,N-di-C₁-C₆ alkyl amino or C₁-C₆ alkoxy-C₁-C₆ alkyl, or two of said optional substituents together with the atoms to which they are bound may form an annulated or spirocyclic 4 – 6 membered saturated heterocyclic ring comprising 1 – 2 O atoms; phenyl optionally substituted by C₁-C₆ alkoxy; a 5 - 6 membered heteroaryl containing 1 to 3 heteroatoms selected from N and O optionally substituted by C₁-C₆ alkyl which may optionally be substituted by amino or hydroxy; Rg; or N,N-di-C₁-C₆ alkyl amino carbonyl; wherein
 Rg is a 5 - 6 membered heterocyclic ring containing 1 – 3 heteroatoms selected from N and O said ring being optionally substituted by C₁-C₆ alkyl, C₁-C₆ alkoxy- C₁-C₆ alkyl, C₁-C₆ alkoxy-carbonyl;
 R is phenyl independently substituted two or more times by Ra; wherein
 Ra independently from each other is halogen; cyano; -COOC₁-C₆ alkyl; C₁-C₆ alkoxy; C₁-C₆ alkyl optionally substituted by halogen or a 5 - 6 membered heterocyclic ring containing 1 to 2 N atoms said ring being optionally substituted by C₁-C₆ alkyl; a 5 - 6 membered heteroaryl ring containing 1 to 3 N atoms said ring being optionally substituted by amino, C₁-C₆ alkyl optionally substituted by amino or hydroxy, or by N-mono- or N,N-di-C₁-C₆ alkylamino carbonyl;
 and/or,
 two Ra together with the ring atoms to which they are bound form a 5 to 6 membered heterocyclic or heteroaromatic ring containing 1 to 2 N atoms, any such ring being optionally substituted by C₁-C₆ alkyl or oxo.

6. A compound of claim 1 or 5, or a pharmaceutically acceptable salt thereof, wherein R1 is methyl.

7. A compound of claim 1 or 5, or a pharmaceutically acceptable salt thereof, wherein R1 is halogen;

R is phenyl independently substituted two or more times by Ra; wherein

Ra independently from each other is halogen; cyano; -COOC₁-C₆ alkyl; C₁-C₆ alkoxy;

C₁-C₆ alkyl optionally substituted by fluoro or a 5 - 6 membered heterocyclic ring containing 1 to 2 N atoms which heterocyclyl is optionally substituted by C₁-C₆ alkyl; a

5 - 6 membered heteroaryl ring containing 1 to 3 N atoms said ring being optionally substituted by amino, C₁-C₆ alkyl optionally substituted by amino or hydroxy, or by

N-mono- or N,N-di-C₁-C₆ alkylamino carbonyl, and

the remaining substituents are as defined in claim 1.

8. A compound of claim 1 or a pharmaceutically acceptable salt thereof, wherein the compound is selected from

(S)-1-(6-(2H-1,2,3-triazol-2-yl)-5-(trifluoromethyl)pyridin-3-yl)-3-(2-chloro-7-(1-methoxyethyl) pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(S)-1-(2-chloro-7-(1-methoxyethyl)pyrazolo[1,5-a]pyrimidin-6-yl)-3-(2-(trifluoromethyl)pyridin-4-yl)urea;

(S)-1-(2-chloro-7-(1-methoxyethyl)pyrazolo[1,5-a]pyrimidin-6-yl)-3-(1-methyl-2-oxo-5-(trifluoromethyl)-1,2-dihydropyridin-3-yl)urea;

(R)-1-(6-(2H-1,2,3-triazol-2-yl)-5-(trifluoromethyl)pyridin-3-yl)-3-(2-chloro-7-(1-methoxy-2-methylpropyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(R)-1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(1-methoxy-2-methylpropyl) pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(S)-1-(7-(1-methoxyethyl)-2-methylpyrazolo[1,5-a]pyrimidin-6-yl)-3-(2-(trifluoromethyl)pyridin-4-yl)urea;

(S)-1-(2-fluoro-7-(1-methoxyethyl)pyrazolo[1,5-a]pyrimidin-6-yl)-3-(2-(trifluoromethyl)pyridin-4-yl)urea;

(S)-1-(2-chloro-7-(1-methoxyethyl)pyrazolo[1,5-a]pyrimidin-6-yl)-3-(5-cyanopyridin-3-yl)urea;

(S)-1-(5-chloro-6-methoxypyridin-3-yl)-3-(2-chloro-7-(1-methoxyethyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(S)-1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(1-methoxyethyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(S)-1-(2-chloro-7-(1-methoxyethyl)pyrazolo[1,5-a]pyrimidin-6-yl)-3-(5-methoxy-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)urea;

(S)-1-(2-chloro-7-(1-methoxyethyl)pyrazolo[1,5-a]pyrimidin-6-yl)-3-(2-chloropyridin-4-yl)urea;

(S)-methyl 3-chloro-5-(3-(2-chloro-7-(1-methoxyethyl)pyrazolo[1,5-a]pyrimidin-6-yl)ureido) benzoate;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(2-methoxypropan-2-yl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(2-chloro-7-(2-methoxypropan-2-yl)pyrazolo[1,5-a]pyrimidin-6-yl)-3-(2-(trifluoromethyl)pyridin-4-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(1-methylcyclopropyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(2-chloro-7-(1-methylcyclopropyl)pyrazolo[1,5-a]pyrimidin-6-yl)-3-(2-(trifluoromethyl)pyridin-4-yl)urea;

1-(5-chloro-6-methoxypyridin-3-yl)-3-(2-chloro-7-isopropylpyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(2-chloro-7-isopropylpyrazolo[1,5-a]pyrimidin-6-yl)-3-(3-cyano-4-(3-methyl-1H-1,2,4-triazol-1-yl)phenyl)urea;

1-(3-chloro-4-(2H-1,2,3-triazol-2-yl)phenyl)-3-(2-chloro-7-isopropylpyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-isopropylpyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(4-methyl-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-isopropylpyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(4-(2-aminopyrimidin-4-yl)-3-chlorophenyl)-3-(2-chloro-7-isopropylpyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-1-methyl-6-oxo-2-(1H-pyrazol-1-yl)-1,6-dihydropyridin-3-yl)-3-(2-chloro-7-isopropylpyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-ethoxypyridin-3-yl)-3-(2-chloro-7-isopropylpyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-bromopyridin-3-yl)-3-(2-chloro-7-isopropylpyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(2-chloro-7-isopropylpyrazolo[1,5-a]pyrimidin-6-yl)-3-(6-(1,1-dioxidoisothiazolidin-2-yl)-5-(trifluoromethyl)pyridin-3-yl)urea;

1-(3-chloro-4-(3-(hydroxymethyl)-5-methyl-1H-pyrazol-1-yl)phenyl)-3-(2-chloro-7-isopropylpyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(1-methyl-1H-pyrazol-5-yl)pyridin-3-yl)-3-(2-chloro-7-isopropylpyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(2-chloro-7-isopropylpyrazolo[1,5-a]pyrimidin-6-yl)-3-(3,5-dichloro-4-(2H-1,2,3-triazol-2-yl)phenyl)urea;

1-(5-chloro-2-oxoindolin-7-yl)-3-(2-chloro-7-isopropylpyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(2-chloro-7-isopropylpyrazolo[1,5-a]pyrimidin-6-yl)-3-(1-methyl-2-oxo-5-(trifluoromethyl)-1,2-dihydropyridin-3-yl)urea;

1-(5-chloro-2-((1-methylpyrrolidin-3-yl)oxy)-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-isopropylpyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(7-(tert-butyl)-2-chloropyrazolo[1,5-a]pyrimidin-6-yl)-3-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)urea;

1-(7-(sec-butyl)-2-chloropyrazolo[1,5-a]pyrimidin-6-yl)-3-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)urea;

1-(2-chloro-7-(2-methyltetrahydrofuran-2-yl)pyrazolo[1,5-a]pyrimidin-6-yl)-3-(2-(trifluoromethyl)pyridin-4-yl)urea;

(R)-1-(2-chloro-7-(1-methoxy-2-methylpropyl)pyrazolo[1,5-a]pyrimidin-6-yl)-3-(2-(trifluoromethyl)pyridin-4-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-cyclobutylpyrazolo[1,5-a]pyrimidin-6-yl)urea;

(S)-1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(1-(2-methoxyethoxy)ethyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(S)-1-(5-chloro-6-methoxypyridin-3-yl)-3-(2-chloro-7-(1-(2-methoxyethoxy)ethyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(S)-1-(2-chloro-7-(1-(2-methoxyethoxy)ethyl)pyrazolo[1,5-a]pyrimidin-6-yl)-3-(2-(trifluoromethyl)pyridin-4-yl)urea;

(R)-1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(1-(2-methoxyethoxy)ethyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(1,4-dioxan-2-yl)-pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(S)-1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(1-methoxypropan-2-yl)-pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(R)-1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(1-methoxypropan-2-yl)-pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(R)-1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(1-methoxyethyl)-pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(R)-1-(2-chloro-7-(1-methoxyethyl)pyrazolo[1,5-a]pyrimidin-6-yl)-3-(2-(trifluoromethyl)-pyridin-4-yl)urea;

(R)-1-(2-chloro-7-(1-methoxyethyl)pyrazolo[1,5-a]pyrimidin-6-yl)-3-(1-methyl-2-oxo-5-(trifluoromethyl)-1,2-dihydropyridin-3-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(methoxy(phenyl)methyl)-pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(1-(methoxymethyl)cyclobutyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(2-chloro-7-(1-(methoxymethyl)cyclobutyl)pyrazolo[1,5-a]pyrimidin-6-yl)-3-(2-(trifluoromethyl)pyridin-4-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-cyclopropylpyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(2-methoxyphenyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(6-(2H-1,2,3-triazol-2-yl)-5-(trifluoromethyl)pyridin-3-yl)-3-(2-chloro-7-(tetrahydrofuran-2-yl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(4-methyltetrahydro-2H-pyran-4-yl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(1,2-dimethoxyethyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(tetrahydrofuran-3-yl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(tetrahydro-2H-pyran-4-yl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(methoxymethyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-((tetrahydro-2H-pyran-4-yl)methyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(isopropoxymethyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-methylpyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(6-(2H-1,2,3-triazol-2-yl)-5-(trifluoromethyl)pyridin-3-yl)-3-(2-chloro-7-(furan-2-yl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(1,3-dimethoxypropyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(R)-1-(6-(2H-1,2,3-triazol-2-yl)-5-(trifluoromethyl)pyridin-3-yl)-3-(7-(1-(benzyloxy)ethyl)-2-chloropyrazolo[1,5-a]pyrimidin-6-yl)urea;

tert-butyl 2-(2-chloro-6-(3-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)ureido)pyrazolo[1,5-a]pyrimidin-7-yl)morpholine-4-carboxylate;

1-(7-(3-oxabicyclo[3.1.0]hexan-6-yl)-2-chloropyrazolo[1,5-a]pyrimidin-6-yl)-3-(5-chloro-6-methoxypyridin-3-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(5-oxaspiro[2.4]heptan-1-yl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-methoxypyridin-3-yl)-3-(2-chloro-7-(pyridin-4-yl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

2-chloro-6-(3-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)ureido)-N,N-dimethylpyrazolo[1,5-a]pyrimidine-7-carboxamide;

(S)-1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(7-(1-methoxyethyl)-2-methylpyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-methyl-7-(1-methylcyclopropyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-methoxypyridin-3-yl)-3-(2-methyl-7-(1-methylcyclopropyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(S)-1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(1-methoxy-2-methylpropyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(S)-1-(2-chloro-7-(1-methoxy-2-methylpropyl)pyrazolo[1,5-a]pyrimidin-6-yl)-3-(2-(trifluoromethyl)pyridin-4-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(1-(methoxymethyl)cyclopropyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(2-chloro-7-(1-(methoxymethyl)cyclopropyl)pyrazolo[1,5-a]pyrimidin-6-yl)-3-(2-(trifluoromethyl)pyridin-4-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(7-(1-(methoxymethyl)cyclopropyl)-2-methylpyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(7-(1-(methoxymethyl)cyclopropyl)-2-methylpyrazolo[1,5-a]pyrimidin-6-yl)-3-(2-(trifluoromethyl)pyridin-4-yl)urea;

1-(2-chloro-7-(2-(tetrahydro-2H-pyran-4-yl)propan-2-yl)pyrazolo[1,5-a]pyrimidin-6-yl)-3-(2-(trifluoromethyl)pyridin-4-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(1,2-dimethoxypropan-2-yl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(S)-1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(1-(2-(dimethylamino)ethoxy)ethyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-((4-methylmorpholin-3-yl)methyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(S)-1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(1-methylpiperidin-2-yl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-((S)-1-((R)-2-methoxypropoxy)ethyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(1-methyl-1H-imidazol-2-yl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-methoxypyridin-3-yl)-3-(2-chloro-7-(5-methyltetrahydrofuran-2-yl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(1-(dimethylamino)cyclopropyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(S)-1-(2-chloro-7-(1-methoxyethyl)pyrazolo[1,5-a]pyrimidin-6-yl)-3-(5-(difluoromethyl)-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)urea;

1-(2-chloro-7-(methoxy(tetrahydro-2H-pyran-4-yl)methyl)pyrazolo[1,5-a]pyrimidin-6-yl)-3-(2-(trifluoromethyl)pyridin-4-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(2-(methoxymethyl)tetrahydrofuran-2-yl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(S)-1-(2-chloro-7-(1-methoxyethyl)pyrazolo[1,5-a]pyrimidin-6-yl)-3-(2-(difluoromethyl)pyridin-4-yl)urea;

(S)-1-(5-chloro-6-(difluoromethoxy)pyridin-3-yl)-3-(2-chloro-7-(1-methoxyethyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(S)-1-(6-(2H-1,2,3-triazol-2-yl)-5-(trifluoromethyl)pyridin-3-yl)-3-(2-fluoro-7-(1-methoxyethyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(S)-1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-fluoro-7-(1-methoxyethyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(S)-1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-cyano-7-(1-methoxyethyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(S)-1-(5-chloro-6-(difluoromethoxy)pyridin-3-yl)-3-(2-chloro-7-(1-(2-methoxyethoxy)ethyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-((1R,2R)-1,2-dimethoxypropyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(S)-1-(5-chloro-2-(2-(dimethylamino)ethoxy)pyridin-3-yl)-3-(2-chloro-7-(1-methoxyethyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-((S)-1-(((R)-tetrahydrofuran-3-yl)oxy)ethyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-((S)-1-(((S)-tetrahydrofuran-3-yl)oxy)ethyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-((S)-1-(((S)-tetrahydrofuran-3-yl)methoxy)ethyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-((S)-1-(((R)-tetrahydrofuran-3-yl)methoxy)ethyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-methyl-7-(2-methyltetrahydrofuran-2-yl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(S)-1-(2-chloro-7-(1-methoxyethyl)pyrazolo[1,5-a]pyrimidin-6-yl)-3-(2-cyanopyridin-4-yl)urea;

1-(2-chloro-7-(2-(methoxymethyl)tetrahydrofuran-2-yl)pyrazolo[1,5-a]pyrimidin-6-yl)-3-(5-(trifluoromethyl)pyridin-3-yl)urea;

1-(6-(2H-1,2,3-triazol-2-yl)-5-(trifluoromethyl)pyridin-3-yl)-3-(2-chloro-7-(1-(dimethylamino)cyclopropyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(6-(2H-1,2,3-triazol-2-yl)-5-(trifluoromethyl)pyridin-3-yl)-3-(2-chloro-7-(1,2-dimethoxyethyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(2-chloro-7-(1,2-dimethoxyethyl)pyrazolo[1,5-a]pyrimidin-6-yl)-3-(2-(trifluoromethyl)pyridin-4-yl)urea;

(S)-1-(6-(2H-1,2,3-triazol-2-yl)-5-(trifluoromethyl)pyridin-3-yl)-3-(2-chloro-7-(1-methoxypropan-2-yl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(R)-1-(6-(2H-1,2,3-triazol-2-yl)-5-(trifluoromethyl)pyridin-3-yl)-3-(2-chloro-7-(1-methoxypropan-2-yl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-(2H-1,2,3-triazol-2-yl)-2-(trifluoromethyl)pyridin-4-yl)-3-(2-chloro-7-isopropylpyrazolo[1,5-a]pyrimidin-6-yl)urea;

(R)-1-(6-(2H-1,2,3-triazol-2-yl)-5-(trifluoromethyl)pyridin-3-yl)-3-(2-chloro-7-(1-hydroxyethyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(S)-1-(2-chloro-7-(1-hydroxyethyl)pyrazolo[1,5-a]pyrimidin-6-yl)-3-(2-(trifluoromethyl)pyridin-4-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(morpholin-2-yl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(4-methylmorpholin-2-yl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(4-(4-(aminomethyl)-1H-pyrazol-1-yl)-3-chlorophenyl)-3-(2-chloro-7-isopropylpyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(6-(4-(aminomethyl)-1H-pyrazol-1-yl)-5-chloropyridin-3-yl)-3-(2-chloro-7-isopropylpyrazolo[1,5-a]pyrimidin-6-yl)urea;

(S)-1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(1-(methylamino)ethyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

2-(3-(2-chloro-7-isopropylpyrazolo[1,5-a]pyrimidin-6-yl)ureido)-4-(trifluoromethyl)pyridine 1-oxide;

(R)-1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(1-(dimethylamino)ethyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(S)-1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(1-(dimethylamino)ethyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(morpholin-3-yl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(S)-1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(2-methyl-1-(methylamino)propyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(4-methylmorpholin-3-yl)pyrazolo[1,5-a]pyrimidin-6-yl)urea;

(R)-1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(1,2-dimethoxyethyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea; and

(S)-1-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-(2-chloro-7-(1,2-dimethoxyethyl)pyrazolo[1,5-a]pyrimidin-6-yl)urea.

9. A compound of claim 1 or a pharmaceutically acceptable salt thereof, wherein
 R1 is fluoro;
 R2 is C₁-C₆ alkyl optionally substituted one or more times by C₁-C₆ alkyl, C₂-C₆ alkenyl, hydroxyl, N,N-di-C₁-C₆ alkyl amino, N-mono-C₁-C₆ alkyl amino, O-Rg, Rg, phenyl, or by C₁-C₆ alkoxy, wherein said alkoxy again may optionally be substituted by C₁-C₆ alkoxy or Rg or phenyl; wherein
 Rg is a 5 - 6 membered heterocyclic ring having 1 - 3 heteroatoms selected from N and O said ring being optionally substituted by C₁-C₆ alkyl, C₁-C₆ alkoxy- C₁-C₆ alkyl, C₁-C₆ alkoxy-carbonyl;
 R is 2-pyridyl substituted one or more times by Rb; and
 Rb independently from each other is halogen; oxo; hydroxyl; cyano; C₁-C₆ alkoxy optionally substituted by halogen; C₁-C₆ alkoxy carbonyl; phenyl; N,N-di-C₁-C₆ alkyl amino; C₁-C₆ alkyl optionally substituted by halogen or phenyl; a 5 - 6 membered heteroaryl ring having 1 to 3 N atoms said ring being optionally substituted by C₁-C₆ alkyl optionally substituted by amino or hydroxy, or by mono- or di-N-C₁-C₆ alkylamino carbonyl; O-Rh; or Rh; wherein
 Rh is a 5 - 6 membered heterocyclyl ring having 1 to 4 heteroatoms selected from N, O and S said ring being optionally substituted by C₁-C₆ alkyl, hydroxyl or oxo.
10. A compound of claim 1 or a pharmaceutically acceptable salt thereof, wherein
 R1 is fluoro;
 R2 is C₁-C₆ alkyl optionally substituted one or more times by C₁-C₆ alkyl, C₂-C₆ alkenyl, hydroxyl, N,N-di-C₁-C₆ alkyl amino, N-mono-C₁-C₆ alkyl amino, O-Rg, Rg, phenyl, or by C₁-C₆ alkoxy, wherein said alkoxy again may optionally be substituted by C₁-C₆ alkoxy, N,N-di-C₁-C₆ alkyl amino, Rg or phenyl; wherein
 Rg is a 5 - 6 membered heterocyclic ring containing 1 - 3 heteroatoms selected from N and O said ring being optionally substituted by C₁-C₆ alkyl, C₁-C₆ alkoxy- C₁-C₆ alkyl, C₁-C₆ alkoxy-carbonyl;
 R is 3-pyridyl substituted one or more times by Rc; and
 Rc independently from each other is halogen; oxo; hydroxyl; cyano; C₁-C₆ alkoxy optionally substituted by halogen; C₁-C₆ alkoxy carbonyl; phenyl; N,N-di-C₁-C₆ alkyl amino; C₁-C₆ alkyl optionally substituted by halogen or phenyl; a 5 - 6 membered heteroaryl ring having 1 to 3 N atoms said ring being optionally substituted by C₁-C₆ alkyl

optionally substituted by amino or hydroxy, or by mono- or di-N-C₁-C₆ alkylamino carbonyl; O-Rh; or Rh; wherein

Rh is a 5 - 6 membered heterocyclyl having 1 to 4 heteroatoms selected from N, O and S said ring being optionally substituted by C₁-C₆ alkyl, hydroxyl or oxo.

11. A compound of claim 1 or a pharmaceutically acceptable salt thereof, wherein R₁ is fluoro;

R₂ is C₁-C₆ alkyl optionally substituted one or more times by C₁-C₆ alkyl, C₂-C₆ alkenyl, hydroxyl, N,N-di-C₁-C₆ alkyl amino, N-mono-C₁-C₆ alkyl amino, O-Rg, Rg, phenyl, or by C₁-C₆ alkoxy, wherein said alkoxy again may optionally be substituted by C₁-C₆ alkoxy, N,N-di-C₁-C₆ alkyl amino, Rg or phenyl; wherein

Rg is a 5 - 6 membered heterocyclic ring containing 1 - 3 heteroatoms selected from N and O said ring being optionally substituted by C₁-C₆ alkyl, C₁-C₆ alkoxy- C₁-C₆ alkyl, C₁-C₆ alkoxy-carbonyl;

R is 4-pyridyl substituted one or more times by R_d; and

R_d independently from each other is halogen; oxo; hydroxyl; cyano; C₁-C₆ alkoxy optionally substituted by halogen; C₁-C₆ alkoxy carbonyl; phenyl; N,N-di-C₁-C₆ alkyl amino; C₁-C₆ alkyl optionally substituted by halogen or phenyl; a 5 - 6 membered heteroaryl ring containing 1 to 3 N atoms said ring being optionally substituted by C₁-C₆ alkyl optionally substituted by amino or hydroxy, or by mono- or di-N-C₁-C₆ alkylamino carbonyl; O-Rh; or Rh; wherein

Rh is a 5 - 6 membered heterocyclyl containing 1 to 4 heteroatoms selected from N, O and S said ring being optionally substituted by C₁-C₆ alkyl, hydroxyl or oxo.

12. A pharmaceutical composition comprising a therapeutically effective amount of a compound according to any one of claims 1 to 11 and one or more pharmaceutically acceptable carriers.

13. A combination comprising a therapeutically effective amount of a compound according to any one of claims 1 to 11 or a pharmaceutically acceptable salt thereof and one or more therapeutically active co-agents.

14. A compound according to any one of claims 1 to 11 or a pharmaceutically acceptable salt thereof, for use as a medicament, in particular for use as a medicament acting as a MALT1 inhibitor.

15. Use of a compound according to any one of claims 1 to 11 or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the treatment of diseases or disorders associated with MALT1 activity.

16. Use according to claim 15 wherein the diseases or disorders are selected from autoimmune disorders and inflammatory diseases, such as rheumatoid arthritis, multiple sclerosis, systemic lupus erythematosus or vasculitic conditions; and allergic diseases, airway diseases, such as asthma and chronic obstructive pulmonary disease (COPD) or conditions caused by delayed or immediate type hypersensitivity and anaphylaxis, acute or chronic transplant rejection or graft versus host disease, cancers of hematopoietic origin or solid tumors, including chronic myelogenous leukemia, myeloid leukemia, non-Hodgkin lymphoma and other B cell lymphomas.