




FIG. 1




FIG. 2A




FIG. 2B




FIG. 3




FIG. 4A




FIG. 4B




FIG. 5A




FIG. 5B




FIG. 5C

410

Share - [Left] - □

Partition Range Example

927-9-13

- Syntax:

```

CREATE TABLE offering_hist
  offering_id      NUMBER(5) NOT NULL
  ,course_id       NUMBER(3) NOT NULL
  ,instructor_id   NUMBER(4) NOT NULL
  ,site_id         NUMBER(2) NOT NULL
  ,start_date      DATE      NOT NULL
  ,max_no_students NUMBER(2)
TABLESPACE tbspc1
PARTITION BY RANGE (start_date)
(PARTITION p1 VALUES LESS THAN (TO_DATE('01-JAN-2004', 'DD-MON-YYYY'))
, PARTITION p2 VALUES LESS THAN (TO_DATE('01-JAN-2005', 'DD-MON-YYYY'))
, PARTITION p3 VALUES LESS THAN (TO_DATE('01-JAN-2006', 'DD-MON-YYYY'))
, PARTITION p4 VALUES LESS THAN (TO_DATE('01-JAN-2007', 'DD-MON-YYYY'))
, PARTITION p5 VALUES LESS THAN (TO_DATE('01-JAN-2008', 'DD-MON-YYYY')) );
  
```

offering_hist - 2003 2004

as said it from offering;

- Tablespace tbspc1 is the default tablespace for all partitions

927-9-13 

Full Screen 

412

413

FIG. 5D

470




FIG. 5E

430




FIG. 5F-1

430




FIG. 5F-2

430




FIG. 5F-3

480




FIG. 5G

490





FIG. 5H


422



423

FIG. 5I-1

422



423

FIG. 5I-2

422



FIG. 5I-3

422




FIG. 5I-4




FIG. 6




FIG. 7




FIG. 8




FIG. 9