


FIGURE 1

Oligonucleotide
Transport Vehicle (OTV)

FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8




FIGURE 9




FIGURE 10




FIGURE 11




FIGURE 12




FIGURE 13




FIGURE 14




FIGURE 15




FIGURE 16




FIGURE 17






FIGURE 19



FIGURES 20A-20B



Data represented as mean $\pm$ SEM; Each data point = 1 animal
One-way ANOVA, Sidak post-hoc * p <0.05, ** p <0.01, *** p <0.001, **** p <0.0001


FIGURE 21

FIGURE 22A





FIGURE 22B



Data represented as mean $\pm$ SEM; Each data point = 1 animal
One-way ANOVA, Sidak post-hoc * $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$, **** $p < 0.0001$




FIG. 23A-D




FIG. 24




FIG. 25




FIG. 26





FIG. 27






FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33





FIG. 34

B.



A.





FIG. 35A-B






FIG. 37





FIG. 38

B.



A.





FIG. 39A-B






FIG. 41

A.

B.





FIG. 42A-B



Data represented as mean $\pm$ SEM

FIG. 44A-B




FIG. 45A-B