invention may vary depending on the following factors: the severity of the disease to be treated, the route of administration, and the weight, age, physical condition and response of the subject to be treated. For instance, the daily dosage of the pharmaceutical composition according to this invention may be 10 to 20 mg/cm^2 of the lesion area and one to six times per day.

~~This invention will be further described by way of the following examples. However, it should be understood that the following examples are solely intended for the purpose of illustration and should not be construed as limiting the invention in practice.~~

Example 1: Preparation of the water-soluble extract

The water-soluble extract was prepared based on the procedure as disclosed in Example 1 of US 7,078,063 B2. Specifically, 500 g of ripe fruit of *Solanum incanum* L. was ground subsequent to addition of 1000 ml pure water. To the resultant aqueous mixture, 99.5% of acetic acid was added dropwise to adjust the pH value to 4.0, followed by shaking at room temperature for 12 hrs. A supernatant was obtained by centrifuging the aqueous mixture at 4500 rpm for 12 hours, and 33% NH_4OH basic solution was added thereto dropwise to adjust the pH value of the supernatant to 9.0, and a precipitate was formed. The precipitate was obtained by conducting centrifugation at 4,500 rpm for 10 minutes(Beckman Coulter, Avanti J-25, JA-14 Rotor),

~~WHAT IS CLAIMED IS~~CLAIMS:

~~1. An anti wart pharmaceutical composition, comprising a water soluble extract from a plant of *Solanum* genus, said water soluble extract comprising at least 60% of solamargine and solasonine.~~

~~2. The pharmaceutical composition of claim 1, wherein said water soluble extract comprises at least 60% 90% of solamargine and solasonine.~~

~~3. The pharmaceutical composition of claim 1, which is capable of being administered in a topical dosage form.~~

~~4. The pharmaceutical composition of claim 3, further comprising a base selected from the group consisting of water, alcohols, glycol, hydrocarbons, wax, preserving agents, antioxidant, surfactants, absorption enhancers, stabilizing agents, gelling agents, active agents, humectants, odor absorbers, fragrances, pH adjusting agents, chelating agent, emulsifier, occlusive agents, emollients, thickeners, solubilizing agents, penetration enhancers, anti-irritants, colorants, propellants, and combinations thereof.~~

~~5. The pharmaceutical composition of claim 4, wherein the base includes a gelling agent and glycol.~~

~~6~~1. Use of a water-soluble extract from a plant of

Solanum genus in the preparation of a pharmaceutical composition for treating wart, wherein the water-soluble extract comprises at least 60% of solamargine and solasonine.

~~7~~2. The use according to claim ~~6~~1, wherein the water-soluble extract comprises at least 60%-90% of solamargine and solasonine.

~~8~~3. The use according to claim ~~6~~1, wherein the wart comprises common wart, flat wart, plantar wart, or genital wart.

~~9. The use according to claim 6, wherein the pharmaceutical composition is capable of being administered in a topical dosage form.~~

~~10~~4. The use according to claim ~~6~~1, wherein the pharmaceutical composition further comprises a base selected from the group consisting of water, alcohols, glycol, hydrocarbons, wax, preserving agents, antioxidant, surfactants, absorption enhancers, stabilizing agents, gelling agents, active agents, humectants, odor absorbers, fragrances, pH adjusting agents, chelating agent, emulsifier, occlusive agents, emollients, thickeners, solubilizing agents, penetration enhancers, anti-irritants, colorants, propellants, and combinations thereof.

~~11~~5. The use according to claim ~~10~~4, wherein the base includes a gelling agent and glycol.