





Figure 1





2/25

Figure 1 continued 1



3/25

Figure 1 continued 2



4/25



Figure 2A**Figure 2B**

Figure 3





Figure 4A






Figure 4B

7/25



Human spleen (X400)





Human colon (X400)



Figure 5A



9/25

Figure 5D**Figure 5E**








Figure 5F

11/25

Figure 6A**Figure 6B**

12/25

Figure 6C**Figure 6D**






Figure 7

Figure 8



n=4



n=3




Figure 9A




Figure 9B




Figure 9C

Figure 9D




Figure 9E




Figure 10A




Figure 10B





Figure 11






Figure 12A

Figure 12B






Figure 12C



23/25

Figure 12D

CONDITION	Final sample concentration (µg/ml)	IL-6	IL-8	IL-10	IFN-γ	TNF-α
Anti-4CB1	100	7.4	134.7	10.0	8.0	2.8
	10	7.2	74.6	6.6	6.9	2.3
	1	6.2	68.5	6.9	6.5	1.9
	0.1	5.5	60.4	8.2	5.9	2.0
Erbitux®	100	7.3	103.5	8.9	7.3	2.6
Lemtrada®	10	72.6	616.6	9.9	38.1	32.0

Figure 13

25/25




Figure 14