



9/20/06-8
1705

PACKED IN-PACK FILLED PRODUCT ON STICK ✓

The present invention relates to a packed in-pack filled solidified edible product on a stick or handle and to a
5 method for providing such a product.

Examples of this type of product are confections e.g. ice cream or lollies or snacks made from a pourable, liquid or semi-liquid edible product which has been
10 solidified. The product is held on a stick when being consumed.

The conventional way for manufacturing such products is by filling a rigid, cooled metallic mould with the
15 pourable product, solidifying the product sufficiently so that when a stick is inserted, it is hard enough to hold it. The metallic mould is then further cooled to solidify the product further. For releasing the product from the mould, it is then heated for a short period in
20 order to release the solidified product therefrom. The product on the stick is subsequently packed.

An alternative way of providing a wrapped edible product on a stick is disclosed in PCT/EP 94/02493. This patent
25 application describes a packing method wherein a pouch having a tubular portion is formed, a stick is inserted into the tubular form where it extends into the pouch. The pouch is filled with a product while the stick is in the package and subsequently sealed off and finally
30 solidified.

THIS SHEET HAS BEEN
REPLACED

Although this method provides an in-pack filling of the product, it has certain drawbacks such as the necessity of tightly fitting the package around the stick for low
5 viscosity products, to avoid the stick being embedded in the product. This requires an alteration of the stick. It may e.g. be provided with a projection around which the package can be tightly fitted. For high viscosity products the stick may obstruct a regular flow.
10 Furthermore, in prior art in-pack filling, the stick is fully encircled in packing material in the tubular portion.

Another in-pack filled frozen confection package is
15 described in GB 835,066. In this document there is described a package like the one disclosed in PCT/EP 94/02493 however it is only a 2-dimensional pack.

The present invention may solve the above discussed
20 drawbacks and other problems and provides a simplification of manufacturing by filling the product direct into a 3-dimensional package. The invention gives the possibility of using a conventional flat stick of wood or plastic. Furthermore, the invention allows
25 packing material to be saved as the stick in the packed product does not have to be enclosed in the packing material. This is beneficial both from a cost and an environmental point of view.

Accordingly in a first aspect, the present invention provides a packed in-pack filled edible solidified product on a stick, comprising a edible solidified product, a thermoformed plastic package defining a 3-
5 dimensional cavity with an inlet channel through which the edible solidified product in liquid or semi-liquid form has been filled, a stick in the inlet channel which extends into the edible solidified product in the cavity, and a support in the pack for supporting the
10 stick before solidification of the edible solidified product.

The support allows the stick to be inserted after the product in liquid or semi-liquid form has been filled
15 into the cavity. The support supports the stick at least until the product is solidified and the stick is fixed within the product. Merely providing a tubular inlet channel will only provide sufficient support for the stick if the stick can be tightly squeezed into the
20 inlet channel. In an automatic manufacturing of in-pack filled products this is not possible as this will require very fine dimensions on the inlet channel and the corresponding sticks. The support will be discussed in further detail below with reference to preferred
25 embodiments of the invention.

The package may be formed from a first and second plastic sheet sealed together along a contour sealing, the sealing being peelable. The first and second sheets
30 are either two separate sheets or a single sheet folded

to provide a first and second sheet. The contour is the seam that defines the outer boundary of the cavity and the inlet channel.

- 5 The plastic package may be thermo-formed in a non-geometrical 3-dimensional shape. The thermo-forming is advantageously done by blow moulding. Alternatively, the cavity and the inlet are obtained by thermo-forming in the packing material two opposing shells which are
10 sealed together afterwards.

In a preferred embodiment of the invention the support of the inlet channel is made by allowing only a portion of sheets between the contour seal of the inlet channel
15 to be thermo-formed. The stick can then be supported between the non-thermo-formed parts of the sheets. Conveniently, this may be done by first providing the contour seal by heating the two sheets in a first tool, then passing the joined sheets to a second blow-moulding
20 tool having a mould cavity cross-section at the inlet which is narrower than the cross-section of the contour seal at the inlet channel. Blow-moulding the sheets by injecting air between the sheets and thus expanding the sheets towards the mould leaving a zone along the inlet
25 channel un-blown, see the drawings. The sheet portions' un-blown zone within the contour sealing will not be attached but provides a support and guide for the stick.

Advantageously, the inlet channel adjacent to the
30 contour seal of the cavity has a 1 to 2 mm zone

extending from the contour seal which is not thermo-formed. This gives sufficient support for the stick while allowing a certain variation in the dimensions of the inlet channel and the stick.

5

It is beneficial that the stick extends from the surroundings into the solidified edible product. No full wrapping of the stick is necessary. Therefore, packing material may be saved when compared with former packed
10 and in-pack filled products.

In another advantageous embodiment of the invention the packed in-pack filled edible solidified product has a cavity in which a depression is formed opposite to the
15 inlet channel into which the end of the stick is received. Inserting the stick through the filled cavity and anchoring of the stick is possible by inserting the end of the stick in the depression. In this embodiment the stick also extends out of the package and thus a
20 longer stick is required compared with the embodiment discussed above.

In another aspect, the invention relates to a method for providing a packed in-pack filled edible solidified
25 product on a stick, comprising

providing a thermoformed plastic package defining a 3-dimensional cavity with an inlet channel,
providing a liquid or semi-liquid edible product,
filling said cavity with the liquid or semi-liquid
30 edible product through the filling channel,

providing a stick in the inlet channel so that the stick extends into the product in the cavity,

supporting said stick by means of a support defined in said package, and

5 solidifying the pourable product.

In a preferred method the package has an inlet channel which defines the support for the stick. The support is
10 of the above-discussed type.

Alternatively, the support is in the form of a depression for receiving the end of the stick in the cavity. The depression being defined in the cavity
15 opposite the inlet of the filling channel. It follows that in this embodiment of the invention the stick in the inlet extends across the cavity.

In addition, the filled cavity is cooled at its inlet to
20 partly solidify the edible product at the inlet before the stick is inserted. This may provide further support of the stick but is not necessary for the embodiments of the invention discussed above.

25 In the method according to the invention the package may be made as discussed above. Thus preferably, a first and a second sheet is peelably sealed along a contour sealing and the cavity and inlet channel are shaped by blow-moulding. Alternatively, the inlet channel and the

cavity are formed by two shells of thermoformed packing material, the shells being sealed together afterwards.

Plastic materials suitable for the package may
5 conveniently be selected from the group consisting of:
polyolefines e.g. Polyethylene and a co-polymer or
Polypropylene and a co-polymer, laminates thereof,
polyester, polystyrene or paper and polyethylene or
combinations thereof. It is preferred that the packing
10 material once thermo-formed is self supportive in order
to obtain well defined shapes of the edible food product
filled therein.

The filled packages according to the invention may be
15 provided separately or joined together in a band of
packages.

It will be apparent to a skilled person that the present
invention may be suitable for many types of products
20 made on the basis of a pourable, liquid or semi-liquid
edible product which has been solidified. The invention
is especially suitable for products of this type being
confections e.g. ice cream or lollies. The invention may
also be useful for providing packed in-pack filled
25 savoury or sweet snacks, e.g. cheese or milk based
products. The product of this type may conveniently be
held on a stick when being consumed.

The invention will now be explained in further detail
30 with reference to the accompanying drawings, by way of

example only, in which the method for providing a packed in-pack filled edible solidified product on a stick is compared with a method of the prior art. In the drawings Fig. 1a to Fig. 9a illustrate steps of a method according to the invention,
5 Fig. 1b to Fig. 9b illustrate steps of a method of the prior art, and
Fig. 10a, b and c illustrate in more detail a preferred embodiment of the stick support according to the
10 invention.

Fig. 1a and Fig. 1b show respectively a front and side view of the plastic sheet material 1 pre-heating introduced into a mould 2 having air supply channels 3.
15 In Fig. 2a and 2b a package cavity 6 and an inlet channel 9 are defined by a contour sealing 4. The sealing, in Fig. 2a, forms part of a stick support 5a and the sealing is a peelable seal. A stick holding cavity 5b is generated in Fig. 2b on the opposite side
20 of the cavity 6.

The plastic material 1 with the contour seal 4 is moved to a second mould 7. Air is injected into the air supply channels 3 and the plastic material is blow moulded.
25 Whereas the entire plastic material between the contour sealing, i.e. the cavity 6, the stick holding cavity 5b and the inlet channel 9, in Fig. 3b is blow moulded. In Fig. 3a, illustrating an embodiment of the present invention, only a portion 8 of the plastic material 1
30 between the contour seal 4 of the inlet channel 9 is

blow-moulded. This will allow for a support 16 of a stick 10 between the non-blow moulded parts of the sheets, see Fig. 7a.

5 In Fig. 4a and Fig. 4b the moulded package p has been removed from the mould 2. Surplus packing material has been cut away from the opening in the inlet channel 9. While packing material 11 opposite the inlet channel 9 has been left to provide support for conveying of the
10 package p. This may e.g. be necessary when bands of material are used for the forming method and packages are formed successively in the mould as the material 1 is advanced.

15 In Fig. 5a and Fig. 5b a pusher 12 is introduced in to the inlet channel 9 in order to ensure opening of the aperture.

In Fig. 6a, the cavity 6 of the package in accordance
20 with the invention is filled, by a filling nozzle 17, with an edible product 13 in a liquid or semi-liquid form. In the package of the prior art, in Fig. 6b, the stick 14 is inserted through the inlet channel 9, through the cavity 6, and into the stick-holding cavity
25 5b. In order to provide a sufficiently tight fitting around the stick 14, it is necessary to use a specially designed stick. In the present example the stick is tubular with a varying diameter. In its end position, the stick 14 does not extend through the inlet channel 9

but the end of the stick is in the interior of the cavity 6.

Subsequently, in Fig. 7a a stick 10 is inserted through
5 the same inlet channel 9 through which the filling of
the product was done. The stick 10 extends partly into
the product in the cavity 6, wherein the support 16 is
provided in the pack for supporting the stick 10 before
solidification of the product. In this embodiment of the
10 invention a flat conventional stick is used.

In Fig. 7b a liquid product 13 is filled, through a
filling nozzle 17, into the cavity 6 through the inlet
channel 9, the stick 14 extends into the cavity from
15 opposite the inlet channel 9 as described above.

In Fig. 8a and 8b the packages are sealed off by heating
the material and thus allowing it to shrink. In Fig. 8a
the sealing is made around the stick while the closure
20 of the package in Fig. 8b is done at the top of the
package. Both packages are now cut on the outside of the
contour sealing, leaving part of the plastic sheet
material 1 as pulling or opening tab, see Fig. 9.

25 The product is then left to solidify and a packed in-
pack filled product is provided.

The above examples illustrate some of the differences of
the invention over prior packed in-pack filled edible
30 products on a stick. The present invention may thus

provide a packed in-pack filled edible product avoiding soiling of the stick and the necessity of a specially designed stick.

- 5 Figures 10 a, b and c illustrate in more detail a preferred embodiment of the stick support according to the invention. Fig. 10b shows a side view of a package inlet channel 9 before a stick is inserted into the package. The inlet channel having a slightly conical
- 10 split 16 before the stick is inserted. Fig. 10a and c show front and side views of the inlet channel 9 with a stick 10 inserted and supported therein. The front view shows the conical split 16 of the stick support 16 into which the stick 10 is wedged.



CLAIMS

1. Packed in-pack filled edible solidified product on a stick, comprising a edible solidified product, a
5 thermoformed plastic package defining a 3-dimensional cavity with an inlet channel through which the edible solidified product in liquid or semi-liquid form has been filled, a stick in the inlet channel which extends into the edible solidified product in the cavity, and a
10 support in the pack for supporting the stick before solidification of the edible solidified product.
2. Packed in-pack filled edible solidified product according to claim 1, wherein the package is formed from
15 a first and second plastic sheet peelably sealed together along a contour sealing.
3. Packed in-pack filled edible solidified product according to claim 2, wherein only a portion of sheet
20 between the contour seal of the inlet channel is thermoformed and the stick is supported between the non-thermo-formed parts of the sheets.
4. Packed in-pack filled edible solidified product
25 according to the claim 3, wherein the inlet channel adjacent to the contour seal of the cavity has a 1 to 2 mm zone extending from the contour seal which is not thermo-formed.

This Sheet Has Been Replaced

THIS SHEET HAS BEEN
REPLACED



5. Packed in-pack filled edible solidified product according to any of the claims 1 to 4, wherein the package is blow-moulded.

5 6. Packed in-pack filled edible solidified product according to any of claims 1 to 5, wherein the stick extends from the surroundings into the solidified edible product.

10 7. Packed in-pack filled edible solidified product according to either claims 1 or 2, wherein a cavity has a depression opposite to the inlet channel into which the end of the stick is received.

15 8. Method for providing a packed in-pack filled edible solidified product on a stick, comprising

providing a thermoformed plastic package defining a 3-dimensional cavity with an inlet channel,

providing a liquid or semi-liquid edible product,

20 filling said cavity with the liquid or semi-liquid edible product through the filling channel,

providing a stick in the inlet channel so that the stick extends into the product in the cavity,

supporting said stick by means of a support defined
25 in said package, and

solidifying the pourable product.

9. A method according to Claims 8, wherein said filling channel defines the support for the stick.

This Sheet Has Been Replaced



THIS SHEET HAS BEEN
REPLACED



10. A method according to either of the Claims 8 or 9 wherein the cavity opposite the inlet of the filling channel is provided with a depression for receiving the end of the stick in the cavity.

5

11. A method according to any of Claims 8 to 9, wherein the filled cavity is cooled at its inlet to partly solidify the edible product at the inlet before the stick is inserted.

10

12. A method according to any of Claims 8 to 11, wherein the package comprises a first and a second sheet peelably sealed along a contour sealing.

15 13. A method according to any of Claims 8 to 12, wherein the cavity and inlet channel are shaped by blow-moulding.

20 14. A method according to any of Claims 8 to 12, wherein the inlet channel and the cavity are formed by joining opposing shells.

This Sheet Has Been Replaced



THIS SHEET HAS BEEN
REPLACED