




[도1]




[도2]

1


[도3]




[도4]




[도5]




[도6]




[도7]




[도8]




[도9]




[도10]




[도11]




[도12]




[513]




[도15]




[도16]




[도17]




[도18]




[도19]



[도20]




[도21]




[도 22]


(a)




(b)




(c)



[도23]



[도24]



[도25]

Tier	TwistLock Force		Corner Post Force		Racking Force	Lashing Rod Tension			
	(PS)	(SB)	(PS)	(SB)		A	B	C	D
12	-12.5	-7.2	0	0	2.3	0	0	0	0
11	-39.8	-13.7	-12.5	-7.2	9	0	0	0	0
10	-85.8	-15.6	-39.8	-13.7	19.2	0	0	0	0
9	-151	-6.7	-85.8	-15.6	32.1	0	0	0	0
8	-232.3	18.3	-151	-6.7	46	0	0	0	0
7	-329.4	59.1	-232.3	18.3	59.8	0	0	0	0
6	-442.2	115.6	-329.4	59.1	73.4	0	0	0	0
5	-570.5	91.6	-442.2	115.6	86.8	0	146.7	0	0
4	-597.8	-31.5	-570.5	23.8	-69.1	69.1	77	0	0
3	-725	-174.6	-597.8	-31.5	-6.9	0	0	0	0
2	-927.5	-242.5	-725	-174.6	58.3	0	0	0	0
1	-1206.2	-234	-927.5	-242.5	124.5	0	0	0	0

[도26]

Tier	TwistLock Force		Corner Post Force		Racking Force	Lashing Rod Tension			
	(PS)	(SB)	(PS)	(SB)		A	B	C	D
12	12	-12.5	-7.2	0	0	2.3	0	0	0
11	11	-39.8	-13.7	-12.5	-7.2	9	0	0	0
10	10	-85.8	-15.6	-39.8	-13.7	19.2	0	0	0
9	9	-151	-6.7	-85.8	-15.6	32.1	0	0	0
8	8	-232.3	18.3	-151	-6.7	46	0	0	0
7	7	-329.4	59.1	-232.3	18.3	59.8	0	0	0
6	6	-442.2	115.6	-329.4	59.1	73.4	0	0	0
5	5	-570.5	187.6	-442.2	115.6	86.8	0	0	0
4	Cell Guide								
3									
2									
1									
			-805.7						


WO 2025/127875

PCT/KR2024/096947


[도 27]

Loads	Criteria	Lashing system 3-tier lashing bridge**	Cell guide system 4-tier
Racking force(kN)	150	124.5	86.8
Post force(kN) (Compression)	848	927.5	805.7 (442.2+363.5***)
Twistlock force(kN) (Tension)	250(500*)	115.6	187.6
Remarks	* Min. breaking load (tension) of twistlock	**External lashing, lashing at bottom/top of 4th tier & bottom of 5th tier	*** (18+48+48) × 9.81 × 1.3(g) ÷ 4 = 363.5 kN


[도28]




[도29]




[도30]




[도31]




[도32]




[도33]




[도34]




[도35]




[도36]




[도37]




[도38]




[도39]




[도40]




[도41]




[도42]




[도43]




[도44]




[도45]




[도46]




[도47]




[도48]




[도49]




[도50]




[도51]




[도52]




[도53]



[도54]




[도55]



[도56]

1




700a

700b

(b)

1



700a

700b

(a)

[도57]

