

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6





FIG. 7

pic parameter set rbsp() {	Descriptor
...	
no_pic_partition_flag	u(1)
if(!no_pic_partition_flag) {	
...	
}	
entropy_coding_sync_enabled_flag	u(1)
if(!no_pic_partition_flag entropy_coding_sync_enabled_flag)	
entry_point_offsets_present_flag	u(1)
...	u(1)
}	

FIG. 8

slice_header() {	Descriptor
...	
if(entry_point_offsets_present_flag && NumEntryPoints > 0) {	
offset_len_minus1	ue(v)
for(i = 0; i < NumEntryPoints; i++)	
entry_point_offset_minus1[i]	u(v)
}	
...	
}	

FIG. 9



 CTU  Tile  Subpicture/Slice

FIG. 10




FIG. 11

pic parameter set rbsp() {	Descriptor
...	
pps mixed_nalu_types_in_pic_flag	
...	
pps no_pic_partition_flag	u(1)
pps subpic_id_mapping_present_flag	u(1)
if(pps subpic_id_mapping_present_flag) {	
if(!pps no_pic_partition_flag)	
pps num_subpics_minus1	ue(v)
pps subpic_id_len_minus1	ue(v)
for(i = 0; i <= pps num_subpics_minus1; i++)	
pps_subpic_id[i]	u(v)
}	
...	

FIG. 12

seq parameter set rbsp() {	Descriptor
...	
sps subpic info present flag	u(1)
if(sps subpic info present flag) {	
sps num subpics minus1	ue(v)
if(sps num subpics minus1 > 0) {	
sps independent subpics flag	u(1)
sps subpic same size flag	u(1)
}	
...	
if(!sps independent subpics flag) {	
sps subpic treated as pic flag[i]	u(1)
...	

FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17

