
What is claimed is:

1. A compound of Formula I:



I

enantiomers, diastereomers or pharmaceutically acceptable salts thereof, wherein:

R^1 is hydrogen, C_1-C_6 alkyl, $-OR^6$, $-NR^6R^7$ or halogen;

R^2 is 5- or 6-membered heteroaryl, wherein R^2 is optionally substituted with 1-3 R^4;

R^3 is phenyl, 5-6 membered heteroaryl, C_3-C_6 cycloalkyl or 3-10 membered heterocyclyl, wherein R^3 is optionally substituted by 1-5 R^5;

R^4 is independently C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, halogen, $-(C_0$-C_6 alkyl)CN, $-(C_0$-C_6 alkyl)OR^6, $-(C_0$-C_6 alkyl)SR^6, $-(C_0$-C_6 alkyl)NR^6R^7, $-(C_0$-C_6 alkyl)CF_3, $-(C_0$-C_6 alkyl)$C(O)R^6$, $-(C_0$-C_6 alkyl)$C(O)OR^6$, $-(C_0$-C_6 alkyl)$C(O)NR^6R^7$, $-(C_0$-C_6 alkyl)$NR^6C(O)R^7$, $-(C_0$-C_6 alkyl)C(O)3-6 membered heterocyclyl, $-(C_0$-C_6 alkyl)(C_3-C_6 cycloalkyl), $-(C_0$-C_6 alkyl)phenyl, $-(C_0$-C_6 alkyl)5-6 membered heteroaryl or $-(C_0$-C_6 alkyl)(3-6-membered heterocyclyl), wherein R^4 is independently optionally substituted by R^{15};

R^5 is independently C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, oxo, halogen, $-(C_0$-C_3 alkyl)CN, $-(C_0$-C_3 alkyl)OR^{11}, $-(C_0$-C_3 alkyl)SR^{11}, $-(C_0$-C_3 alkyl)$NR^{11}R^{12}$, $-(C_0$-C_3 alkyl)OCF_3, $-(C_0$-C_3 alkyl)CF_3, $-(C_0$-C_3 alkyl)NO_2, $-(C_0$-C_3 alkyl)$C(O)R^{11}$, $-(C_0$-C_3 alkyl)$C(O)OR^{11}$, $-(C_0$-C_3 alkyl)$C(O)NR^{11}R^{12}$, $-(C_0$-C_3 alkyl)$NR^{11}C(O)R^{12}$, $-(C_0$-C_3 alkyl)$S(O)_{1\text{-}2}R^{11}$, $-(C_0$-C_3 alkyl)$NR^{11}S(O)_{1\text{-}2}R^{12}$, $-(C_0$-C_3 alkyl)$S(O)_{1\text{-}2}NR^{11}R^{12}$, $-(C_0$-C_3 alkyl)(C_3-C_6 cycloalkyl), $-(C_0$-C_3 alkyl)(3-6-membered heterocyclyl), $-(C_0$-C_3 alkyl)C(O)(3-6-membered heterocyclyl), $-(C_0$-C_3 alkyl)(5-6-membered heteroaryl) or $-(C_0$-C_3 alkyl)phenyl, wherein R^5 is independently optionally substituted by halogen, C_1-C_3 alkyl, oxo, $-CF_3$, $-(C_0$-C_3 alkyl)OR^{13} or $-(C_0$-C_3 alkyl)$NR^{13}R^{14}$;or

two R^5 are taken together to form $-O(CH_2)_{1\text{-}3}O-$;

R^6 and R^7 are independently hydrogen, C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, –CN, $–OR^8$, $–NR^8R^9$, $–C(O)R^8$, $–C(O)OR^8$, $–C(O)NR^8R^9$, $–NR^8C(O)R^9$, $–NR^8C(O)OR^9$, $–OC(O)NR^8$, $–S(O)_{1-2}R^8$, $–NR^8S(O)_{1-2}R^9$, $–S(O)_{1-2}NR^8R^9$, C_3-C_6 cycloalkyl, phenyl, 3-6 membered heterocyclyl or 5-6 membered heteroaryl, wherein said R^6 and R^7 are independently optionally substituted by R^{20}, or

R^6 and R^7 are taken together with the atom to which they are attached to form a 3-6-membered heterocyclyl, optionally substituted by halogen, oxo, $–CF_3$ or C_1-C_3 alkyl;

R^8 and R^9 are independently hydrogen or C_1-C_3 alkyl; or

R^8 and R^9 are taken together with the atom to which they are attached to form a 3-6-membered heterocyclyl, optionally substituted by halogen, oxo, $–CF_3$ or C_1-C_3 alkyl;

R^{11} is independently hydrogen, C_1-C_6 alkyl, C_3-C_6 cycloalkyl, 3-6 membered heterocyclyl, $–C(O)R^{13}$, $–C(O)OR^{13}$, $–C(O)NR^{13}R^{14}$, $–NR^{13}C(O)R^{14}$, $–S(O)_{1-2}R^{13}$, $–NR^{13}S(O)_{1-2}R^{14}$ or $–S(O)_{1-2}NR^{13}R^{14}$, wherein said alkyl, cycloalkyl and heterocyclyl are independently optionally substituted by oxo, C_1-C_3 alkyl, OR^{13}, $NR^{13}R^{14}$ or halogen;

R^{12} is independently hydrogen or C_1-C_3 alkyl, wherein said alkyl is independently optionally substituted by halogen or oxo; or

R^{11} and R^{12} are taken together with the atom to which they are attached to form a 3-6-membered heterocyclyl, optionally substituted by halogen, oxo, $–CF_3$ or C_1-C_3 alkyl;

R^{13} and R^{14} are independently hydrogen or C_1-C_3 alkyl optionally substituted by halogen or oxo; or

R^{13} and R^{14} are taken together with the atom to which they are attached to form a 3-6-membered heterocyclyl, optionally substituted by halogen, oxo, $–CF_3$ or C_1-C_3 alkyl;

R^{15} is C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, oxo, halogen, –CN, $–OR^{16}$, $–SR^{16}$, $–NR^{16}R^{17}$, $–OCF_3$, $–CF_3$, $–C(O)R^{16}$, $–C(O)OR^{16}$, $–C(O)NR^{16}R^{17}$, $–NR^{16}C(O)R^{17}$, $–NR^{16}C(O)OR^{17}$, $–OC(O)NR^{16}$, C_3-C_6 cycloalkyl, 3-6-membered heterocyclyl, –C(O)(3-6-membered heterocyclyl, 5-6-membered heteroaryl or phenyl, wherein R^{15} is independently optionally substituted by halogen, C_1-C_3 alkyl, oxo, –CN, $–CF_3$, $–OR^{18}$, $–NR^{18}R^{19}$;

R^{16} and R^{17} are independently hydrogen or C_1-C_6 alkyl optionally substituted by oxo or halogen; or

R^{16} and R^{17} are taken together with the atom to which they are attached to form a 3-6 membered heterocyclyl optionally substituted by oxo, halogen or C_1-C_3 alkyl;

R^{18} and R^{19} are independently hydrogen or C_1-C_6 alkyl optionally substituted by oxo or halogen; or

R^{18} and R^{19} are taken together with the atom to which they are attached to form a 3-6 membered heterocyclyl optionally substituted by oxo, halogen or C_1-C_3 alkyl;

R^{20} is C_1-C_6 alkyl, oxo, halogen, $-OR^{21}$, $-NR^{21}R^{22}$, $-CN$, C_3-C_6 cycloalkyl, phenyl, 3-6 membered heterocyclyl or 5-6 membered heteroaryl, wherein R^{20} is optionally substituted by oxo, halogen or C_1-C_3 alkyl; and

R^{20} and R^{21} are independently hydrogen or C_1-C_6 alkyl optionally substituted by oxo or halogen; or



R^{20} and R^{21} are taken together with the atom to which they are attached to form a 3-6 membered heterocyclyl optionally substituted by oxo, halogen or C_1-C_3 alkyl.

with the proviso that said compound is other than N-(5-methyl-4-(4-propylphenyl)thiazol-2-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide; N-(4-(4-chlorophenyl)thiazol-2-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide; or N-(3-methyl-1-phenyl-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide.

2. The compound of claim 1, wherein R^1 is hydrogen or $-NH_2$.

3. The compound of claims 1-2, wherein R^2 is selected from pyrazolyl or thiazolyl optionally substituted with 1-3 R^4.

4. The compound of claims 1-3, wherein R^2 is:



or

, wherein


R^{10} is hydrogen or R^4.


5. The compound of claims 1-4, wherein R^4 is independently $-(C_0$-C_6 alkyl)OR^6, $-(C_0$-C_6 alkyl)SR^6, halogen, $-(C_0$-C_6 alkyl)CN, C_1-C_6 alkyl, C_2-C_6 alkenyl or C_2-C_6 alkynyl, $-(C_0$-C_6 alkyl)$C(O)OR^6$, $-(C_0$-C_6 alkyl)$C(O)NR^6NR^7$, $-(C_0$-C_6 alkyl)$OC(O)NR^6$, $-(C_0$-C_6 alkyl)$NR^6C(O)OR^7$, $-(C_0$-C_6 alkyl)$NR^6C(O)NR^7$ or $-(C_0$-C_6 alkyl)$NR^6C(O)R^7$, $-(C_0$-C_6 alkyl)(C_3-C_6 cycloalkyl), $-(C_0$-C_6 alkyl)C(O)(3-6-membered heterocyclyl), $-(C_0$-C_6 alkyl)(3-6-membered heterocyclyl), $-(C_0$-C_6 alkyl)NR^6R^7 or $-(C_0$-C_6 alkyl)CF_3, wherein R^4 is independently optionally substituted by R^{15}.


6. The compound of claims 1-5, wherein R^4 is independently selected from:


F, Cl, Br, I, $-CH_2CN$, $-CH_2CH_2CN$, $-CH(CH_3)CN$,
















,
















, wherein the wavy line represents the point of attachment to R^2

7. The compound of claims 1-6, wherein R^3 is phenyl, pyridinyl or 4-6 membered hererocyclyl, wherein R^3 is optionally substituted by R^5.

8. The compound of claims 1-7, wherein R^5 is independently C_1-C_6 alkyl, halogen, oxo, –CN, –(C_0-C_3 alkyl)OR^{11}, –(C_0-C_3 alkyl)SR^{11}, –(C_0-C_3 alkyl)$NR^{11}R^{12}$, –(C_0-C_3 alkyl)OCF_3 or –CF_3, wherein said alkyl is independently optionally substituted by halogen, C_1-C_3 alkyl, oxo, –CF_3, –(C_0-C_3 alkyl)OR^{13} or –(C_0-C_3 alkyl)$NR^{13}R^{14}$.

9. The compound of claim 1-8, wherein R^3 is selected from:






wherein the wavy line represents the point of attachment to R^2.

10. The compound of claims 1-9, wherein R^3 is phenyl optionally substituted by 1-2 R^5.

11. The compound of claims 1-10, wherein -R^2-R^3 is:



or , wherein n is 0, 1, 2 or 3.

12. A compound of claim 1, enantiomers, diastereomers or pharmaceutically acceptable salts thereof, wherein:

R^1 is hydrogen, C_1-C_6 alkyl, $-OR^6$, $-NR^6R^7$ or halogen;

R^2 is 5- or 6-membered heteroaryl, wherein R^2 is optionally substituted with 1-3 R^4;

R^3 is phenyl, 5- or 6-membered heteroaryl, wherein R^3 is optionally substituted by 1-5 R^5;

R^4 is independently C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, halogen, $-(C_0$-C_6 alkyl)OR^6, $-(C_0$-C_6 alkyl)SR^5, $-(C_0$-C_6 alkyl)NR^6R^7, $-(C_0$-C_6 alkyl)CF_3, $-(C_0$-C_6 alkyl)$C(O)R^6$, $-(C_0$-C_6 alkyl)$C(O)OR^6$, $-(C_0$-C_6 alkyl)$C(O)NR^6R^7$, $-(C_0$-C_6 alkyl)(C_3-C_6 cycloalkyl) or $-(C_0$-C_6 alkyl)(3-6-membered heterocyclyl), wherein R^4 is independently optionally substituted by C_1-C_3 alkyl, oxo, halogen, $-CF_3$, $-OR^8$ or $-NR^8R^9$;

R^5 is independently C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, halogen, –(C_0-C_3 alkyl)CN, –(C_0-C_3 alkyl)OR^{11}, –(C_0-C_3 alkyl)SR^{11}, –(C_0-C_3 alkyl)$NR^{11}R^{12}$, –(C_0-C_3 alkyl)OCF_3, –(C_0-C_3 alkyl)CF_3, –(C_0-C_3 alkyl)NO_2, –(C_0-C_3 alkyl)$C(O)R^{11}$, –(C_0-C_3 alkyl)$C(O)OR^{11}$, –(C_0-C_3 alkyl)$C(O)NR^{11}R^{12}$, –(C_0-C_3 alkyl)$NR^{11}C(O)R^{12}$, –(C_0-C_3 alkyl)$S(O)_{1-2}R^{11}$, –(C_0-C_3 alkyl)$NR^{11}S(O)_{1-2}R^{12}$, –(C_0-C_3 alkyl)$S(O)_{1-2}NR^{11}R^{12}$, –(C_0-C_3 alkyl)(C_3-C_6 cycloalkyl), –(C_0-C_3 alkyl)(3-6-membered heterocyclyl), –(C_0-C_3 alkyl)C(O)(3-6-membered heterocyclyl), –(C_0-C_3 alkyl)(5-6-membered heteroaryl) or –(C_0-C_3 alkyl)phenyl, wherein R^5 is independently optionally substituted by halogen, C_1-C_3 alkyl, oxo, $–CF_3$, –(C_0-C_3 alkyl)OR^{13} or –(C_0-C_3 alkyl)$NR^{13}R^{14}$;or

two R^5 are taken together to form $–O(CH_2)_{1-3}O–$;

R^6 is independently hydrogen, C_1-C_3 alkyl, $–C(O)R^8$, $–C(O)OR^8$, $–C(O)NR^8R^9$, $–NR^8C(O)R^9$, $–S(O)_{1-2}R^8$, $–NR^8S(O)_{1-2}R^9$ or $–S(O)_{1-2}NR^8R^9$, wherein said alkyl is independently optionally substituted by oxo, OH or halogen;

R^7 is independently hydrogen or C_1-C_3 alkyl, wherein said alkyl is independently optionally substituted by halogen; or

R^6 and R^7 are taken together with the atom to which they are attached to form a 5- or 6-membered heterocyclyl, optionally substituted by halogen, oxo, $–CF_3$ or C_1-C_3 alkyl;

R^8 and R^9 are independently hydrogen or C_1-C_3 alkyl; or

R^8 and R^9 are taken together with the atom to which they are attached to form a 5- or 6-membered heterocyclyl, optionally substituted by halogen, oxo, $–CF_3$ or C_1-C_3 alkyl;

R^{11} is independently hydrogen, C_1-C_3 alkyl, $–C(O)R^{13}$, $–C(O)OR^{13}$, $–C(O)NR^{13}R^{14}$, $–NR^{13}C(O)R^{14}$, $–S(O)_{1-2}R^{13}$, $–NR^{13}S(O)_{1-2}R^{14}$ or $–S(O)_{1-2}NR^{13}R^{14}$, wherein said alkyl is independently optionally substituted by oxo, OH or halogen;

R^{12} is independently hydrogen or C_1-C_3 alkyl, wherein said alkyl is independently optionally substituted by halogen; or

R^{11} and R^{12} are taken together with the atom to which they are attached to form a 5- or 6-membered heterocyclyl, optionally substituted by halogen, oxo, $–CF_3$ or C_1-C_3 alkyl; and

R^{13} and R^{14} are independently hydrogen or C_1-C_3 alkyl; or

R^{13} and R^{14} are taken together with the atom to which they are attached to form a 5- or 6-membered heterocyclyl, optionally substituted by halogen, oxo, $–CF_3$ or C_1-C_3 alkyl;

with the proviso that said compound is other than N-(5-methyl-4-(4-propylphenyl)thiazol-2-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide; N-(4-(4-chlorophenyl)thiazol-2-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide; or N-(3-methyl-1-phenyl-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide.

13. The compound of claims 1-12, selected from Examples 1-508.

14. A pharmaceutical composition comprising a compound of claims 1-13 and a pharmaceutically acceptable carrier, adjuvant or vehicle.

15. The use of a compound of any one of claims 1-13 in the manufacture of a medicament for preventing, treating or lessening the severity of a disease or condition responsive to the inhibition of a Janus kinase activity in a patient.


16. The use of claim 15, wherein said disease or condition is cancer, polycythemia vera, essential thrombocytosis, myelofibrosis, chronic myelogenous leukemia (CML), rheumatoid arthritis, inflammatory bowel syndrome, Chron's disease, psoriasis, contact dermatitis or delayed hypersensitivity reactions.

17. Use of a compound of claims 1-13 in the manufacture of a medicament for the treatment of cancer, polycythemia vera, essential thrombocytosis, myelofibrosis, chronic myelogenous leukemia (CML), rheumatoid arthritis, inflammatory bowel syndrome, Chron's disease, psoriasis, contact dermatitis or delayed hypersensitivity reactions.

18. A compound of any one of claims 1 – 13 for use in therapy.

What is claimed is:

1. A compound of Formula I:




I

enantiomers, diastereomers or pharmaceutically acceptable salts thereof, wherein:

R^1 is hydrogen, C_1-C_6 alkyl, $-OR^6$, $-NR^6R^7$ or halogen;

R^2 is selected from:



wherein R^{10} is independently selected from hydrogen or R^4, and the wavy line represents the point of attachment to Formula 1;

R^3 is phenyl, 5-6 membered heteroaryl, C_3-C_6 cycloalkyl or 3-7 membered heterocyclyl, wherein R^3 is optionally substituted by 1-5 R^5;

R^4 is independently C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, halogen, $-(C_0$-C_6 alkyl)CN, $-(C_0$-C_6 alkyl)OR^6, $-(C_0$-C_6 alkyl)SR^6, $-(C_0$-C_6 alkyl)NR^6R^7, $-(C_0$-C_6 alkyl)CF_3, $-(C_0$-C_6 alkyl)$C(O)R^6$, $-(C_0$-C_6 alkyl)$C(O)OR^6$, $-(C_0$-C_6 alkyl)$C(O)NR^6R^7$, $-(C_0$-C_6 alkyl)$NR^6C(O)R^7$, $-(C_0$-C_6 alkyl)C(O)3-6 membered heterocyclyl, $-(C_0$-C_6

alkyl)(C_3-C_6 cycloalkyl), –(C_0-C_6 alkyl)phenyl, –(C_0-C_6 alkyl)5-6 membered heteroaryl or –(C_0-C_6 alkyl)(3-6-membered heterocyclyl), wherein R^4 is independently optionally substituted by R^{15};

R^5 is independently C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, oxo, halogen, –(C_0-C_3 alkyl)CN, –(C_0-C_3 alkyl)OR^{11}, –(C_0-C_3 alkyl)SR^{11}, –(C_0-C_3 alkyl)$NR^{11}R^{12}$, –(C_0-C_3 alkyl)OCF_3, –(C_0-C_3 alkyl)CF_3, –(C_0-C_3 alkyl)NO_2, –(C_0-C_3 alkyl)$C(O)R^{11}$, –(C_0-C_3 alkyl)$C(O)OR^{11}$, –(C_0-C_3 alkyl)$C(O)NR^{11}R^{12}$, –(C_0-C_3 alkyl)$NR^{11}C(O)R^{12}$, –(C_0-C_3 alkyl)$S(O)_{1-2}R^{11}$, –(C_0-C_3 alkyl)$NR^{11}S(O)_{1-2}R^{12}$, –(C_0-C_3 alkyl)$S(O)_{1-2}NR^{11}R^{12}$, –(C_0-C_3 alkyl)(C_3-C_6 cycloalkyl), –(C_0-C_3 alkyl)(3-6-membered heterocyclyl), –(C_0-C_3 alkyl)C(O)(3-6-membered heterocyclyl), –(C_0-C_3 alkyl)(5-6-membered heteroaryl) or –(C_0-C_3 alkyl)phenyl, wherein R^5 is independently optionally substituted by halogen, C_1-C_3 alkyl, oxo, $–CF_3$, –(C_0-C_3 alkyl)OR^{13} or –(C_0-C_3 alkyl)$NR^{13}R^{14}$; or

two R^5 are taken together to form $–O(CH_2)_{1-3}O–$;

R^6 and R^7 are independently hydrogen, C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, –CN, $–OR^8$, $–NR^8R^9$, $–C(O)R^8$, $–C(O)OR^8$, $–C(O)NR^8R^9$, $–NR^8C(O)R^9$, $–NR^8C(O)OR^9$, $–OC(O)NR^8$, $–S(O)_{1-2}R^8$, $–NR^8S(O)_{1-2}R^9$, $–S(O)_{1-2}NR^8R^9$, C_3-C_6 cycloalkyl, phenyl, 3-6 membered heterocyclyl or 5-6 membered heteroaryl, wherein said R^6 and R^7 are independently optionally substituted by R^{20}, or

R^6 and R^7 are taken together with the atom to which they are attached to form a 3-6-membered heterocyclyl, optionally substituted by halogen, oxo, $–CF_3$ or C_1-C_3 alkyl;

R^8 and R^9 are independently hydrogen or C_1-C_3 alkyl; or

R^8 and R^9 are taken together with the atom to which they are attached to form a 3-6-membered heterocyclyl, optionally substituted by halogen, oxo, $–CF_3$ or C_1-C_3 alkyl;

R^{11} is independently hydrogen, C_1-C_6 alkyl, C_3-C_6 cycloalkyl, 3-6 membered heterocyclyl, $–C(O)R^{13}$, $–C(O)OR^{13}$, $–C(O)NR^{13}R^{14}$, $–NR^{13}C(O)R^{14}$, $–S(O)_{1-2}R^{13}$, $–NR^{13}S(O)_{1-2}R^{14}$ or $–S(O)_{1-2}NR^{13}R^{14}$, wherein said alkyl, cycloalkyl and heterocyclyl are independently optionally substituted by oxo, C_1-C_3 alkyl, OR^{13}, $NR^{13}R^{14}$ or halogen;

R^{12} is independently hydrogen or C_1-C_3 alkyl, wherein said alkyl is independently optionally substituted by halogen or oxo; or

R^{11} and R^{12} are taken together with the atom to which they are attached to form a 3-6-membered heterocyclyl, optionally substituted by halogen, oxo, $–CF_3$ or C_1-C_3 alkyl;

R^{13} and R^{14} are independently hydrogen or C_1-C_3 alkyl optionally substituted by halogen or oxo; or

R^{13} and R^{14} are taken together with the atom to which they are attached to form a 3-6-membered heterocyclyl, optionally substituted by halogen, oxo, $-CF_3$ or C_1-C_3 alkyl;

R^{15} is C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, oxo, halogen, $-CN$, $-OR^{16}$, $-SR^{16}$, $-NR^{16}R^{17}$, $-OCF_3$, $-CF_3$, $-C(O)R^{16}$, $-C(O)OR^{16}$, $-C(O)NR^{16}R^{17}$, $-NR^{16}C(O)R^{17}$, $-NR^{16}C(O)OR^{17}$, $-OC(O)NR^{16}$, C_3-C_6 cycloalkyl, 3-6-membered heterocyclyl, $-C(O)$(3-6-membered heterocyclyl, 5-6-membered heteroaryl or phenyl, wherein R^{15} is independently optionally substituted by halogen, C_1-C_3 alkyl, oxo, $-CN$, $-CF_3$, $-OR^{18}$, $-NR^{18}R^{19}$;

R^{16} and R^{17} are independently hydrogen or C_1-C_6 alkyl optionally substituted by oxo or halogen; or

R^{16} and R^{17} are taken together with the atom to which they are attached to form a 3-6 membered heterocyclyl optionally substituted by oxo, halogen or C_1-C_3 alkyl;

R^{18} and R^{19} are independently hydrogen or C_1-C_6 alkyl optionally substituted by oxo or halogen; or

R^{18} and R^{19} are taken together with the atom to which they are attached to form a 3-6 membered heterocyclyl optionally substituted by oxo, halogen or C_1-C_3 alkyl;

R^{20} is C_1-C_6 alkyl, oxo, halogen, $-OR^{21}$, $-NR^{21}R^{22}$, $-CN$, C_3-C_6 cycloalkyl, phenyl, 3-6 membered heterocyclyl or 5-6 membered heteroaryl, wherein R^{20} is optionally substituted by oxo, halogen or C_1-C_3 alkyl; and

R^{21} and R^{22} are independently hydrogen or C_1-C_6 alkyl optionally substituted by oxo or halogen; or


R^{21} and R^{22} are taken together with the atom to which they are attached to form a 3-6 membered heterocyclyl optionally substituted by oxo, halogen or C_1-C_3 alkyl;

with the proviso that said compound is other than N-(5-methyl-4-(4-propylphenyl)thiazol-2-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide; N-(4-(4-chlorophenyl)thiazol-2-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide; or N-(3-methyl-1-phenyl-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide.


2. The compound of claim 1, wherein R^1 is hydrogen or $-NH_2$.

3. The compound of claims 1-2, wherein R^2 is selected from pyrazolyl or thiazolyl optionally substituted with 1-3 R^4.

4. The compound of claims 1-3, wherein R^2 is:



or





, wherein R^{10} is hydrogen or R^4.


5. The compound of claims 1-4, wherein R^4 is independently $-(C_0\text{-}C_6$ alkyl)OR^6, $-(C_0\text{-}C_6$ alkyl)SR^6, halogen, $-(C_0\text{-}C_6$ alkyl)CN, $C_1\text{-}C_6$ alkyl, $C_2\text{-}C_6$ alkenyl or $C_2\text{-}C_6$ alkynyl, $-(C_0\text{-}C_6$ alkyl)$C(O)OR^6$, $-(C_0\text{-}C_6$ alkyl)$C(O)NR^6NR^7$, $-(C_0\text{-}C_6$ alkyl)$OC(O)NR^6$, $-(C_0\text{-}C_6$ alkyl)$NR^6C(O)OR^7$, $-(C_0\text{-}C_6$ alkyl)$NR^6C(O)NR^7$ or $-(C_0\text{-}C_6$ alkyl)$NR^6C(O)R^7$, $-(C_0\text{-}C_6$ alkyl)($C_3\text{-}C_6$ cycloalkyl), $-(C_0\text{-}C_6$ alkyl)C(O)(3-6-membered heterocyclyl), $-(C_0\text{-}C_6$ alkyl)(3-6-membered heterocyclyl), $-(C_0\text{-}C_6$ alkyl)NR^6R^7 or $-(C_0\text{-}C_6$ alkyl)CF_3, wherein R^4 is independently optionally substituted by R^{15}.


6. The compound of claims 1-5, wherein R^4 is independently selected from:


F, Cl, Br, I, $-CH_2CN$, $-CH_2CH_2CN$, $-CH(CH_3)CN$,













, wherein the wavy line represents the point of attachment to R^2.

7. The compound of claims 1-6, wherein R^3 is phenyl, pyridinyl or 4-6 membered heterocyclyl, wherein R^3 is optionally substituted by R^5.

8. The compound of claims 1-7, wherein R^5 is independently C_1-C_6 alkyl, halogen, oxo, –CN, –(C_0-C_3 alkyl)OR^{11}, –(C_0-C_3 alkyl)SR^{11}, –(C_0-C_3 alkyl)$NR^{11}R^{12}$, –(C_0-C_3 alkyl)OCF_3 or –CF_3, wherein said alkyl is independently optionally substituted by halogen, C_1-C_3 alkyl, oxo, –CF_3, –(C_0-C_3 alkyl)OR^{13} or –(C_0-C_3 alkyl)$NR^{13}R^{14}$.

9. The compound of claim 1-8, wherein R^3 is selected from:







, wherein the wavy line represents the point of attachment to R^2.

10. The compound of claims 1-9, wherein R^3 is phenyl optionally substituted by 1-2 R^5.

11. The compound of claims 1-10, wherein -R^2-R^3 is:



or




, wherein n is 0, 1, 2 or 3.

12. A compound of claim 1, enantiomers, diastereomers or pharmaceutically acceptable salts thereof, wherein:

R^1 is hydrogen, C_1-C_6 alkyl, –OR^6, –NR^6R^7 or halogen;

R^2 is selected from:



wherein R^{10} is independently selected from hydrogen or R^4, and the wavy line represents the point of attachment to Formula 1;

R^3 is phenyl, 5- or 6-membered heteroaryl, wherein R^3 is optionally substituted by 1-5 R^5;

R^4 is independently C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, halogen, –(C_0-C_6 alkyl)OR^6, –(C_0-C_6 alkyl)SR^6, –(C_0-C_6 alkyl)NR^6R^7, –(C_0-C_6 alkyl)CF_3, –(C_0-C_6 alkyl)$C(O)R^6$, –(C_0-C_6 alkyl)$C(O)OR^6$, –(C_0-C_6 alkyl)$C(O)NR^6R^7$, –(C_0-C_6 alkyl)(C_3-C_6 cycloalkyl) or –(C_0-C_6 alkyl)(3-6-membered heterocyclyl), wherein R^4 is independently optionally substituted by C_1-C_3 alkyl, oxo, halogen, $–CF_3$, $–OR^8$ or $–NR^8R^9$;

R^5 is independently C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, halogen, –(C_0-C_3 alkyl)CN, –(C_0-C_3 alkyl)OR^{11}, –(C_0-C_3 alkyl)SR^{11}, –(C_0-C_3 alkyl)$NR^{11}R^{12}$, –(C_0-C_3 alkyl)OCF_3, –(C_0-C_3 alkyl)CF_3, –(C_0-C_3 alkyl)NO_2, –(C_0-C_3 alkyl)$C(O)R^{11}$, –(C_0-C_3 alkyl)$C(O)OR^{11}$, –(C_0-C_3 alkyl)$C(O)NR^{11}R^{12}$, –(C_0-C_3 alkyl)$NR^{11}C(O)R^{12}$, –(C_0-C_3 alkyl)$S(O)_{1-2}R^{11}$, –(C_0-C_3 alkyl)$NR^{11}S(O)_{1-2}R^{12}$, –(C_0-C_3 alkyl)$S(O)_{1-2}NR^{11}R^{12}$, –(C_0-C_3 alkyl)(C_3-C_6 cycloalkyl), –(C_0-C_3 alkyl)(3-6-membered heterocyclyl), –(C_0-C_3 alkyl)C(O)(3-6-membered heterocyclyl), –(C_0-C_3 alkyl)(5-6-membered heteroaryl) or –(C_0-C_3 alkyl)phenyl, wherein R^5 is independently optionally substituted by halogen, C_1-C_3 alkyl, oxo, $–CF_3$, –(C_0-C_3 alkyl)OR^{13} or –(C_0-C_3 alkyl)$NR^{13}R^{14}$; or

two R^5 are taken together to form $–O(CH_2)_{1-3}O–$;

R^6 is independently hydrogen, C_1-C_3 alkyl, $–C(O)R^8$, $–C(O)OR^8$, $–C(O)NR^8R^9$, $–NR^8C(O)R^9$, $–S(O)_{1-2}R^8$, $–NR^8S(O)_{1-2}R^9$ or $–S(O)_{1-2}NR^8R^9$, wherein said alkyl is independently optionally substituted by oxo, OH or halogen;

R^7 is independently hydrogen or C_1-C_3 alkyl, wherein said alkyl is independently optionally substituted by halogen; or

R^6 and R^7 are taken together with the atom to which they are attached to form a 5- or 6-membered heterocyclyl, optionally substituted by halogen, oxo, $–CF_3$ or C_1-C_3 alkyl;

R^8 and R^9 are independently hydrogen or C_1-C_3 alkyl; or

R^8 and R^9 are taken together with the atom to which they are attached to form a 5- or 6-membered heterocyclyl, optionally substituted by halogen, oxo, $–CF_3$ or C_1-C_3 alkyl;

R^{11} is independently hydrogen, C_1-C_3 alkyl, $–C(O)R^{13}$, $–C(O)OR^{13}$, $–C(O)NR^{13}R^{14}$, $–NR^{13}C(O)R^{14}$, $–S(O)_{1-2}R^{13}$, $–NR^{13}S(O)_{1-2}R^{14}$ or $–S(O)_{1-2}NR^{13}R^{14}$, wherein said alkyl is independently optionally substituted by oxo, OH or halogen;

R^{12} is independently hydrogen or C_1-C_3 alkyl, wherein said alkyl is independently optionally substituted by halogen; or

R^{11} and R^{12} are taken together with the atom to which they are attached to form a 5- or 6-membered heterocyclyl, optionally substituted by halogen, oxo, $-CF_3$ or C_1-C_3 alkyl; and

R^{13} and R^{14} are independently hydrogen or C_1-C_3 alkyl; or

R^{13} and R^{14} are taken together with the atom to which they are attached to form a 5- or 6-membered heterocyclyl, optionally substituted by halogen, oxo, $-CF_3$ or C_1-C_3 alkyl;

with the proviso that said compound is other than N-(5-methyl-4-(4-propylphenyl)thiazol-2-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide; N-(4-(4-chlorophenyl)thiazol-2-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide; or N-(3-methyl-1-phenyl-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide.

13. The compound of claims 1-12, selected from

N-(3-(5-chloro-2-methoxyphenyl)-1-methyl-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-hydroxyphenyl)-1-methyl-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-1-methyl-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(2,5-dimethylphenyl)-1-methyl-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(5-chloro-2-methylphenyl)-3-methyl-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(2,5-dichlorophenyl)-2-methylpyridin-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3-chlorophenyl)-1-methyl-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3-chlorophenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3-chlorophenyl)-1-isopropyl-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3-chlorophenyl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-methyl-4-(2-(trifluoromethyl)phenyl)-1H-pyrazol-3-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2,5-difluorophenyl)-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-morpholinoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-ethoxyphenyl)-1-methyl-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-(difluoromethoxy)phenyl)-1-methyl-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-(methylthio)phenyl)-1-methyl-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-ethoxyphenyl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-ethoxyphenyl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(S)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-hydroxy-3-methylbutyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(R)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-hydroxy-3-methylbutyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-((1-hydroxycyclopentyl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3-chlorophenyl)-5-methyl-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-1-isopentyl-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-amino-N-(3-(5-chloro-2-methoxyphenyl)-1-methyl-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-chloro-5-methylphenyl)-3-methyl-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(2,5-dichlorophenyl)-1-methyl-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(2,5-dichlorophenyl)-1-methyl-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(2,5-dichlorophenyl)-1-methyl-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(2,5-dichlorophenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-ethynylphenyl)-3-methyl-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-methyl-1-(2-(methylthio)phenyl)-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2,6-dimethylphenyl)-3-methyl-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-iodophenyl)-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2,4-difluorophenyl)-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-chloro-5-cyanophenyl)-3-methyl-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-o-tolyl-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2,4-difluorophenyl)-3-methyl-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2,5-dichlorophenyl)-3-methyl-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-fluorophenyl)-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-ethylphenyl)-3-methyl-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-bromophenyl)-3-methyl-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(3,5-dimethylphenyl)-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2,5-dimethylphenyl)-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-m-tolyl-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2,5-dichlorophenyl)-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-(trifluoromethyl)phenyl)-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(3,5-dichlorophenyl)-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-chlorophenyl)-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(3-chlorophenyl)-2-methylpyridin-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(2,5-dichlorophenyl)pyridin-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(4-chlorophenyl)-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(3-chlorophenyl)-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(2,3-dichlorophenyl)pyridin-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(2,3-dimethylphenyl)pyridin-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(2,3-difluorophenyl)pyridin-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3-chlorophenyl)-1-(2-hydroxyethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3-chlorophenyl)-1-(2-hydroxy-3-methoxypropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-o-tolylpyridin-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(2-fluorophenyl)pyridin-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3-fluorophenyl)pyridin-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-methyl-1-(pyridin-3-yl)-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-cyanophenyl)-3-methyl-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(3-fluorophenyl)-3-methyl-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(3-fluorophenyl)-3-methyl-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3-chlorophenyl)-1-(2-morpholinoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3-chlorophenyl)-1-(2-(diethylamino)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(R)-N-(3-(3-chlorophenyl)-1-(2,3-dihydroxypropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(S)-N-(3-(3-chlorophenyl)-1-(2,3-dihydroxypropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(3-fluorophenyl)-1-methyl-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3-fluorophenyl)-1-methyl-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3-fluorophenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(4-fluorophenyl)-3-methyl-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-fluorophenyl)-3-methyl-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-chlorophenyl)-3-methyl-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-phenyl-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(2-(2-(trifluoromethyl)phenyl)pyridin-3-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(2-(3-chlorophenyl)pyridin-3-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3-chlorophenyl)pyridin-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(4-(3-chlorophenyl)-1-methyl-1H-pyrazol-3-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-methyl-1-(3-(trifluoromethyl)phenyl)-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-methyl-1-(2-(trifluoromethyl)phenyl)-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-methyl-1-m-tolyl-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-methyl-1-o-tolyl-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(4-chlorophenyl)-3-methyl-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(3-chlorophenyl)-3-methyl-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(4-methoxyphenyl)-3-methyl-1H-pyrazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-1-((1-hydroxycyclopentyl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(R)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-hydroxy-2-methylbutyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(S)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-hydroxy-2-methylbutyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-aminoethyl)-3-(5-chloro-2-ethoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-ethoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(S)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-hydroxypentyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(R)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-hydroxypentyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-1-(2-hydroxypentyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(S)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-hydroxybutyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(R)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-hydroxybutyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-1-(2-hydroxybutyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-((1S,2S)-2-hydroxycyclohexyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-((1R,2R)-2-hydroxycyclohexyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(S)-N-(3-(5-chloro-2-methoxyphenyl)-1-(4,4,4-trifluoro-2-hydroxybutyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(R)-N-(3-(5-chloro-2-methoxyphenyl)-1-(4,4,4-trifluoro-2-hydroxybutyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-1-(4,4,4-trifluoro-2-hydroxybutyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-1-(2-hydroxy-3-methylbutyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-hydroxyethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(3-hydroxypropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-1-(3-hydroxypropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-1-(2-hydroxyethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-methoxyethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-1-(2-methoxyethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2,3-dihydroxypropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-1-(2,3-dihydroxypropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-amino-2-oxoethyl)-3-(5-chloro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(S)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-hydroxypropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-1-((S)-2-hydroxypropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(R)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-hydroxypropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-1-((R)-2-hydroxypropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-isopropoxyphenyl)-1-methyl-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(2,5-dimethylphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-aminoethyl)-5-(5-chloro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-1-(2-(dimethylamino)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(dimethylamino)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-(difluoromethoxy)phenyl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-1-(piperidin-4-ylmethy;)methyl) -1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-2-(2-methoxyethoxy)ethyl) -1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-1-((tetrahydro-2H-pyran-4-yl)methyl) -1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

4-(5-(5-chloro-2-methoxyphenyl)-4-(pyrazolo-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamido)-1H-pyrazol-1-yl)butanoic acid;

Ethyl-4-(5-(5-chloro-2-methoxyphenyl)-4-(pyrazolo-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamido)-1H-pyrazol-1-yl)butanoate;

N-(3-(5-chloro-2-methoxyphenyl)-1-(3-methyloxetan-3-yl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-1-(cyclopropylmethyl) -1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(S)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2,3-dihydroxy-3-methylbutyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(R)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2,3-dihydroxy-3-methylbutyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(S)-N-(1-(3-(azetidin-1-yl)-2-hydroxypropyl)-3-(5-chloro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3,3-dimethylpyrrolidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(cyclopropylamino)-1-fluoro-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-((1S,2R)-2-hydroxycyclohexyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-((1R,2S)-2-hydroxycyclohexyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(3-hydroxycyclopentyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-cyclopropylphenyl)-1-methyl-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2,3-dihydrobenzofuran-7-yl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-methyl-3-(3-methylpiperidin-1-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxypyridin-3-yl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-hydroxy-2-methylpropyl)-3-(1-methyl-2-oxo-5-(trifluoromethyl)-1,2-dihydropyridin-3-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-hydroxy-2-methylpropyl)-3-(5-methoxy-2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(6-cyano-3-methoxypyridin-2-yl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(6-cyano-5-methoxypyridin-2-yl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(3-bromophenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3-bromophenyl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-cyano-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-methoxyphenyl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-fluoro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-fluoro-2-methoxyphenyl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-cyclopropoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-methoxyphenyl)-1-((1-methyl-1H-pyrazol-5-yl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-methoxyphenyl)-1-((1-methyl-1H-imidazol-2-yl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-methoxyphenyl)-1-((1-methyl-1H-1,2,4-triazol-3-yl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-methoxyphenyl)-1-((2-methyl-2H-1,2,4-triazol-3-yl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-methoxyphenyl)-1-((4-methyl-4H-1,2,4-triazol-3-yl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3,3-difluoropiperidin-1-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-Cyano-2-methoxypyridin-3-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(Azetidin-3-yl)-3-(5-chloro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(1-(oxetan-3-ylamino)-1-oxopropan-2-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(1-(azetidin-1-yl)-2-methyl-1-oxopropan-2-yl)-3-(5-chloro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-Chloro-2-methoxyphenyl)-1-(2-(tetrahydrofuran-3-ylamino)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(cyclopropanecarboxamido)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(S)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(2-hydroxypropylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(*E*)-*N*-(3-(5-chloro-2-methoxyphenyl)-1-(3,3,3-trifluoroprop-1-enyl)-1*H*-pyrazol-4-yl)pyrazolo[1,5-*a*]pyrimidine-3-carboxamide;

N-(4-(5-chloro-2-methoxyphenyl)-2-(2-hydroxy-2-methylpropyl)thiazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(4-(5-chloro-2-methoxyphenyl)-2-(2-methylprop-1-enyl)thiazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(2-bromo-4-(5-chloro-2-methoxyphenyl)thiazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(4-(5-chloro-2-methoxyphenyl)thiazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(4-(5-chloro-2-methoxyphenyl)-2-methylthiazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(4-(5-chloro-2-methoxyphenyl)-2-(tetrahydro-2H-pyran-4-yl)thiazol-5-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-((2S,3R)-2,3-dihydroxybutyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-((2R,3R)-2,3-dihydroxybutyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-((2S,3S)-2,3-dihydroxybutyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-((2R,3S)-2,3-dihydroxybutyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(R)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-hydroxy-3-(pyrrolidin-1-yl)propyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(S)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-hydroxy-3-(pyrrolidin-1-yl)propyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(1-amino-2-methyl-1-oxopropan-2-yl)-3-(5-chloro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-morpholino-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(isopropylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-(3-(5-chloro-2-methoxyphenyl)-4-(pyrazolo[1,5-a]pyrimidine-3-carboxamido)-1H-pyrazol-1-yl)acetic acid;

N-(3-(5-chloro-2-methoxyphenyl)-1-(cyanomethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-1-(cyanomethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(pyridin-2-ylmethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-(1H-imidazol-1-yl)ethyl)-3-(5-chloro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(oxetan-3-ylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(1-amino-1-oxopropan-2-yl)-3-(5-chloro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(1-cyanoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-((3-methylisoxazol-5-yl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(isoxazol-5-ylmethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-cyanoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-cyanopropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(2-oxopyridin-1(2H)-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-oxopyridin-1(2H)-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-((2-hydroxy-4,4-dimethyloxazolidin-2-yl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxypyridin-3-yl)-1-(3,3,3-trifluoro-2-hydroxy-2-(trifluoromethyl)propyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxypyridin-3-yl)-1-(2-(3-fluoroazetidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-amino-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-hydroxy-3-methylbutyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-amino-N-(5-(5-chloro-2-methoxyphenyl)-1-(2-hydroxy-3-methylbutyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-amino-N-(5-(5-chloro-2-methoxyphenyl)-1-((4-hydroxytetrahydro-2H-pyran-4-yl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-amino-N-(3-(5-chloro-2-methoxyphenyl)-1-((4-hydroxytetrahydro-2H-pyran-4-yl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-amino-N-(3-(5-chloro-2-methoxyphenyl)-1-((1-hydroxycyclohexyl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-amino-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-hydroxy-2-methylbutyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-amino-N-(5-(5-chloro-2-methoxyphenyl)-1-(2-hydroxy-2-methylbutyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-amino-N-(3-(5-chloro-2-methoxyphenyl)-1-(pyrrolidin-2-ylmethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-amino-N-(3-(5-chloro-2-methoxyphenyl)-1-neopentyl-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-amino-N-(5-(5-chloro-2-methoxyphenyl)-1-neopentyl-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-amino-N-(3-(5-chloro-2-methoxyphenyl)-1-((tetrahydro-2H-pyran-2-yl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-amino-N-(5-(5-chloro-2-methoxyphenyl)-1-((tetrahydro-2H-pyran-2-yl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-amino-N-(3-(5-chloro-2-methoxyphenyl)-1-(cyanomethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-amino-N-(5-(5-chloro-2-methoxyphenyl)-1-(2-hydroxypentyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-amino-N-(5-(5-chloro-2-methoxyphenyl)-1-(cyanomethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-amino-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-hydroxypentyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-amino-N-(5-(5-chloro-2-methoxyphenyl)-1-((R)-2-hydroxy-3-methoxypropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(S)-2-amino-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-hydroxy-3-methoxypropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-amino-N-(1-(2-amino-2-oxoethyl)-3-(5-chloro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-amino-N-(1-(2-amino-2-oxoethyl)-5-(5-chloro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-amino-N-(3-(5-chloro-2-methoxyphenyl)-1-(4-hydroxytetrahydrofuran-3-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-amino-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-morpholino-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-amino-N-(5-(5-chloro-2-methoxyphenyl)-1-(2-morpholino-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(cyclobutylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-oxo-2-((tetrahydrofuran-2-yl)methylamino)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(2,2-difluoroethylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-(azetidin-1-yl)-2-oxoethyl)-3-(5-chloro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(*S*)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3-hydroxypyrrolidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(*R*)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3-hydroxypyrrolidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3-morpholinoazetidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(cyclopentylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(morpholinoamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-cyanamido-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3-cyanoazetidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3-fluoroazetidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3-hydroxyazetidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(2-hydroxy-2-methylpropylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3,3-difluoropyrrolidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(4,4-difluorocyclohexylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(1-methylazetidin-3-ylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(1-hydroxypropan-2-ylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(2-cyanopropan-2-ylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3,3-difluoroazetidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(*R*)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3-(hydroxymethyl)pyrrolidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(cyclobutylamino)-1-fluoro-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(cyclohexylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(*S*)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3-(hydroxymethyl)pyrrolidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(*R*)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(2-(hydroxymethyl)pyrrolidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3-methoxypyrrolidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(*S*)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(2-(hydroxymethyl)pyrrolidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-(tert-butylamino)-2-oxoethyl)-3-(5-chloro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(cyclopentylmethylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(cyclopropylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(2,5-dihydro-1H-pyrrol-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(cyclopentylamino)-1-fluoro-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3,3-difluoropyrrolidin-1-yl)-1-fluoro-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-(3-(5-chloro-2-methoxyphenyl)-4-(pyrazolo[1,5-a]pyrimidine-3-carboxamido)-1H-pyrazol-1-yl)-2-fluoroacetic acid;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-oxo-2-(tetrahydro-2H-pyran-4-ylamino)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-oxo-2-(tetrahydrofuran-3-ylamino)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(1-methylcyclobutylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(1-methylcyclobutylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3,3-difluorocyclobutylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-(azetidin-3-ylamino)-2-oxoethyl)-3-(5-chloro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-oxo-2-(piperazin-1-yl)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-oxo-2-(piperidin-4-ylamino)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(S)-N-(1-(2-(3-aminopyrrolidin-1-yl)-2-oxoethyl)-3-(5-chloro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(1-fluoro-2-(3-hydroxypyrrolidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(1-fluoro-2-(3-hydroxypyrrolidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-amino-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(cyclobutylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-amino-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(cyclopentylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(2-hydroxyethylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(2-methoxyethylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(2,5-dimethyl-2,5-dihydro-1H-pyrrol-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(2-hydroxycyclopentylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(ethylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(R)-tert-butyl 1-(2-(3-(5-chloro-2-methoxyphenyl)-4-(pyrazolo[1,5-a]pyrimidine-3-carboxamido)-1H-pyrazol-1-yl)acetyl)pyrrolidin-3-ylcarbamate;

(S)-tert-butyl 1-(2-(3-(5-chloro-2-methoxyphenyl)-4-(pyrazolo[1,5-a]pyrimidine-3-carboxamido)-1H-pyrazol-1-yl)acetyl)pyrrolidin-3-ylcarbamate;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3,4-dihydroxy-2-(hydroxymethyl)pyrrolidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(2,2-dimethylhydrazinyl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(1,3-dihydroxypropan-2-ylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3-methoxyazetidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3-methyloxetan-3-ylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(methylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(2-cyanopyrrolidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(2-methylpyrrolidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-oxo-2-(piperidin-1-yl)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(4-methylpiperazin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(4-methylpiperazin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(isopropyl(methyl)amino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-((2-hydroxyethyl)(methyl)amino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-((2-methoxyethyl)(methyl)amino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(cyclohexyl(methyl)amino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3-cyanopyrrolidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(2,2-dimethylpyrrolidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-(tert-butyl(methyl)amino)-2-oxoethyl)-3-(5-chloro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3-methylpyrrolidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3-methoxypiperidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(ethyl(methyl)amino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(*S*)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(2-methylpyrrolidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(*R*)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(2-methylpyrrolidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(5,6-dihydropyridin-1(2H)-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(2-methylpiperidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3,3-dimethylpiperidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-oxo-2-(tetrahydro-2H-thiopyran-4-ylamino)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(cyclopentyl(propyl)amino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(diethylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(ethyl(isopropyl)amino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(2-(hydroxymethyl)piperidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(methyl(2,2,2-trifluoroethyl)amino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3-(hydroxymethyl)piperidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-((3*R*,4*R*)-3,4-dihydroxypyrrolidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(cyclopentyl(ethyl)amino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-((1-hydroxypropan-2-yl)(methyl)amino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(2-isopropylpyrrolidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(methyl(pentan-3-yl)amino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(2-ethylpyrrolidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-((2-cyanopropan-2-yl)(methyl)amino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-amino-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-amino-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-morpholinoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

2-amino-N-(5-(5-chloro-2-methoxyphenyl)-1-(2-morpholinoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

tert-butyl 2-(3-(5-chloro-2-methoxyphenyl)-4-(pyrazolo[1,5-a]pyrimidine-3-carboxamido)-1H-pyrazol-1-yl)acetate;

2-amino-N-(5-(5-chloro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3,5-dimethylphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3,5-dimethylphenyl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3,5-dichlorophenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3,5-dichlorophenyl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3-chloro-5-methylphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(2-isopropoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-hydroxy-2-methylpropyl)-3-(2-isopropoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3-chloro-5-cyanophenyl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3,4-dichlorophenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3,4-dichlorophenyl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(2-ethoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(2-ethoxyphenyl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(2-ethoxy-5-fluorophenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(2-ethoxy-5-fluorophenyl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3-chloro-4-methylphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3-chloro-4-methylphenyl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(2-methoxy-5-(trifluoromethyl)phenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-hydroxy-2-methylpropyl)-3-(2-methoxy-5-(trifluoromethyl)phenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-fluoro-2-isopropoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-fluoro-2-isopropoxyphenyl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-hydroxy-2-methylpropyl)-3-(2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(4-fluoro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(4-fluoro-2-methoxyphenyl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-methoxyphenyl)-1-(cyanomethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(2-(difluoromethoxy)phenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(2-(difluoromethoxy)phenyl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(2-(difluoromethoxy)-5-fluorophenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(2-(difluoromethoxy)-5-fluorophenyl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-methylphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-methylphenyl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-methoxyphenyl)-1-((1-hydroxycyclohexyl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-methoxyphenyl)-1-(2-(isopropylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-methoxyphenyl)-1-(2-morpholino-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-methoxyphenyl)-1-(oxetan-3-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-(difluoromethoxy)phenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-methoxyphenyl)-1-((1-hydroxycyclopentyl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-methoxyphenyl)-1-((4-hydroxytetrahydro-2H-pyran-4-yl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-methoxyphenyl)-1-(2-(cyclobutylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-fluoro-2-methoxyphenyl)-1-((4-hydroxytetrahydro-2H-pyran-4-yl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-fluoro-2-methoxyphenyl)-1-(2-(3-fluoroazetidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-(cyclobutylamino)-2-oxoethyl)-3-(5-fluoro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(dimethylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-cyclopropoxyphenyl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-cyclopropoxyphenyl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-methoxyphenyl)-1-(2-(3-fluoroazetidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(R)-N-(1-(2,3-dihydroxy-2-methylpropyl)-3-(5-fluoro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(S)-N-(1-(2,3-dihydroxy-2-methylpropyl)-3-(5-fluoro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-methoxyphenyl)-1-(3,3,3-trifluoro-2-hydroxy-2-(trifluoromethyl)propyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-methoxyphenyl)-1-(2-(3,3-difluoroazetidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-(3,3-difluoropyrrolidin-1-yl)-2-oxoethyl)-3-(5-fluoro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-ethoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-(ethylamino)phenyl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(2-methylpiperidin-1-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-hydroxy-2-methylpropyl)-3-(2-methylpiperidin-1-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-methoxyphenyl)-1-(3-(cyanomethyl)oxetan-3-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(2-methylmorpholino)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(R)-N-(3-(5-cyano-2-methoxyphenyl)-1-(2-hydroxypropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(S)-N-(3-(5-cyano-2-methoxyphenyl)-1-(2-hydroxypropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-methoxyphenyl)-1-(2-(dimethylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-fluoro-2-methylphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-fluoro-2-methylphenyl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-methoxyphenyl)-1-(2-(3,3-difluoropyrrolidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3-(trifluoromethyl)piperidin-1-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-hydroxy-2-methylpropyl)-3-(3-(trifluoromethyl)piperidin-1-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide; (S)-N-(3-(5-cyano-2-methoxyphenyl)-1-(2-(2-methylpyrrolidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-methoxyphenyl)-1-(2-(cyclopentyl(methyl)amino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(S)-N-(3-(5-cyano-2-methoxyphenyl)-1-(2-(3-methylmorpholino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-methoxyphenyl)-1-(2-((2-hydroxyethyl)(methyl)amino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-methoxyphenyl)-1-(2-((2-methoxyethyl)(methyl)amino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(4-cyanopiperidin-1-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3,3-dimethylpiperidin-1-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3,3-dimethylpiperidin-1-yl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(S)-N-(3-(5-cyano-2-methoxyphenyl)-1-(3,3,3-trifluoro-2-hydroxypropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(R)-N-(3-(5-cyano-2-methoxyphenyl)-1-(3,3,3-trifluoro-2-hydroxypropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3-hydroxypiperidin-1-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(2-methylpyrrolidin-1-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-hydroxy-2-methylpropyl)-3-(2-methylpyrrolidin-1-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-(dimethylamino)-2-oxoethyl)-3-(3-(trifluoromethyl)piperidin-1-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3-cyanopiperidin-1-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3-cyanopiperidin-1-yl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3-methylpyrrolidin-1-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3-fluoropiperidin-1-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3-fluoropiperidin-1-yl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;N-(3-(4-hydroxypiperidin-1-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3,3-difluoropyrrolidin-1-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-(dimethylamino)-2-oxoethyl)-3-(5-fluoro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3,3-difluoropiperidin-1-yl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-cyano-2-methoxyphenyl)-1-(2-(oxetan-3-ylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-ethoxyphenyl)-1-((1S,2S)-2-hydroxycyclohexyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-ethoxyphenyl)-1-((1R,2R)-2-hydroxycyclohexyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-ethoxyphenyl)-1-((1-hydroxycyclohexyl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-ethoxyphenyl)-1-((3R,4S)-4-hydroxytetrahydrofuran-3-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-ethoxyphenyl)-1-((3S,4R)-4-hydroxytetrahydrofuran-3-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-ethoxyphenyl)-1-((1S,2R)-2-hydroxycyclopentyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(R)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-hydroxy-3-methoxypropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(S)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-hydroxy-3-methoxypropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(R)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2,3-dihydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(S)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2,3-dihydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(1-hydroxypropan-2-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-((1-hydroxycyclohexyl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-(methylthio)phenyl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-((3R,4S)-4-hydroxytetrahydrofuran-3-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-((3S,4R)-4-hydroxytetrahydrofuran-3-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(3-hydroxycyclohexyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-((1S,2S)-2-hydroxycyclopentyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-((1R,2R)-2-hydroxycyclopentyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-((4-hydroxytetrahydro-2H-pyran-4-yl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-((1S,3R)-3-hydroxycyclohexyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-cyclopropylphenyl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-hydroxy-2-methylpropyl)-3-(3-methylpiperidin-1-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(3,3,3-trifluoro-2-hydroxy-2-(trifluoromethyl)propyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-1-(2-cyclohexylethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-1-(2-(tetrahydro-2H-pyran-4-yl)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(2-methoxyphenyl)-1-methyl-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-1-((3-(hydroxymethyl)oxetan-3-yl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-1-(2-cyclopentyl-2-hydroxyethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-((3-(hydroxymethyl)oxetan-3-yl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-hydroxy-2-methylpropyl)-3-(2-methoxy-5-methylphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-((2R,3S)-3-hydroxybutan-2-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-((2S,3R)-3-hydroxybutan-2-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(S)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-cyclopentyl-2-hydroxyethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(R)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-cyclopentyl-2-hydroxyethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-((2S,3S)-3-hydroxybutan-2-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-((2R,3R)-3-hydroxybutan-2-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(4-hydroxypyrrolidin-3-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-cyclopropyl-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(R)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-cyclopropyl-2-hydroxyethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(S)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-cyclopropyl-2-hydroxyethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(S)-N-(1-(3-amino-2-methyl-3-oxopropyl)-3-(5-chloro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(R)-N-(1-(3-amino-2-methyl-3-oxopropyl)-3-(5-chloro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2,2,2-trifluoroethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-1-(2,2,2-trifluoroethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(R)-N-(3-(5-chloro-2-methoxyphenyl)-1-(3,3,3-trifluoro-2-hydroxypropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-1-((R)-3,3,3-trifluoro-2-hydroxypropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(S)-N-(3-(5-chloro-2-methoxyphenyl)-1-(3,3,3-trifluoro-2-hydroxypropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-1-((S)-3,3,3-trifluoro-2-hydroxypropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-1-((tetrahydrofuran-2-yl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(2-oxopyrrolidin-1-yl)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-(difluoromethoxy)phenyl)-1-(tetrahydro-2H-pyran-4-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(oxetan-3-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(tetrahydro-2H-pyran-4-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-((tetrahydrofuran-2-yl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(tetrahydro-2H-pyran-3-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-1-(2-(pyrrolidin-1-yl)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(pyrrolidin-1-yl)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(5-(5-chloro-2-methoxyphenyl)-1-(2-ethoxyethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-ethoxyethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(piperidin-4-ylmethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-(1H-pyrazol-1-yl)ethyl)-3-(5-chloro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-((5-oxo-1-((5-oxopyrrolidin-2-yl)methyl)pyrrolidin-2-yl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(piperidin-4-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-((5-oxopyrrolidin-2-yl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(piperidin-3-ylmethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(pyrrolidin-2-ylmethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(diethylamino)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(pyrrolidin-3-ylmethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(oxetan-2-ylmethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(tetrahydrofuran-3-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(R)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(2-hydroxypropylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(1-(3-hydroxyazetidin-1-yl)-1-oxopropan-2-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(1-(azetidin-1-yl)-1-oxopropan-2-yl)-3-(5-chloro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(1-(ethylamino)-1-oxopropan-2-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(1-(3-hydroxyazetidin-1-yl)-2-methyl-1-oxopropan-2-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3,3-difluoropyrrolidin-1-yl)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(S)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3-fluoropyrrolidin-1-yl)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(R)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3-hydroxypyrrolidin-1-yl)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(S)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3-hydroxypyrrolidin-1-yl)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(cyclobutylamino)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(1-methylcyclobutylamino)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-(azetidin-1-yl)ethyl)-3-(5-chloro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3-fluoroazetidin-1-yl)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-acetamidoethyl)-3-(5-chloro-2-methoxyphenyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(cyclobutanecarboxamido)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(R)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3-(hydroxymethyl)pyrrolidin-1-yl)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

(S)-N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(3-(hydroxymethyl)pyrrolidin-1-yl)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(2-oxooxazolidin-3-yl)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxypyridin-3-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxypyridin-3-yl)-1-(2-(dimethylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxypyridin-3-yl)-1-(2-(cyclopentyl(methyl)amino)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxypyridin-3-yl)-1-(2-(3,3-difluoropyrrolidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxypyridin-3-yl)-1-(2-(2-methylpyrrolidin-1-yl)-2-oxoethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-((tetrahydro-2H-pyran-2-yl)methyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(5-chloro-2-methoxyphenyl)-1-(2-(oxetan-3-ylamino)ethyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(1-methyl-1H-imidazol-5-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(1-(2-hydroxy-2-methylpropyl)-3-(1-methyl-1H-imidazol-5-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide;

N-(3-(3,5-dimethylisoxazol-4-yl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide; and

N-(3-(3,5-dimethylisoxazol-4-yl)-1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide.

14. A pharmaceutical composition comprising a compound of claims 1-13 and a pharmaceutically acceptable carrier, adjuvant or vehicle.

15. The use of a compound of any one of claims 1-13 in the manufacture of a medicament for preventing, treating or lessening the severity of a disease or condition responsive to the inhibition of a Janus kinase activity in a patient.

16. The use of claim 15, wherein said disease or condition is cancer, polycythemia vera, essential thrombocytosis, myelofibrosis, chronic myelogenous leukemia (CML), rheumatoid arthritis, inflammatory bowel syndrome, Chron's disease, psoriasis, contact dermatitis or delayed hypersensitivity reactions.

17. Use of a compound of claims 1-13 in the manufacture of a medicament for the treatment of cancer, polycythemia vera, essential thrombocytosis, myelofibrosis, chronic myelogenous leukemia (CML), rheumatoid arthritis, inflammatory bowel syndrome, Chron's disease, psoriasis, contact dermatitis or delayed hypersensitivity reactions.

18. A compound of any one of claims 1-13 for use in therapy.