
CLAIMS

Claim 1. A compound of formula (I):



(I):

wherein:

R_1 is C_{1-4} alkyl or C_{3-5} cycloalkyl;

R_2 is C_{1-4} alkyl; or

R_1 and R_2 join to form a 5-7 membered heterocycloalkyl;

R_3 is selected from the group consisting of C_{1-3} alkyl and halo;

R_4 is selected from the group consisting of C_{1-3} alkyl, halo, C_{1-3} haloalkyl, C_{1-3} alkoxy, C_{1-3} haloalkoxy, $NR_{4a}R_{4b}$ and 4-7 membered heterocycloalkyl;

wherein:


R_{4a} is selected from the group consisting of H and C_{1-3} alkyl;

R_{4b} is selected from the group consisting of H and C_{1-3} alkyl;

m is 0, 1 or 2;

n is 0, 1 or 2;

and R_5, R_6 and R_7 are defined as follows:

(a) R_6 is  and R_7 is absent;

R_5 is selected from the group consisting of H, halo, C_{1-3} alkyl, C_{1-3} haloalkyl, C_{1-3} alkoxy, C_{1-3} haloalkoxy, SC_{1-3} alkyl, SC_{1-3} haloalkyl, OC_{3-10} cycloalkyl, $NR_{5b}R_{5c}$ and 4-7

membered heterocycloalkyl, wherein the OC_{3-10} cycloalkyl and 4-7 membered heterocycloalkyl are optionally substituted by one or more R_{5a};

wherein:

R_{5a} is selected from the group consisting of halo and C_{1-3} alkyl, or two R_{5a} groups which are attached to the same carbon atom join to form a C_{3-6} cycloalkyl or 4-7 membered heterocycloalkyl ring;

R_{5b} is selected from the group consisting of H and C_{1-3} alkyl; and

R_{5c} is selected from the group consisting of C_{1-3} alkyl and C_{3-6} cycloalkyl; and


R_8 is selected from the group consisting of C_{3-6} cycloalkyl, $NR_{8b}R_{8c}$ and 4-10 membered heterocycloalkyl, wherein the C_{3-6} cycloalkyl and 4-10 membered heterocycloalkyl are optionally substituted by one or more R_{8a}, wherein:

R_{8a} is selected from the group consisting of C_{1-3} alkyl, C_{1-3} alkyl substituted by OH, C_{1-2} alkyl substituted by OC_{1-2} alkyl, C_{1-3} alkoxy, halo and C_{1-3} haloalkyl;

R_{8b} is selected from the group consisting of H, C_{1-3} alkyl and C_{3-6} cycloalkyl;

R_{8c} is selected from the group consisting of H, C_{1-3} alkyl and C_{3-6} cycloalkyl;

or:

(b) R_7 is  : and

(i) R_6 is H and R_5 is selected from the group consisting of H, halo, C_{1-3} alkyl, C_{1-3} haloalkyl, C_{1-3} alkoxy, C_{1-3} haloalkoxy, SC_{1-3} alkyl, SC_{1-3} haloalkyl, OC_{3-10} cycloalkyl, $NR_{5b}R_{5c}$ and 4-7 membered heterocycloalkyl, wherein the OC_{3-10} cycloalkyl and 4-7 membered heterocycloalkyl are optionally substituted by one or more R_{5a};

wherein:

R_{5a} is selected from the group consisting of halo and C_{1-3} alkyl, or two R_{5a} groups which are attached to the same carbon atom join to form a C_{3-6} cycloalkyl or 4-7 membered heterocycloalkyl ring,

R_{5b} is selected from the group consisting of H and C_{1-3} alkyl; and

R_{5c} is selected from the group consisting of C_{1-3} alkyl and C_{3-6} cycloalkyl;

or

(ii) R_5 is H and R_6 is selected from the group consisting of H, halo, C_{1-3} alkyl, C_{1-3} haloalkyl, C_{1-3} alkoxy, C_{1-3} haloalkoxy, SC_{1-3} alkyl, SC_{1-3} haloalkyl, OC_{3-}

$_{10}$ cycloalkyl, $NR_{6b}R_{6c}$ and 4-7 membered heterocycloalkyl, wherein the OC_{3-10} cycloalkyl and 4-7 membered heterocycloalkyl are optionally substituted by one or more R_{6a};

wherein:

R_{6a} is selected from the group consisting of halo and C_{1-3} alkyl, or two R_{6a} groups which are attached to the same carbon atom join to form a C_{3-6} cycloalkyl or 4-7 membered heterocycloalkyl ring,

R_{6b} is selected from the group consisting of H and C_{1-3} alkyl; and

R_{6c} is selected from the group consisting of C_{1-3} alkyl and C_{3-6} cycloalkyl;

or

(iii) R_5 and R_6 join to form a 4-8 membered heterocyclic ring;

and

R_8 is selected from the group consisting of C_{3-6} cycloalkyl, $NR_{8b}R_{8c}$ and 4-10 membered heterocycloalkyl, wherein the C_{3-6} cycloalkyl and 4-10 membered heterocycloalkyl are optionally substituted by one or more R_{8a} wherein:


R_{8a} is selected from the group consisting of C_{1-3} alkyl, C_{1-3} alkyl substituted by OH, C_{1-2} alkyl substituted by OC_{1-2} alkyl, C_{1-3} alkoxy, halo and C_{1-3} haloalkyl;

R_{8b} is selected from the group consisting of H, C_{1-3} alkyl and C_{3-6} cycloalkyl; and

R_{8c} is selected from the group consisting of H, C_{1-3} alkyl and C_{3-6} cycloalkyl;

or a pharmaceutically acceptable salt and/or solvate thereof.

Claim 2. A compound of formula (I) according to claim 1:



(I)

wherein:

R_1 is C_{1-4} alkyl or C_{3-5} cycloalkyl;

R_2 is C_{1-4} alkyl; or

R_1 and R_2 join to form a 5-7 membered heterocycloalkyl;

R_3 is selected from the group consisting of C_{1-3} alkyl and halo;

R_4 is selected from the group consisting of C_{1-3} alkyl, halo, C_{1-3} haloalkyl, C_{1-3} alkoxy, C_{1-3} haloalkoxy, $NR_{4a}R_{4b}$ and 4-7 membered heterocycloalkyl;

wherein:


R_{4a} is selected from the group consisting of H and C_{1-3} alkyl;

R_{4b} is selected from the group consisting of H and C_{1-3} alkyl;

m is 0, 1 or 2;

n is 0, 1 or 2;

and R_5, R_6 and R_7 are defined as follows:

(a) R_6 is  and R_7 is absent;

R_5 is selected from the group consisting of H, halo, C_{1-3} alkyl, C_{1-3} alkoxy, C_{1-3} haloalkoxy, SC_{1-3} alkyl, SC_{1-3} haloalkyl, OC_{3-10} cycloalkyl, $NR_{5b}R_{5c}$ and 4-7 membered heterocycloalkyl, wherein the OC_{3-10} cycloalkyl and 4-7 membered heterocycloalkyl are optionally substituted by one or more R_{5a};

wherein:

R_{5a} is selected from the group consisting of halo and C_{1-3} alkyl, or two R_{5a} groups which are attached to the same carbon atom join to form a C_{3-6} cycloalkyl or 4-7 membered heterocycloalkyl ring;

R_{5b} is selected from the group consisting of H and C_{1-3} alkyl; and

R_{5c} is selected from the group consisting of C_{1-3} alkyl and C_{3-6} cycloalkyl; and


R_8 is selected from the group consisting of C_{3-6} cycloalkyl, $NR_{8b}R_{8c}$ and 4-8 membered heterocycloalkyl, wherein the C_{3-6} cycloalkyl and 4-8 membered heterocycloalkyl are optionally substituted by one or more R_{8a}, wherein:

R_{8a} is selected from the group consisting of C_{1-3} alkyl, halo and C_{1-3} haloalkyl;

R_{8b} is selected from the group consisting of H, C_{1-3} alkyl and C_{3-6} cycloalkyl;

R_{8c} is selected from the group consisting of H, C_{1-3} alkyl and C_{3-6} cycloalkyl;

or:

(b) R_7 is  : and

(i) R_6 is H and R_5 is selected from the group consisting of H, halo, C_{1-3} alkyl, C_{1-3} alkoxy, C_{1-3} haloalkoxy, SC_{1-3} alkyl, SC_{1-3} haloalkyl, OC_{3-10} cycloalkyl, $NR_{5b}R_{5c}$ and 4-7 membered heterocycloalkyl, wherein the OC_{3-10} cycloalkyl and 4-7 membered heterocycloalkyl are optionally substituted by one or more R_{5a};

wherein:

R_{5a} is selected from the group consisting of halo and C_{1-3} alkyl, or two R_{5a} groups which are attached to the same carbon atom join to form a C_{3-6} cycloalkyl or 4-7 membered heterocycloalkyl ring,

R_{5b} is selected from the group consisting of H and C_{1-3} alkyl; and

R_{5c} is selected from the group consisting of C_{1-3} alkyl and C_{3-6} cycloalkyl;

or

(ii) R_5 is H and R_6 is selected from the group consisting of H, halo, C_{1-3} alkyl, C_{1-3} alkoxy, C_{1-3} haloalkoxy, SC_{1-3} alkyl, SC_{1-3} haloalkyl, OC_{3-10} cycloalkyl, $NR_{6b}R_{6c}$ and 4-7 membered heterocycloalkyl, wherein the OC_{3-10} cycloalkyl and 4-7 membered heterocycloalkyl are optionally substituted by one or more R_{6a};

wherein:

R_{6a} is selected from the group consisting of halo and C_{1-3} alkyl, or two R_{6a} groups which are attached to the same carbon atom join to form a C_{3-6} cycloalkyl or 4-7 membered heterocycloalkyl ring,

R_{6b} is selected from the group consisting of H and C_{1-3} alkyl; and

R_{6c} is selected from the group consisting of C_{1-3} alkyl and C_{3-6} cycloalkyl;

or

(iii) R_5 and R_6 join to form a 4-8 membered heterocyclic ring;

and

R_8 is selected from the group consisting of C_{3-6} cycloalkyl, $NR_{8b}R_{8c}$ and 4-8 membered heterocycloalkyl, wherein the C_{3-6} cycloalkyl and 4-8 membered heterocycloalkyl are optionally substituted by one or more R_{8a} wherein:


R_{8a} is selected from the group consisting of C_{1-3} alkyl, halo and C_{1-3} haloalkyl;

R_{8b} is selected from the group consisting of H, C_{1-3} alkyl and C_{3-6} cycloalkyl; and

R_{8c} is selected from the group consisting of H, C_{1-3} alkyl and C_{3-6} cycloalkyl;

or a pharmaceutically acceptable salt and/or solvate thereof.

Claim 3. A compound of formula (I) according to claim 1:



(I):

wherein:


R_1 is C_{1-4} alkyl or C_{3-5} cycloalkyl;


R_2 is C_{1-4} alkyl; or

R_1 and R_2 join to form a 5-7 membered heterocycloalkyl;


R_3 is selected from the group consisting of C_{1-3} alkyl and halo;

R_4 is selected from the group consisting of C_{1-3} alkyl, halo, C_{1-3} haloalkyl, C_{1-3} alkoxy, C_{1-3} haloalkoxy and 4-7 membered heterocycloalkyl;

R_6 is  and R_7 is absent; or

R_7 is ;

wherein:

when R_6 is  and R_7 is absent:

R_5 is selected from the group consisting of H, halo, C_{1-3} alkoxy, C_{1-3} haloalkoxy, SC_{1-3} alkyl, SC_{1-3} haloalkyl, OC_{3-10} cycloalkyl, $NR_{5b}R_{5c}$ and 4-7 membered heterocycloalkyl, wherein the OC_{3-10} cycloalkyl and 4-7 membered heterocycloalkyl are optionally substituted by one or more R_{5a};

wherein:


R_{5a} is selected from the group consisting of halo and C_{1-3} alkyl, or two R_{5a} groups which are attached to the same carbon atom join to form a C_{3-6} cycloalkyl or 4-7 membered heterocycloalkyl ring;

R_{5b} is selected from the group consisting of H and C_{1-3} alkyl; and

R_{5c} is selected from the group consisting of C_{1-3} alkyl and C_{3-6} cycloalkyl; and

R_8 is selected from the group consisting of C_{3-6} cycloalkyl, $N(C_{1-3}$ alkyl$)_2$ and 4-8 membered heterocycloalkyl, wherein the C_{3-6} cycloalkyl and 4-8 membered heterocycloalkyl are optionally substituted by one or more R_{8a}, wherein R_{8a} is selected from the group consisting of C_{1-3} alkyl, halo and C_{1-3} haloalkyl;

or:

when R_7 is 

:

R_6 is H and R_5 is selected from the group consisting of H, halo, C_{1-3} alkoxy, C_{1-3} haloalkoxy, SC_{1-3} alkyl, SC_{1-3} haloalkyl, OC_{3-10} cycloalkyl, $NR_{5b}R_{5c}$ and 4-7 membered heterocycloalkyl, wherein the OC_{3-10} cycloalkyl and 4-7 membered heterocycloalkyl are optionally substituted by one or more R_{5a};

wherein:

R_{5a} is selected from the group consisting of halo and C_{1-3} alkyl, or two R_{5a} groups which are attached to the same carbon atom join to form a C_{3-6} cycloalkyl or 4-7 membered heterocycloalkyl ring,

R_{5b} is selected from the group consisting of H and C_{1-3} alkyl; and

R_{5c} is selected from the group consisting of C_{1-3} alkyl and C_{3-6} cycloalkyl;

or

R_5 is H and R_6 is selected from the group consisting of H, halo, C_{1-3} alkoxy, C_{1-3} haloalkoxy, SC_{1-3} alkyl, SC_{1-3} haloalkyl, OC_{3-10} cycloalkyl, $NR_{6b}R_{6c}$ and 4-7 membered heterocycloalkyl, wherein the OC_{3-10} cycloalkyl and 4-7 membered heterocycloalkyl are optionally substituted by one or more R_{6a};

wherein:

R_{6a} is selected from the group consisting of halo and C_{1-3} alkyl, or two R_{6a} groups which are attached to the same carbon atom join to form a C_{3-6} cycloalkyl or 4-7 membered heterocycloalkyl ring,

R_{6b} is selected from the group consisting of H and C_{1-3} alkyl; and

R_{6c} is selected from the group consisting of C_{1-3} alkyl and C_{3-6} cycloalkyl;

or

R_5 and R_6 join to form a 4-7 membered heterocyclic ring; and

R_8 is selected from the group consisting of C_{3-6} cycloalkyl, $N(C_{1-3}$ alkyl$)_2$ and 4-8 membered heterocycloalkyl, wherein the C_{3-6} cycloalkyl and 4-8 membered heterocycloalkyl are optionally substituted by one or more R_{8a} wherein R_{8a} is selected from the group consisting of C_{1-3} alkyl, halo and C_{1-3} haloalkyl;

m is 0, 1 or 2; and

n is 0, 1 or 2;


or a pharmaceutically acceptable salt and/or solvate thereof.

Claim 4. The compound or a pharmaceutically acceptable salt and/or solvate thereof according to any one of claims 1 to 3 wherein R_1 is methyl and R_2 is methyl.

Claim 5. The compound or a pharmaceutically acceptable salt and/or solvate thereof according to any one of claims 1 to 4 wherein m is 2 and R_3 is methyl or halo.

Claim 6. The compound or a pharmaceutically acceptable salt and/or solvate thereof according to any one of claims 1 to 5 wherein n is 0 or n is 1 and R_4 is fluoro.


Claim 7. The compound or a pharmaceutically acceptable salt and/or solvate thereof according to any one of claims 1 to 6 wherein:

R_6 is  and R_7 is absent.

Claim 8. The compound or a pharmaceutically acceptable salt and/or solvate thereof according to any one of claims 1 to 7 wherein R_5 is C_{1-3} alkoxy, or OC_{3-10} cycloalkyl; wherein the OC3-10 cycloalkyl is optionally substituted by one or more R5a wherein R5a is C1-3 alkyl.

Claim 9. The compound or a pharmaceutically acceptable salt and/or solvate thereof according to any one of claims 1 to 7 wherein R_5 is 4-7 membered heterocycloalkyl or $NR_{5b}R_{5c}$ wherein R_{5b} is C_{1-3} alkyl and R_{5c} is C_{1-3} alkyl or C_{3-6} cycloalkyl, and wherein the 4-7 membered heterocycloalkyl is optionally substituted by one or more R_{5a} wherein R_{5a} is C_{1-3} alkyl.

Claim 10. The compound or a pharmaceutically acceptable salt and/or solvate thereof according to any one of claims 1 to 7 which is:



;

wherein R_1, R_2, R_3, and R_4 are as defined in any one of claims 1 to 6, n is 0 or 1, R_6 as defined in claim 7 and R_5 is as defined in claim 8.

Claim 11. The compound or a pharmaceutically acceptable salt and/or solvate thereof according to any one of claims 1 to 10 wherein R_8 is selected from the group consisting of cyclopropyl substituted by one methyl group, pyrrolidinyl, and $N(C_{1-3}$ alkyl$)_2$.

Claim 12. The compound or a pharmaceutically acceptable salt and/or solvate thereof according to claim 11 wherein R_8 is pyrrolidin-1-yl.

Claim 13. The compound or a pharmaceutically acceptable salt and/or solvate thereof according to claim 1 which is selected from the list consisting of:
(*R*)-2-cyclobutoxy-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;
(*R*)-2-cyclobutoxy-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;
(*R*)-2-cyclobutoxy-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;
(*R*)-2-(cyclopentyloxy)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-2-(cyclopentyloxy)-*N*-(*N*,*N*-dimethylsulfamoyl)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-4-(7-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-(cyclopentyloxy)-3-fluoro-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-2-cyclobutoxy-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

(*R*)-2-(cyclopentyloxy)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

(*R*)-2-(cyclopentyloxy)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

(*R*)-4-(7-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-cyclobutoxy-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

2-(((1*R*,3*r*,5*S*)-bicyclo[3.1.0]hexan-3-yl)oxy)-*N*-(*N*,*N*-dimethylsulfamoyl)-3-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-(cyclopentyloxy)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

2-(((1*R*,3*r*,5*S*)-bicyclo[3.1.0]hexan-3-yl)oxy)-*N*-(*N*,*N*-dimethylsulfamoyl)-3-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-4-(7-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-cyclobutoxy-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)-2-(pyrrolidin-1-yl)benzamide;

(*R*)-2-(7-azabicyclo[2.2.1]heptan-7-yl)-*N*-(*N*,*N*-dimethylsulfamoyl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-(7-azabicyclo[2.2.1]heptan-7-yl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

(*R*)-*N*-(*N*,*N*-dimethylsulfamoyl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-(pyrrolidin-1-yl)benzamide;
(*R*)-2-cyclobutoxy-4-(8-(hexahydropyrazino[2,1-c][1,4]oxazin-8(1*H*)-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;
(*R*)-*N*-(*N*,*N*-dimethylsulfamoyl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-(pyrrolidin-1-yl)benzamide;
(R)-2-cyclobutoxy-4-(8-(hexahydropyrazino[2,1-c][1,4]oxazin-8(1*H*)-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;
(*R*)-2-(7-azabicyclo[2.2.1]heptan-7-yl)-6-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;
(*R*)-2-(7-azabicyclo[2.2.1]heptan-7-yl)-*N*-(*N*,*N*-dimethylsulfamoyl)-6-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;
(*R*)-2-(cyclopentyloxy)-3-fluoro-*N*-(*N*-isopropyl-*N*-methylsulfamoyl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;
(*R*)-2-cyclobutoxy-3-fluoro-*N*-(*N*-isopropyl-*N*-methylsulfamoyl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;
2-(3-azabicyclo[3.1.0]hexan-3-yl)-6-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;
2-(3-azabicyclo[3.1.0]hexan-3-yl)-*N*-(*N*,*N*-dimethylsulfamoyl)-6-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;
2-(3-azabicyclo[3.1.0]hexan-3-yl)-*N*-(*N*,*N*-dimethylsulfamoyl)-6-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;
(*R*)-4-(7-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-(cyclopentyloxy)-3-fluoro-*N*-(*N*-isopropyl-*N*-methylsulfamoyl)benzamide;
(*R*)-4-(7-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-cyclobutoxy-3-fluoro-*N*-(*N*-isopropyl-*N*-methylsulfamoyl)benzamide;

(*R*)-*N*-(*N*-isopropyl-*N*-methylsulfamoyl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-(pyrrolidin-1-yl)benzamide;

2-(3-azabicyclo[3.1.0]hexan-3-yl)-6-chloro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

2-(3-azabicyclo[3.1.0]hexan-3-yl)-6-chloro-*N*-(*N*,*N*-dimethylsulfamoyl)-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

2-(3-azabicyclo[3.1.0]hexan-3-yl)-6-chloro-*N*-(*N*,*N*-dimethylsulfamoyl)-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

2-(((1*R*,3*r*,5*S*)-bicyclo[3.1.0]hexan-3-yl)oxy)-3-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

2-(((1*R*,3*r*,5*S*)-bicyclo[3.1.0]hexan-3-yl)oxy)-3-fluoro-*N*-(*N*-isopropyl-*N*-methylsulfamoyl)-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

2-(((1*R*,3*r*,5*S*)-bicyclo[3.1.0]hexan-3-yl)oxy)-3-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

(*R*)-2-(cyclobutyl(methyl)amino)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

(*R*)-2-(cyclobutyl(methyl)amino)-*N*-(*N*,*N*-dimethylsulfamoyl)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-(7-azabicyclo[2.2.1]heptan-7-yl)-6-chloro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

(*R*)-2-cyclobutoxy-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

(*R*)-2-cyclobutoxy-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

(*R*)-2-(cyclopentyloxy)-*N*-(*N*,*N*-dimethylsulfamoyl)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-4-(7-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-(cyclopentyloxy)-*N*-(*N*,*N*-dimethylsulfamoyl)-3-fluorobenzamide;

(*R*)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)-2-(pyrrolidin-1-yl)benzamide;

2-(3-azabicyclo[3.1.0]hexan-3-yl)-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

2-(3-azabicyclo[3.1.0]hexan-3-yl)-*N*-(*N*,*N*-dimethylsulfamoyl)-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-(7-azabicyclo[2.2.1]heptan-7-yl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

(*R*)-2-(7-azabicyclo[2.2.1]heptan-7-yl)-*N*-(*N*,*N*-dimethylsulfamoyl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-cyclobutoxy-*N*-(*N*,*N*-dimethylsulfamoyl)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-cyclobutoxy-*N*-(*N*,*N*-dimethylsulfamoyl)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-4-(7-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-cyclobutoxy-*N*-(*N*,*N*-dimethylsulfamoyl)-3-fluorobenzamide;

(*R*)-4-(7-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-cyclobutoxy-3-fluoro-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-2-cyclobutoxy-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-2-(cyclobutyl(methyl)amino)-*N*-(*N*,*N*-dimethylsulfamoyl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-cyclobutoxy-3-fluoro-*N*-(*N*-isopropyl-*N*-methylsulfamoyl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-4-(7-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-(cyclopentyloxy)-3-fluoro-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

(*R*)-2-(cyclopentyloxy)-3-fluoro-*N*-(*N*-isopropyl-*N*-methylsulfamoyl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

2-(((1*R*,3*r*,5*S*)-bicyclo[3.1.0]hexan-3-yl)oxy)-3-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

2-(((1*R*,3*r*,5*S*)-bicyclo[3.1.0]hexan-3-yl)oxy)-4-(7-chloro-8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-3-fluoro-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

2-(((1*R*,3*r*,5*S*)-bicyclo[3.1.0]hexan-3-yl)oxy)-4-(7-chloro-8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(*N*,*N*-dimethylsulfamoyl)-3-fluorobenzamide;

2-(((1*R*,3*r*,5*S*)-bicyclo[3.1.0]hexan-3-yl)oxy)-4-(7-chloro-8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-3-fluoro-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

2-(((1*R*,3*r*,5*S*)-bicyclo[3.1.0]hexan-3-yl)oxy)-3-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

2-(((1*R*,3*r*,5*S*)-bicyclo[3.1.0]hexan-3-yl)oxy)-3-fluoro-*N*-(*N*-isopropyl-*N*-methylsulfamoyl)-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

2-(((1*R*,3*r*,5*S*)-bicyclo[3.1.0]hexan-3-yl)oxy)-4-(7-chloro-8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-3-fluoro-*N*-(*N*-isopropyl-*N*-methylsulfamoyl)benzamide;

2-(((1*R*,3*s*,5*S*)-bicyclo[3.1.0]hexan-3-yl)oxy)-3-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

2-(((1*R*,3*s*,5*S*)-bicyclo[3.1.0]hexan-3-yl)oxy)-*N*-(*N*,*N*-dimethylsulfamoyl)-3-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

2-(((1*R*,3*s*,5*S*)-bicyclo[3.1.0]hexan-3-yl)oxy)-3-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

(*R*)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)-2-(pyrrolidin-1-yl)benzamide;

(*R*)-*N*-(*N*,*N*-dimethylsulfamoyl)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-(pyrrolidin-1-yl)benzamide;

2-(3-azabicyclo[3.1.0]hexan-3-yl)-3-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

2-(3-azabicyclo[3.1.0]hexan-3-yl)-*N*-(*N*,*N*-dimethylsulfamoyl)-3-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-(7-azabicyclo[2.2.1]heptan-7-yl)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

(*R*)-2-(7-azabicyclo[2.2.1]heptan-7-yl)-*N*-(*N*,*N*-dimethylsulfamoyl)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-(3,3-difluoropiperidin-1-yl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

(*R*)-2-(3,3-difluoropiperidin-1-yl)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

(*R*)-2-(3,3-difluoropiperidin-1-yl)-*N*-(*N*,*N*-dimethylsulfamoyl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-(3,3-difluoropiperidin-1-yl)-*N*-(*N*,*N*-dimethylsulfamoyl)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-(dimethylamino)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

(*R*)-2-(7-azabicyclo[2.2.1]heptan-7-yl)-6-chloro-*N*-(*N*,*N*-dimethylsulfamoyl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-(3,3-difluoropyrrolidin-1-yl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

(*R*)-2-(3,3-difluoropyrrolidin-1-yl)-*N*-(*N*,*N*-dimethylsulfamoyl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-(cyclopropyl(methyl)amino)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

(*R*)-2-(cyclopropyl(methyl)amino)-*N*-(*N*,*N*-dimethylsulfamoyl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-((4,4-difluorocyclohexyl)oxy)-*N*-(*N*,*N*-dimethylsulfamoyl)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-((4,4-difluorocyclohexyl)oxy)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

(*R*)-2-(3,3-dimethylpyrrolidin-1-yl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

(*R*)-2-(3,3-dimethylpyrrolidin-1-yl)-*N*-(*N*,*N*-dimethylsulfamoyl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-(azetidin-1-yl)-*N*-(*N*,*N*-dimethylsulfamoyl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

2-((adamantan-2-yl)oxy)-*N*-(*N*,*N*-dimethylsulfamoyl)-3-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-(azetidin-1-yl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

(*R*)-2-(3,3-difluoropyrrolidin-1-yl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-2-cyclobutoxy-*N*-(*N*,*N*-dimethylsulfamoyl)-5-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

2-((adamantan-2-yl)oxy)-3-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

2-(3-azabicyclo[3.1.0]hexan-3-yl)-3-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-(pyrrolidin-1-yl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-2-(7-azabicyclo[2.2.1]heptan-7-yl)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-(pyrrolidin-1-yl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-2-((4,4-difluorocyclohexyl)oxy)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

2-((adamantan-2-yl)oxy)-*N*-(*N*,*N*-dimethylsulfamoyl)-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-(cyclopentyloxy)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)-6-(trifluoromethyl)benzamide;

N-(*N*,*N*-dimethylsulfamoyl)-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-((*R*)-2-methylpyrrolidin-1-yl)benzamide;

N-(*N*,*N*-dimethylsulfamoyl)-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-((*S*)-2-methylpyrrolidin-1-yl)benzamide;

2-(3-azabicyclo[3.1.0]hexan-3-yl)-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)-6-(trifluoromethyl)benzamide;

2-(3-azabicyclo[3.1.0]hexan-3-yl)-6-chloro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-*N*-(*N*,*N*-dimethylsulfamoyl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-methyl-6-(pyrrolidin-1-yl)benzamide;

(*R*)-2-(cyclopentyloxy)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)-6-(trifluoromethyl)benzamide;

2-(bicyclo[3.1.0]hexan-3-yloxy)-*N*-(*N*,*N*-dimethylsulfamoyl)-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

2-(bicyclo[3.1.0]hexan-3-yloxy)-4-(8-((R)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-N-(pyrrolidine-1-ylsulfonyl)benzamide;

(*R*)-2-(cyclopentyloxy)-*N*-(*N*,*N*-dimethylsulfamoyl)-5-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-(cyclopentyloxy)-5-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

2-(3-azabicyclo[3.1.0]hexan-3-yl)-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)-6-(trifluoromethyl)benzamide;

2-(bicyclo[3.1.0]hexan-3-yloxy)-*N*-(*N*,*N*-dimethylsulfamoyl)-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

2-(bicyclo[3.1.0]hexan-3-yloxy)-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

2-(2-azabicyclo[2.2.1]heptan-2-yl)-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

2-(2-azabicyclo[2.2.1]heptan-2-yl)-*N*-(*N*,*N*-dimethylsulfamoyl)-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-(cyclopentyloxy)-*N*-(*N*,*N*-dimethylsulfamoyl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-6-(trifluoromethyl)benzamide;

2-(3-azabicyclo[3.1.0]hexan-3-yl)-*N*-(*N*,*N*-dimethylsulfamoyl)-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-6-(trifluoromethyl)benzamide;

(*R*)-*N*-(*N*,*N*-dimethylsulfamoyl)-2-methoxy-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-6-(pyrrolidin-1-yl)benzamide;

(*R*)-*N*-(*N*,*N*-dimethylsulfamoyl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-(5-azaspiro[2.5]octan-5-yl)benzamide;

(*R*)-2-(7-azabicyclo[2.2.1]heptan-7-yl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-N-(pyrrolidin-1-ylsulfonyl)benzamide;

4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-((*S*)-2-methylpyrrolidin-1-yl)-N-(pyrrolidin-1-ylsulfonyl)benzamide;

4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)-2-((*R*)-2-methylpyrrolidin-1-yl)benzamide;

4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-((*R*)-2-methylpyrrolidin-1-yl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

4-(8-((R)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)-2-((*S*)-2-methylpyrrolidin-1-yl)benzamide;

2-(3-azabicyclo[3.1.0]hexan-3-yl)-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-2-(cyclopentyloxy)-*N*-(*N*,*N*-dimethylsulfamoyl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-6-(pyrrolidin-1-yl)benzamide;

(*R*)-2-(cyclopentyloxy)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)-6-(trifluoromethyl)benzamide;

(*R*)-2-(cyclopentyloxy)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)-6-(trifluoromethyl)benzamide;

(*R*)-2-cyclobutoxy-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)-6-(trifluoromethyl)benzamide;

(*S*)-2-cyclobutoxy-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-2-cyclobutoxy-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)-6-(trifluoromethyl)benzamide;

(*R*)-2-cyclobutoxy-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)-6-(trifluoromethyl)benzamide;

(*R*)-*N*-(*N*,*N*-dimethylsulfamoyl)-3-fluoro-2-methoxy-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-3-fluoro-2-methoxy-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-2-(dimethylamino)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

(*R*)-2-(dimethylamino)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

(*R*)-2-(dimethylamino)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-2-(dimethylamino)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-2-cyclobutoxy-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-5-methyl-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-5-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-(pyrrolidin-1-yl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-5-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)-2-(pyrrolidin-1-yl)benzamide;

(*R*)-2-cyclobutoxy-4-(8-(3-(ethoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-3-fluoro-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-2-(dimethylamino)-5-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-2-(dimethylamino)-5-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

(*R*)-*N*-(*N*,*N*-dimethylsulfamoyl)-2-ethoxy-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-ethoxy-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-*N*-(*N*,*N*-dimethylsulfamoyl)-3-fluoro-2-isopropoxy-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-3-fluoro-2-isopropoxy-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-5-chloro-2-(dimethylamino)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-5-chloro-2-(dimethylamino)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)benzamide;

(*R*)-2-(dimethylamino)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-*2H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)-5-(trifluoromethyl)benzamide;

(*R*)-2-(cyclopentyloxy)-*N*-(*N*,*N*-dimethylsulfamoyl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-6-(trifluoromethyl)benzamide;

(*R*)-2-methoxy-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)-6-(trifluoromethyl)benzamide;

(*R*)-*N*-((6-azaspiro[2.5]octan-6-yl)sulfonyl)-3-fluoro-2-methoxy-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

N-((3-azabicyclo[3.1.0]hexan-3-yl)sulfonyl)-3-fluoro-2-methoxy-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-*N*-((7-azabicyclo[2.2.1]heptan-7-yl)sulfonyl)-3-fluoro-2-methoxy-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

N-((3-oxa-8-azabicyclo[3.2.1]octan-8-yl)sulfonyl)-3-fluoro-2-methoxy-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-(dimethylamino)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((1-methylcyclopropyl)sulfonyl)-5-(trifluoromethyl)benzamide;

(*R*)-2-ethoxy-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)-6-(trifluoromethyl)benzamide;

(*R*)-2-isopropoxy-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)-6-(trifluoromethyl)benzamide;

(*R*)-2-cyclobutoxy-5-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-3-cyclobutoxy-5-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-N-(pyrrolidin-1-ylsulfonyl)benzamide**;**

(R)-6-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-N-(pyrrolidin-1-ylsulfonyl)spiro[benzo[d][1,3]dioxole-2,1'-cyclobutane]-4-carboxamide;

(*R*)-*N*-((7-azabicyclo[2.2.1]heptan-7-yl)sulfonyl)-2-cyclobutoxy-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(R)-2-cyclobutoxy-4-fluoro-5-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-N-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-3-cyclobutoxy-4-fluoro-5-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

2-cyclobutoxy-*N*-(((2*R*,5*R*)-2,5-dimethylpyrrolidin-1-yl)sulfonyl)-3-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-cyclobutoxy-*N*-(*N*,*N*-dimethylsulfamoyl)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(R)-2-cyclobutoxy-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-3-methyl-N-((1-methylcyclopropyl)sulfonyl)benzamide;

(R)-4-fluoro-5-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-N-(pyrrolidin-1-ylsulfonyl)spiro[benzo[d][1,3]dioxole-2,1'-cyclobutane]-7-carboxamide;

(R)-2-(dimethylamino)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-N-((1-methylcyclopropyl)sulfonyl)-5-(trifluoromethyl)benzamide;

(*R*)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)-2-(trifluoromethoxy)benzamide**;**

(*R*)-2-chloro-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(R)-2-cyclobutoxy-3-fluoro-4-(8-(4-isopropyl-3-(methoxymethyl)piperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-N-(pyrrolidin-1-ylsulfonyl)benzamide;

(R)-2-(difluoromethoxy)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-N-(pyrrolidin-1-ylsulfonyl)benzamide;

(R)-2-cyclobutoxy-4-(8-(4-ethyl-3-(methoxymethyl)piperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-3-fluoro-N-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-2-cyclobutoxy-4-(8-(4-cyclopropyl-3-(methoxymethyl)piperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-3-fluoro-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(S)-2-cyclobutoxy-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-N-(pyrrolidin-1-ylsulfonyl)benzamide;

(R)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-N-(pyrrolidin-1-ylsulfonyl)benzamide;

(*S*)-2-cyclobutoxy-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

N-((3-azabicyclo[3.1.0]hexan-3-yl)sulfonyl)-2-(dimethylamino)-5-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-cyclobutoxy-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-2-(cyclopentyloxy)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-3-chloro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-N-((7-azabicyclo[2.2.1]heptan-7-yl)sulfonyl)-3-chloro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-cyclobutoxy-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-10-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-2-(cyclopentyloxy)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-10-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-*N*-((7-azabicyclo[2.2.1]heptan-7-yl)sulfonyl)-2-(dimethylamino)-5-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-*N*-((6-azaspiro[2.5]octan-6-yl)sulfonyl)-2-(dimethylamino)-5-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-*N*-((6-azaspiro[2.5]octan-6-yl)sulfonyl)-5-chloro-2-(dimethylamino)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-*N*-((7-azabicyclo[2.2.1]heptan-7-yl)sulfonyl)-2-(dimethylamino)-5-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-cyclobutoxy-3-fluoro-4-(8-(3-(isopropoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;
(*R*)-*N*-((7-azabicyclo[2.2.1]heptan-7-yl)sulfonyl)-5-chloro-2-(dimethylamino)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;
(*R*)-2-(azetidin-1-yl)-5-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-N-(pyrrolidin-1-ylsulfonyl)benzamide;
(*R*)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;
(*R*)-2-amino-5-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;
(*R*)-2-ethoxy-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(piperidin-1-ylsulfonyl)benzamide;
(*R*)-2-ethoxy-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(piperidin-1-ylsulfonyl)benzamide;
(*R*)-*N*-(*N*-cyclopentyl-*N*-methylsulfamoyl)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;
(*R*)-2-(cyclobutyl(methyl)amino)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;
(*R*)-5-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-(methylamino)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;
(*R*)-2-ethoxy-5-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;
N-((3-azabicyclo[3.1.0]hexan-3-yl)sulfonyl)-2-(azetidin-1-yl)-5-fluoro-4-(8-((R)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;
(*R*)-3-fluoro-N-((4-fluoropiperidin-1-yl)sulfonyl)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;
(*R*)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-propoxy-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;
(*R*)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)-2-(2,2,2-trifluoroethoxy)benzamide;

N-((3-azabicyclo[3.1.0]hexan-3-yl)sulfonyl)-2-cyclopropoxy-3-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

N-((3-azabicyclo[3.1.0]hexan-3-yl)sulfonyl)-4-(7-chloro-8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-ethoxy-3-fluorobenzamide;

(*R*)-N-((7-azabicyclo[2.2.1]heptan-7-yl)sulfonyl)-4-(7-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-ethoxy-3-fluorobenzamide;

N-(((3a*R*,6a*S*)-hexahydrocyclopenta[c]pyrrol-2(1*H*)-yl)sulfonyl)-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-((octahydro-2*H*-isoindol-2-yl)sulfonyl)benzamide;

(*R*)-2-cyclopropoxy-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-N-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-*N*-((7-azabicyclo[2.2.1]heptan-7-yl)sulfonyl)-2-cyclopropoxy-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

N-((3-azabicyclo[3.1.0]hexan-3-yl)sulfonyl)-2-ethoxy-4-(7-ethyl-8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-3-fluorobenzamide;

(*R*)-N-((7-azabicyclo[2.2.1]heptan-7-yl)sulfonyl)-2-ethoxy-4-(7-ethyl-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-3-fluorobenzamide;

(*R*)-*N*-(*N*,*N*-dicyclopropylsulfamoyl)-2-ethoxy-5-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-*N*-((3,3-dimethylpyrrolidin-1-yl)sulfonyl)-2-ethoxy-5-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-*N*-((7-azabicyclo[2.2.1]heptan-7-yl)sulfonyl)-2-ethoxy-5-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

N-((3-azabicyclo[3.1.0]hexan-3-yl)sulfonyl)-2-ethoxy-5-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-*N*-((2-azaspiro[3.3]heptan-2-yl)sulfonyl)-2-ethoxy-5-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

N-((3-oxa-8-azabicyclo[3.2.1]octan-8-yl)sulfonyl)-2-ethoxy-5-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)-2-(3,3,3-trifluoropropoxy)benzamide;

(*R*)-3-ethoxy-2-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-5-fluoro-2-methoxy-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-5-fluoro-2-(methoxy-d3)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-*N*-((7-azabicyclo[2.2.1]heptan-7-yl)sulfonyl)-2-methoxy-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-N-((7-azabicyclo[2.2.1]heptan-7-yl)sulfonyl)-2-ethoxy-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-*N*-((7-azabicyclo[2.2.1]heptan-7-yl)sulfonyl)-2-ethoxy-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

N-((3-azabicyclo[3.1.0]hexan-3-yl)sulfonyl)-2-ethoxy-3-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

N-((2-azabicyclo[2.2.1]heptan-2-yl)sulfonyl)-2-ethoxy-3-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-*N*-(*N*,*N*-dicyclopropylsulfamoyl)-2-ethoxy-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

2-ethoxy-3-fluoro-*N*-(((3a*R*,6a*S*)-hexahydrocyclopenta[c]pyrrol-2(1*H*)-yl)sulfonyl)-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-*N*-((2-azaspiro[3.3]heptan-2-yl)sulfonyl)-2-ethoxy-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

N-((8-azabicyclo[3.2.1]octan-8-yl)sulfonyl)-2-ethoxy-3-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

N-((3-azabicyclo[3.2.1]octan-3-yl)sulfonyl)-2-ethoxy-3-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

N-((8-azabicyclo[3.2.1]octan-8-yl)sulfonyl)-2-ethoxy-3-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

N-((3-azabicyclo[3.2.1]octan-3-yl)sulfonyl)-2-ethoxy-3-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-N-(N-cyclopentyl-N-methylsulfamoyl)-3-fluoro-2-methoxy-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-3-fluoro-2-methoxy-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(piperidin-1-ylsulfonyl)benzamide;

(*R*)-3-fluoro-N-((4-fluoropiperidin-1-yl)sulfonyl)-2-methoxy-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-N-((7-azabicyclo[2.2.1]heptan-7-yl)sulfonyl)-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-methylbenzamide;

(*R*)-5-(dimethylamino)-2-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-N-((7-azabicyclo[2.2.1]heptan-7-yl)sulfonyl)-2-ethyl-3-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-ethoxy-4-(10-ethyl-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-5-fluoro-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-2-(dimethylamino)-4-(10-ethyl-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-5-fluoro-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-5-fluoro-2-(methoxy-d3)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-(dimethylamino)-5-fluoro-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-*N*-((7-azabicyclo[2.2.1]heptan-7-yl)sulfonyl)-5-fluoro-2-methoxy-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

N-((3-azabicyclo[3.1.0]hexan-3-yl)sulfonyl)-5-fluoro-2-methoxy-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-*N*-((7-azabicyclo[2.2.1]heptan-7-yl)sulfonyl)-5-fluoro-2-(methoxy-d3)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

N-((3-azabicyclo[3.1.0]hexan-3-yl)sulfonyl)-5-fluoro-2-(methoxy-d3)-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-*N*-((7-azabicyclo[2.2.1]heptan-7-yl)sulfonyl)-3-fluoro-2-(methoxy-d3)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-*N*-((2-azaspiro[3.3]heptan-2-yl)sulfonyl)-2-(dimethylamino)-5-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

2-(dimethylamino)-5-fluoro-N-(((S)-3-fluoropyrrolidin-1-yl)sulfonyl)-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-*N*-((7-azabicyclo[2.2.1]heptan-7-yl)sulfonyl)-2-(dimethylamino)-5-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

N-((3-oxa-8-azabicyclo[3.2.1]octan-8-yl)sulfonyl)-2-(dimethylamino)-5-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-*N*-(*N*-cyclopropyl-N-methylsulfamoyl)-2-(dimethylamino)-5-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-ethoxy-3-fluoro-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-ethoxy-5-fluoro-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-2-(dimethylamino)-*N*-(*N*,*N*-dimethylsulfamoyl)-5-fluorobenzamide;

2-ethoxy-5-fluoro-*N*-(((*R*)-3-fluoropyrrolidin-1-yl)sulfonyl)-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-5-fluoro-2-methoxy-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-2-cyclopropoxy-5-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

N-((3-azabicyclo[3.1.0]hexan-3-yl)sulfonyl)-2-cyclopropoxy-5-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(*R*)-2-fluoro-5-methoxy-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

N-(((1*S*,4*S*)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)sulfonyl)-2-ethoxy-5-fluoro-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

2-ethoxy-5-fluoro-*N*-(((*S*)-3-fluoropyrrolidin-1-yl)sulfonyl)-4-(8-((*R*)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-*N*-(*N*-cyclopropyl-*N*-methylsulfamoyl)-2-ethoxy-5-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(*R*)-2-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2*H*-chromeno[3,4-c]pyridine-3-carbonyl)-5-methyl-*N*-(pyrrolidin-1-ylsulfonyl)benzamide;

(R)-N-((2-oxa-5-azaspiro[3.5]nonan-5-yl)sulfonyl)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-(dimethylamino)-5-fluorobenzamide;

(R)-N-((2-oxa-6-azaspiro[3.5]nonan-6-yl)sulfonyl)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-(dimethylamino)-5-fluorobenzamide;

R)-N-((2-oxa-6-azaspiro[3.4]octan-6-yl)sulfonyl)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-(dimethylamino)-5-fluorobenzamide;

(R)-N-((5-azaspiro[2.4]heptan-5-yl)sulfonyl)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-(dimethylamino)-5-fluorobenzamide;

R)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-(dimethylamino)-5-fluoro-N-(piperidin-1-ylsulfonyl)benzamide;

(R)-N-(N,N-dicyclopropylsulfamoyl)-2-(dimethylamino)-5-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(R)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-N-(N,N-dicyclopropylsulfamoyl)-2-(dimethylamino)-5-fluorobenzamide;

4-(10-chloro-8-((R)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-(dimethylamino)-5-fluoro-N-(((R)-2-(trifluoromethyl)pyrrolidin-1-yl)sulfonyl)benzamide;

(R)-N-((2-azaspiro[3.3]heptan-2-yl)sulfonyl)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-methoxybenzamide;

N-((3-azabicyclo[3.1.0]hexan-3-yl)sulfonyl)-4-(10-chloro-8-((R)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-methoxybenzamide;

2-(dimethylamino)-5-fluoro-4-(8-((R)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-N-(((S)-3-methoxypiperidin-1-yl)sulfonyl)benzamide;

(R)-N-((2-oxa-6-azaspiro[3.3]heptan-6-yl)sulfonyl)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-(dimethylamino)-5-fluorobenzamide;

4-(10-chloro-8-((R)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-methoxy-N-(((S)-2-(methoxymethyl)pyrrolidin-1-yl)sulfonyl)benzamide;

4-(10-chloro-8-((R)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-(dimethylamino)-5-fluoro-N-(((S)-3-methoxypyrrolidin-1-yl)sulfonyl)benzamide;

4-(10-chloro-8-((R)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-(dimethylamino)-5-fluoro-N-(((R)-3-methoxypyrrolidin-1-yl)sulfonyl)benzamide;

2-(dimethylamino)-5-fluoro-4-(8-((R)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-N-(((R)-3-methoxypiperidin-1-yl)sulfonyl)benzamide;

2-(dimethylamino)-5-fluoro-4-(8-((R)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-N-(((R)-2-(trifluoromethyl)pyrrolidin-1-yl)sulfonyl)benzamide;

4-(10-chloro-8-((R)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-methoxy-N-(((R)-2-(methoxymethyl)pyrrolidin-1-yl)sulfonyl)benzamide;

(R)-2-(dimethylamino)-5-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-N-((4-methoxypiperidin-1-yl)sulfonyl)benzamide;

4-(10-chloro-8-((R)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-(dimethylamino)-5-fluoro-N-(((R)-2-(methoxymethyl)pyrrolidin-1-yl)sulfonyl)benzamide;

(R)-5-chloro-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-(dimethylamino)-N-(N,N-dimethylsulfamoyl)benzamide;

2-(dimethylamino)-5-fluoro-4-(8-((R)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-N-(((S)-2-(trifluoromethyl)pyrrolidin-1-yl)sulfonyl)benzamide;

(R)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-(dimethylamino)-5-fluoro-N-((4-(trifluoromethyl)piperidin-1-yl)sulfonyl)benzamide;

N-(((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)sulfonyl)-4-(10-chloro-8-((R)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-(dimethylamino)-5-fluorobenzamide;

4-(10-chloro-8-((R)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-(dimethylamino)-5-fluoro-N-(((S)-2-(trifluoromethyl)pyrrolidin-1-yl)sulfonyl)benzamide;

(R)-2-(dimethylamino)-5-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-N-((4-(trifluoromethyl)piperidin-1-yl)sulfonyl)benzamide;

(R)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-N-(N,N-dicyclopropylsulfamoyl)-5-fluoro-2-methoxybenzamide;

(R)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-N-(N-cyclopropyl-N-methylsulfamoyl)-2-ethoxy-5-fluorobenzamide;

(R)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-ethoxy-5-fluoro-N-((1-methylcyclopropyl)sulfonyl)benzamide;

(R)-N-((2-azaspiro[3.3]heptan-2-yl)sulfonyl)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-ethoxy-5-fluorobenzamide;

N-((8-oxa-3-azabicyclo[3.2.1]octan-3-yl)sulfonyl)-4-(10-chloro-8-((R)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-ethoxy-5-fluorobenzamide;

4-(10-chloro-8-((R)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-(dimethylamino)-5-fluoro-N-(((S)-3-fluoropyrrolidin-1-yl)sulfonyl)benzamide;

4-(10-chloro-8-((R)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-(dimethylamino)-5-fluoro-N-(((R)-3-fluoropyrrolidin-1-yl)sulfonyl)benzamide;

(R)-N-((7-azabicyclo[2.2.1]heptan-7-yl)sulfonyl)-2-(dimethylamino)-5-fluoro-4-(10-fluoro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(R)-N-((7-azabicyclo[2.2.1]heptan-7-yl)sulfonyl)-5-fluoro-4-(10-fluoro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-methoxybenzamide;

(R)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-cyclopropoxy-N-(N,N-dimethylsulfamoyl)-5-fluorobenzamide;

N-((3-oxa-8-azabicyclo[3.2.1]octan-8-yl)sulfonyl)-4-(10-chloro-8-((R)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-cyclopropoxy-5-fluorobenzamide;

(R)-2-(dimethylamino)-5-fluoro-4-(10-fluoro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-N-(pyrrolidin-1-ylsulfonyl)benzamide;

(R)-5-fluoro-4-(10-fluoro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-methoxy-N-(pyrrolidin-1-ylsulfonyl)benzamide;

(R)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-fluoro-5-methyl-N-(pyrrolidin-1-ylsulfonyl)benzamide;

2-(dimethylamino)-5-fluoro-4-(8-((R)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-N-(((R)-2-(methoxymethyl)pyrrolidin-1-yl)sulfonyl)benzamide;

2-(dimethylamino)-5-fluoro-4-(8-((R)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-N-(((S)-2-(methoxymethyl)pyrrolidin-1-yl)sulfonyl)benzamide;

N-(((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)sulfonyl)-2-(dimethylamino)-5-fluoro-4-(8-((R)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

2-(dimethylamino)-5-fluoro-N-(((R)-3-fluoropyrrolidin-1-yl)sulfonyl)-4-(8-((R)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

N-((3-azabicyclo[3.1.0]hexan-3-yl)sulfonyl)-2-(dimethylamino)-5-fluoro-4-(8-((R)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

(R)-N-((7-azabicyclo[2.2.1]heptan-7-yl)sulfonyl)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-(dimethylamino)-5-fluorobenzamide;

(R)-N-((7-azabicyclo[2.2.1]heptan-7-yl)sulfonyl)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-ethoxy-5-fluorobenzamide;

(R)-N-((2-azaspiro[3.3]heptan-2-yl)sulfonyl)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-(dimethylamino)-5-fluorobenzamide;

(R)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-fluoro-5-methoxy-N-(pyrrolidin-1-ylsulfonyl)benzamide;

(R)-N-((7-azabicyclo[2.2.1]heptan-7-yl)sulfonyl)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-ethoxybenzamide;

(R)-N-((7-azabicyclo[2.2.1]heptan-7-yl)sulfonyl)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-methoxybenzamide;

N-((3-oxa-8-azabicyclo[3.2.1]octan-8-yl)sulfonyl)-4-(10-chloro-8-((R)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-2-(dimethylamino)-5-fluorobenzamide;

(R)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-N-(N-cyclopropyl-N-methylsulfamoyl)-2-(dimethylamino)-5-fluorobenzamide;

(R)-N-((7-azabicyclo[2.2.1]heptan-7-yl)sulfonyl)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-5-fluoro-2-methoxybenzamide;

N-((3-azabicyclo[3.1.0]hexan-3-yl)sulfonyl)-4-(10-chloro-8-((R)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-5-fluoro-2-methoxybenzamide;

(R)-N-((7-azabicyclo[2.2.1]heptan-7-yl)sulfonyl)-4-(10-chloro-8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-5-fluoro-2-(methoxy-d3)benzamide;

N-((3-azabicyclo[3.1.0]hexan-3-yl)sulfonyl)-4-(10-chloro-8-((R)-3-(methoxymethyl)-4-methylpiperazin-1-yl)-7-methyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-5-fluoro-2-(methoxy-d3)benzamide;

(R)-5-chloro-2-(methoxy-d3)-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-N-(pyrrolidin-1-ylsulfonyl)benzamide;

(R)-5-chloro-2-methoxy-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-N-(pyrrolidin-1-ylsulfonyl)benzamide;









(R)-5-chloro-2-ethoxy-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)-N-(pyrrolidin-1-ylsulfonyl)benzamide;











and











(R)-N-((7-azabicyclo[2.2.1]heptan-7-yl)sulfonyl)-2-cyclopropoxy-5-fluoro-4-(8-(3-(methoxymethyl)-4-methylpiperazin-1-yl)-7,10-dimethyl-5-oxo-1,3,4,5-tetrahydro-2H-chromeno[3,4-c]pyridine-3-carbonyl)benzamide;

or a pharmaceutically acceptable salt and/or solvate of any one thereof.

Claim 14. The compound or a pharmaceutically acceptable salt and/or solvate thereof according to claim 1 which is selected from the list consisting of:



;

;

;

;

;

;

;

;



;

;

;

;

;

;

;

;

;

;


;

;

;

;

;

;

;

;

;

;

;

;



; and  ;


or a pharmaceutically acceptable salt and/or solvate of any one thereof.

Claim 15. A pharmaceutical composition comprising the compound or pharmaceutically acceptable salt and/or solvate thereof according to any one of claims 1 to 14 and one or more pharmaceutically acceptable diluents or carriers.

Claim 16. The compound or pharmaceutically acceptable salt and/or solvate thereof according to any one of claims 1 to 14 or the pharmaceutical composition according to claim 15 for use as a medicament.

Claim 17. Use of the compound or a pharmaceutically acceptable salt and/or solvate thereof according to any one of claims 1 to 14 or the pharmaceutical composition according to claim 15 for the manufacture of a medicament for treating or preventing a disease selected from inflammatory, autoimmune and fibrotic diseases, and cancer.


Claim 18. A process for the preparation of a compound of formula (I):



(I)

or a salt and/or solvate thereof such as a pharmaceutically acceptable salt and/or solvate thereof, wherein R_1, R_2, R_3, R_4, R_5, R_6, R_7, m and n are as defined in any one of claims 1 to 14; which comprises:


(a) coupling a compound of formula (II):



(II)

or a salt such as a pharmaceutically acceptable salt thereof;

with a compound of formula (III):




(III);

or a salt such as a pharmaceutically acceptable salt thereof;

wherein R_1, R_2, R_3, R_4, R_5, R_6, R_7, m and n are as defined in any one of claims 1 to 14;

or

(b) preparing a compound of formula (I) in which R_7 is absent by a process comprising coupling a compound of formula (XXXVIII):




(XXXVIII)

or a salt and/or solvate thereof;

wherein R_1, R_2, R_3, R_4, R_5, R_8, n and m are as defined in any one of claims 1 to 14;

with a compound of formula (XVI):




(XVI)

or a salt and/or solvate thereof;

wherein R_8 is as defined in any in any one of claims 1 to 14.


Claim 19. A compound of formula (II):



(II)


or a salt, such as a pharmaceutically acceptable salt thereof;
wherein R_1, R_2, R_3 and m are as defined in any one of claims 1 to 14.

Claim 20. A compound of formula (III):




(III)

or a salt, such as a pharmaceutically acceptable salt thereof;

wherein R_4, R_5, R_8 and n are as defined in any one of claims 1 to 14, R_6 is  and R_7 is absent.

Claim 21. A compound of formula (XXXVIII):




(XXXVIII)

or a salt and/or solvate thereof;

wherein R_1, R_2, R_3, R_4, R_5, n and m are as defined in any one of claims 1 to 14.

Claim 22. A compound of formula (XXXIX):




(XXXIX)

or a salt and/or solvate thereof;

wherein R_1, R_2, R_3, R_4, R_5, n and m are as defined in any one of claims 1 to 14, and Alk is C_{1-4}alkyl.

Claim 23. A compound of formula (XXXXI):



(XXXXI)

or a salt and/or solvate thereof;

wherein R_1, R_2, R_3, R_4, R_5, n and m are as defined in any one of claims 1 to 14, and LG is a leaving group such as halo e.g. bromo.