Case 55201A

Claims:

1. A compound of the formula I



(I),

or a salt thereof, wherein

A is a fused five- to seven-membered monocyclic ring system which may be aromatic, saturated or unsaturated non-aromatic and which may contain from 1 to 4 hetero atoms selected from nitrogen, oxygen and sulfur;

R_1 is halogen; cyano; nitro; hydroxy; amino; -C(O)H; $-C(O)NH_2$; $-X_1-R_5$; or $-X_2-B_2$;

X_1 is selected from bond; carbonyl; oxygen; sulfur; -S(O)-; $-S(O)_2-$; amino, which may be substituted by C_{1-4}alkyl; -NH-C(O)-; -C(O)-NH-; -C(O)-O-; -O-C(O)-; $-NH-S(O)_2-$; $-S(O)_2-NH-$; and -NHC(O)NH-;

R_5 is C_{1-6}alkyl; C_{1-6}halogenalkyl; C_{1-6}cyanoalkyl; C_{1-6}carboxyalkyl; C_{1-6}hydroxyalkyl; C_{1-4}alkoxy-C_{1-6}alkyl; C_{1-4}alkoxy-C_{1-4}alkoxy-C_{1-6}alkyl; C_{1-4}alkylcarbonyl-C_{1-6}alkyl; C_{1-4}alkoxycarbonyl-C_{1-6}alkyl; C_{1-4}alkylcarbonyloxy-C_{1-6}alkyl; C_{1-6}aminoalkyl; C_{1-4}alkylamino-C_{1-6}alkyl; di(C_{1-4}alkyl)amino-C_{1-6}alkyl; aminocarbonyl-C_{1-6}alkyl; C_{1-4}alkylaminocarbonyl-C_{1-6}alkyl; di(C_{1-4}alkyl)aminocarbonyl-C_{1-6}alkyl; C_{1-4}alkylcarbonylamino-C_{1-6}alkyl; C_{1-4}alkylaminosulfonyl-C_{1-6}alkyl; di(C_{1-4}alkyl)aminosulfonyl-C_{1-6}alkyl; C_{2-6}alkenyl; C_{2-6}halogenalkenyl; C_{2-6}alkinyl; C_{2-6}halogenalkinyl;

X_2 is bond or C_{1-3}alkylene, wherein one carbon atom of the C_{1-3}alkylene may be replaced by a group selected from carbonyl; oxygen; sulfur; -S(O)-; $-S(O)_2-$; amino, which may be substituted by C_{1-4}alkyl; -NH-C(O)-; -C(O)-NH-; -C(O)-O-; -O-C(O)-; $-NH-S(O)_2-$; $-S(O)_2-NH-$; and -NHC(O)NH-;

Case 55201A

B_2 is a three- to seven-membered monocyclic ring system which may be aromatic, saturated or unsaturated non-aromatic and which may contain from 1 to 4 hetero atoms selected from nitrogen, oxygen and sulfur, wherein the ring system may in turn be substituted once or more than once by R_6;

each R_6 independently is halogen, hydroxy, cyano, C_{1-4}alkyl, C_{1-4}halogenalkyl, C_{1-4}alkoxy, or C_{1-4}halogenalkoxy; or two R_6 at the same ring atom together are oxo;

m is 0, 1, 2, 3 or 4;

each R_2 independently is halogen, cyano, hydroxy, amino, C_{1-4}alkyl; C_{1-4}halogenalkyl; C_{1-4}hydroxyalkyl; C_{1-4}aminoalkyl; C_{1-4}alkylamino-C_{1-4}alkyl; di-(C_{1-4}alkyl)amino-C_{1-4}alkyl; C_{1-4}alkoxy-C_{1-4}alkyl; C_{2-4}alkenyl; C_{2-4}halogenalkenyl; C_{2-4}alkinyl; C_{2-4}halogenalkinyl; C_{1-4}alkoxy; C_{1-4}halogenalkoxy; C_{1-4}alkyl-amino; di-(C_{1-4}alkyl)amino or C_{3-6}cycloalkyl, wherein one carbon atom of the C_{3-6}cycloalkyl may be replaced by an oxygen atom and wherein the C_{3-6}cycloalkyl may be attached directly to the ring system or via a C_{1-2}alkylene or an oxygen;

n is 0, 1, 2, 3 or 4;

each R_3 independently is halogen, cyano, hydroxy, amino, C_{1-4}alkyl; C_{1-4}halogenalkyl; C_{1-4}hydroxyalkyl; C_{1-4}aminoalkyl; C_{1-4}alkylamino-C_{1-4}alkyl; di-(C_{1-4}alkyl)amino-C_{1-4}alkyl; C_{1-4}alkoxy-C_{1-4}alkyl; C_{2-4}alkenyl; C_{2-4}halogenalkenyl; C_{2-4}alkinyl; C_{2-4}halogenalkinyl; C_{1-4}alkoxy; C_{1-4}halogenalkoxy; C_{1-4}alkyl-amino; di-(C_{1-4}alkyl)amino or C_{3-6}cycloalkyl, wherein one carbon atom of the C_{3-6}cycloalkyl may be replaced by an oxygen atom and wherein the C_{3-6}cycloalkyl may be attached directly to the ring system or via a C_{1-2}alkylene or an oxygen;

R_4 is hydrogen, halogen, cyano, hydroxy, amino, C_{1-4}alkyl; C_{1-4}halogenalkyl; C_{1-4}hydroxyalkyl; C_{1-4}aminoalkyl; C_{1-4}alkylamino-C_{1-4}alkyl; di-(C_{1-4}alkyl)amino-C_{1-4}alkyl; C_{1-4}alkoxy-C_{1-4}alkyl; C_{2-4}alkenyl; C_{2-4}halogenalkenyl; C_{2-4}alkinyl; C_{2-4}halogenalkinyl; C_{1-4}alkoxy; C_{1-4}halogenalkoxy; C_{1-4}alkyl-amino; di-(C_{1-4}alkyl)amino or C_{3-6}cycloalkyl, wherein one carbon atom of the C_{3-6}cycloalkyl may be replaced by an oxygen atom and wherein the C_{3-6}cycloalkyl may be attached directly to the ring system or via a C_{1-2}alkylene or an oxygen;

B_1 is a five- to six-membered aromatic ring system, which may contain from 1 to 4 hetero atoms selected from nitrogen, oxygen and sulfur, wherein the ring system may in turn be substituted once or more than once by R_7;

each R_7 independently is
halogen, cyano, hydroxy, amino,
C_{1-4}alkyl; C_{1-4}halogenalkyl; C_{1-4}hydroxyalkyl; C_{1-4}aminoalkyl; C_{1-4}alkylamino-C_{1-4}alkyl; di-(C_{1-4}alkyl)amino-C_{1-4}alkyl; C_{1-4}alkoxy-C_{1-4}alkyl;
C_{2-4}alkenyl; C_{2-4}halogenalkenyl; C_{2-4}alkinyl; C_{2-4}halogenalkinyl;
C_{1-4}alkoxy; C_{1-4}alkoxy-C_{1-4}alkoxy C_{1-4}halogenalkoxy;
C_{1-4}alkyl-amino; di-(C_{1-4}alkyl)amino;
C_{1-4}alkoxycarbonyl;
or a three- to seven-membered monocyclic ring system which may be aromatic, saturated or unsaturated non-aromatic and which may contain from 1 to 4 hetero atoms selected from nitrogen, oxygen and sulfur, wherein the ring system may in turn be substituted once or more than once by R_8;
each R_8 independently is halogen, hydroxy, cyano, C_{1-4}alkyl, C_{1-4}halogenalkyl, C_{1-4}alkoxy, or C_{1-4}halogenalkoxy; or two R_8 at the same ring atom together are oxo;

or two R_7 at adjacent ring atoms atoms form together with said ring atoms a fused five- to seven-membered monocyclic unsaturated non-aromatic ring system which may contain from 1 to 4 hetero atoms selected from nitrogen, oxygen and sulfur, wherein the ring system may in turn be substituted once or more than once by R_8;
each R_9 independently is halogen, hydroxy, cyano, C_{1-4}alkyl, C_{1-4}halogenalkyl, C_{1-4}alkoxy, or C_{1-4}halogenalkoxy; or two R_9 at the same ring atom together are oxo.

2. A compound of formula I according to claim 1, wherein A is phenyl.

3. A compound of formula I according to any of claims 1 or 2, wherein R_1 is $-X_2-B_2$, wherein X_2 is bond; B_2 is C_{3-6}cycloalkyl which may be substituted once or more than once by R_6; or B_2 is a five- to six-membered aromatic ring system which may contain from 1 to 4 hetero atoms selected from nitrogen, oxygen and sulfur, wherein the ring system may in turn be substituted once or more than once by R_8; each R_6 independently is halogen, hydroxy, cyano, C_{1-4}alkyl, C_{1-4}halogenalkyl, C_{1-4}alkoxy, or C_{1-4}halogenalkoxy.

4. A compound of formula I according to any of claims 1-3, wherein
m is 0, 1 or 2;

Case 55201A

each R_2 independently is halogen, C_{1-4}alkyl; C_{1-4}halogenalkyl; C_{1-4}alkoxy; C_{1-4}halogenalkoxy or C_{3-6}cycloalkyl;
n is 0; and
R_4 is hydrogen.

5. A compound of formula I according to any of claims 1-4, wherein B_1 is a five- to six-membered aromatic ring system, which contains from 1 to 4 hetero atoms selected from nitrogen, oxygen and sulfur, wherein the ring system may in turn be substituted once or more than once by R_7; and wherein each R_7 independently is halogen, C_{1-4}alkyl; C_{1-4}halogenalkyl; C_{1-4}alkoxy-C_{1-4}alkyl, C_{1-4}alkoxy, C_{1-4}alkoxy-C_{1-4}alkoxy or C_{3-6}cycloalkyl.

6. A compound of formula I according to claim 1, wherein
A is phenyl;
R_1 is $-X_2$-B_2, wherein X_2 is bond;
B_2 is C_{3-6}cycloalkyl which may be substituted once or more than once by R_6;
or B_2 is a five- to six-membered aromatic ring system which may contain from 1 to 4 hetero atoms selected from nitrogen, oxygen and sulfur, wherein the ring system may in turn be substituted once or more than once by R_6;
each R_6 independently is halogen, hydroxy, cyano, C_{1-4}alkyl, C_{1-4}halogenalkyl, C_{1-4}alkoxy, or C_{1-4}halogenalkoxy;
m is 0, 1 or 2;
each R_2 independently is halogen, C_{1-4}alkyl; C_{1-4}halogenalkyl; C_{1-4}alkoxy; C_{1-4}halogenalkoxy or C_{3-6}cycloalkyl;
n is 0, 1 or 2;
each R_3 independently is halogen, C_{1-4}alkyl; C_{1-4}halogenalkyl; C_{1-4}alkoxy; C_{1-4}halogenalkoxy or C_{3-6}cycloalkyl;
R_4 is hydrogen, halogen, C_{1-4}alkyl; C_{1-4}halogenalkyl; C_{1-4}alkoxy; C_{1-4}halogenalkoxy or C_{3-6}cycloalkyl;
B_1 is a five- to six-membered aromatic ring system, which contains from 1 to 4 hetero atoms selected from nitrogen, oxygen and sulfur, wherein the ring system may in turn be substituted once or more than once by R_7;
and wherein each R_7 independently is halogen, C_{1-4}alkyl; C_{1-4}halogenalkyl; C_{1-4}alkoxy-C_{1-4}alkyl, C_{1-4}alkoxy, C_{1-4}alkoxy-C_{1-4}alkoxy or C_{3-6}cycloalkyl.

Case 55201A

7. A compound of formula I according to claim 1, wherein said compound is selected from the group consisting of
9-methoxy-2-(3-methoxyphenyl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-chloro-2-(thiophen-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-chloro-2-(3-methoxyphenyl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(thiophen-2-yl)-9-(trifluoromethyl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-methoxy-2-(thiophen-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-chloro-2-(2-methoxypyridin-4-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-methoxy-2-(5-methylfuran-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-methoxy-2-(2-methoxypyridin-4-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-methoxy-2-(6-methoxypyridin-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(2-ethylpyridin-4-yl)-9-methoxy-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-methoxy-2-(1-methyl-1H-pyrazol-3-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-methoxy-2-(3-(2-methoxyethoxy)phenyl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
10-chloro-9-methoxy-2-(3-methoxyphenyl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
11-chloro-9-methoxy-2-(3-methoxyphenyl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(3-ethoxyphenyl)-9-methoxy-7-methyl-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-methoxy-2-(3-(trifluoromethyl)phenyl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-methoxy-2-(4-methoxyphenyl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-methoxy-2-(5-methoxy-2-methylphenyl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-fluoro-2-(thiophen-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-bromo-2-(3-methoxyphenyl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(2-(dimethylamino)pyridin-4-yl)-9-methoxy-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(2-methoxypyridin-4-yl)-9-morpholino-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(5-methylfuran-2-yl)-9-morpholino-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;

2-(1-methyl-1H-pyrazol-3-yl)-9-morpholino-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(1-methyl-1H-pyrazol-4-yl)-9-morpholino-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-(2-hydroxypropan-2-yl)-2-(3-methoxyphenyl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-(2-hydroxypropan-2-yl)-2-(1-methyl-1H-pyrazol-3-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(furan-2-yl)-9-(pyridin-4-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-bromo-2-(thiophen-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-iodo-2-(3-methoxyphenyl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-iodo-2-(1-methyl-1H-pyrazol-3-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-iodo-2-(1-methyl-1H-pyrazol-4-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-iodo-2-(2-methoxypyridin-4-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(furan-3-yl)-9-iodo-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-iodo-2-(1-isopropyl-1H-pyrazol-4-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-iodo-2-(1-methyl-1H-imidazol-4-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-methoxy-2-(4-methyl-3,4-dihydro-2H-pyrido[3,2-b][1,4]oxazin-7-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-ethyl-2-(3-methoxyphenyl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-ethynyl-2-(thiophen-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
5-oxo-2-(thiophen-2-yl)-4,5,7,8-tetrahydro-[1,4]diazepino[7,1-a]isoquinoline-9-carbonitrile;
2-(1-methyl-1H-pyrazol-3-yl)-5-oxo-4,5,7,8-tetrahydro-[1,4]diazepino[7,1-a]isoquinoline-9-carbonitrile;
2-(3-methoxyphenyl)-9-morpholino-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(1-isopropyl-1H-pyrazol-4-yl)-9-(1H-pyrazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-((dimethylamino)methyl)-2-(3-methoxyphenyl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-((2-methoxyethoxy)methyl)-2-(3-methoxyphenyl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-(hydroxymethyl)-2-(1-methyl-1H-pyrazol-3-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;

9-(hydroxymethyl)-2-(1-methyl-1H-pyrazol-4-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-(1-methoxyethyl)-2-(1-methyl-1H-pyrazol-3-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-acetyl-2-(3-methoxyphenyl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(3-methoxyphenyl)-9-phenyl-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(2-methoxypyridin-4-yl)-9-(pyridin-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(furan-3-yl)-9-(pyridin-4-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(2-methoxypyridin-4-yl)-9-(pyrazin-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-(6-fluoropyridin-3-yl)-2-(2-methoxypyridin-4-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-(3-fluoropyridin-4-yl)-2-(2-methoxypyridin-4-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(1-methyl-1H-imidazol-4-yl)-9-(pyridin-4-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(1-methyl-1H-pyrazol-3-yl)-9-(2-methylpyridin-4-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(3-methoxyphenyl)-9-(tetrahydrofuran-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one,
(R)-2-(3-methoxyphenyl)-9-(tetrahydrofuran-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
(S)-2-(3-methoxyphenyl)-9-(tetrahydrofuran-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-methoxy-2-(6-oxo-1,6-dihydropyridin-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9,10-dimethoxy-2-(3-methoxyphenyl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-methoxy-2-(2-oxo-1,2-dihydropyridin-4-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-isopropyl-1H-imidazol-1-yl)-9-methoxy-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-chloro-2-(4-methyl-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;

9-iodo-2-(4-(trifluoromethyl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
1-(9-iodo-5-oxo-4,5,7,8-tetrahydro-[1,4]diazepino[7,1-a]isoquinolin-2-yl)-1H-imidazole-4-carbonitrile;
2-(4-(hydroxymethyl)-1H-imidazol-1-yl)-9-iodo-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
methyl 1-(9-iodo-5-oxo-4,5,7,8-tetrahydro-[1,4]diazepino[7,1-a]isoquinolin-2-yl)-1H-imidazole-4-carboxylate;
2-(2,4-dimethyl-1H-imidazol-1-yl)-9-iodo-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
ethyl 1-(9-iodo-5-oxo-4,5,7,8-tetrahydro-[1,4]diazepino[7,1-a]isoquinolin-2-yl)-1H-imidazole-4-carboxylate;
2-(4-cyclobutyl-1H-imidazol-1-yl)-9-(1H-pyrazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-cyclobutyl-1H-imidazol-1-yl)-9-morpholino-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-(methoxymethyl)-1H-imidazol-1-yl)-9-(thiazol-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-isopropyl-1H-imidazol-1-yl)-9-(1-methyl-1H-pyrazol-4-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-isopropyl-1H-imidazol-1-yl)-9-(1-methyl-1H-imidazol-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-ethyl-1H-imidazol-1-yl)-9-(oxazol-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-ethyl-1H-imidazol-1-yl)-9-(furan-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-(2-methoxyethyl)-1H-imidazol-1-yl)-9-(thiazol-4-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-(methoxymethyl)-1H-imidazol-1-yl)-9-(5-methylthiazol-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-methyl-1H-imidazol-1-yl)-9-(pyrimidin-5-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-methyl-1H-imidazol-1-yl)-9-(pyridin-3-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;

2-(4-methyl-1H-imidazol-1-yl)-9-(pyridin-4-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-(6-fluoropyridin-3-yl)-2-(4-methyl-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-methyl-1H-imidazol-1-yl)-9-(thiazol-5-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-chloro-1H-imidazol-1-yl)-9-(5-fluoropyridin-3-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-(6-fluoropyridin-3-yl)-2-(4-(2-methoxyethyl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-(methoxymethyl)-1H-imidazol-1-yl)-9-vinyl-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-ethyl-1H-imidazol-1-yl)-9-(4-fluorophenyl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-cyclopropyl-1H-imidazol-1-yl)-9-(4-methyloxazol-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-cyclopropyl-1H-imidazol-1-yl)-9-(5-methyloxazol-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-(oxazol-2-yl)-1H-imidazol-1-yl)-9-propyl-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-ethyl-2-(4-isopropyl-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-methyl-1H-imidazol-1-yl)-9-propyl-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-cyclobutyl-2-(4-(methoxymethyl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-cyclobutyl-2-(3-methyl-1H-1,2,4-triazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-cyclopropyl-2-(3-(methoxymethyl)-1H-1,2,4-triazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
4-(6-fluoropyridin-3-yl)-11-(4-isopropyl-1H-imidazol-1-yl)-5,6-dihydro-[1,4]diazepino[1,7-h][1,7]naphthyridin-8(9H)-one;
2-(4-cyclopropyl-1H-imidazol-1-yl)-9-(6-fluoropyridin-3-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;

Case 55201A

9-cyclopropyl-2-(4-(methoxymethyl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-cyclopropyl-1H-imidazol-1-yl)-9-(2-fluoropyridin-3-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-cyclobutyl-1H-imidazol-1-yl)-9-(2-fluoropyridin-3-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-cyclopropyl-1H-imidazol-1-yl)-9-(2,6-difluoropyridin-3-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-cyclopropyl-1H-imidazol-1-yl)-9-(isoxazol-5-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-(methoxymethyl)-1H-imidazol-1-yl)-9-(thiazol-4-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(3-ethyl-1H-1,2,4-triazol-1-yl)-9-(6-fluoropyridin-3-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-9-(6-fluoropyridin-3-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-cyclopropyl-1H-imidazol-1-yl)-9-(3-methylisothiazol-5-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-cyclopropyl-1H-imidazol-1-yl)-9-(oxazol-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-ethynyl-1H-imidazol-1-yl)-9-(thiazol-4-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-(2-fluoropyridin-3-yl)-2-(4-(oxazol-2-yl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-cyclopropyl-1H-imidazol-1-yl)-1-methyl-9-(3-methylisoxazol-5-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-cyclopropyl-1H-imidazol-1-yl)-9-(2-methyloxazol-4-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-cyclopropyl-1H-imidazol-1-yl)-9-(oxazol-5-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-cyclopropyl-1H-imidazol-1-yl)-9-(6-fluoropyridin-3-yl)-7,8-dihydro-[1,4]diazepino[7,1-a][2,6]naphthyridin-5(4H)-one;
2-(4-ethyl-1H-imidazol-1-yl)-9-(tetrahydrofuran-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;

(R)-2-(4-ethyl-1H-imidazol-1-yl)-9-(tetrahydrofuran-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
(S)-2-(4-ethyl-1H-imidazol-1-yl)-9-(tetrahydrofuran-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-(tert-butyl)-1H-imidazol-1-yl)-9-(tetrahydrofuran-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
(R)-2-(4-(tert-butyl)-1H-imidazol-1-yl)-9-(tetrahydrofuran-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
(S)-2-(4-(tert-butyl)-1H-imidazol-1-yl)-9-(tetrahydrofuran-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-ethyl-1H-imidazol-1-yl)-9-(1-fluorocyclobutyl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-ethyl-1H-imidazol-1-yl)-9-(3-fluorooxetan-3-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-ethyl-1H-imidazol-1-yl)-9-(1-hydroxyethyl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
(R)-2-(4-ethyl-1H-imidazol-1-yl)-9-(1-hydroxyethyl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
(S)-2-(4-ethyl-1H-imidazol-1-yl)-9-(1-hydroxyethyl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-acetyl-2-(4-methyl-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-acetyl-2-(4-cyclobutyl-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-(1-methoxyethyl)-1H-imidazol-1-yl)-9-(prop-1-en-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
(R)-2-(4-(1-methoxyethyl)-1H-imidazol-1-yl)-9-(prop-1-en-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
(S)-2-(4-(1-methoxyethyl)-1H-imidazol-1-yl)-9-(prop-1-en-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-(cyclopent-1-en-1-yl)-2-(4-(methoxymethyl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-(methoxymethyl)-1H-imidazol-1-yl)-9-(prop-1-en-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;

9-cyclopropyl-2-(4-(1-methoxyethyl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
(S)-9-cyclopropyl-2-(4-(1-methoxyethyl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
(R)-9-cyclopropyl-2-(4-(1-methoxyethyl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-cyclobutyl-1H-imidazol-1-yl)-9-propionyl-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one; and
9-(tert-butyl)-2-(4-(methoxymethyl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-9-(3-fluoropyrazin-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-9-(3-fluoropyridin-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-cyclopropyl-1H-imidazol-1-yl)-9-(thiazol-5-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-cyclopropyl-1H-imidazol-1-yl)-9-(2-methylthiazol-5-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-cyclopropyl-1H-imidazol-1-yl)-9-(pyrazin-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-9-(thiazol-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-(2-methoxyethyl)-1H-imidazol-1-yl)-9-(thiazol-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-(ethoxymethyl)-1H-imidazol-1-yl)-9-(4-methylthiazol-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-(ethoxymethyl)-1H-imidazol-1-yl)-9-(thiazol-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-cyclopropyl-1H-imidazol-1-yl)-9-(4-fluoropyridin-3-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-cyclopropyl-10-fluoro-2-(4-(methoxymethyl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-methyl-1H-imidazol-1-yl)-9-(2-methyloxazol-5-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;

2-(4-cyclopropyl-1H-imidazol-1-yl)-9-(3-(trifluoromethyl)-1H-pyrazol-5-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-cyclopropyl-1H-imidazol-1-yl)-9-(6-hydroxypyridin-3-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-cyclopropyl-1H-imidazol-1-yl)-9-(6-methoxypyridin-3-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-cyclopropyl-1H-imidazol-1-yl)-9-(1H-pyrazol-3-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-cyclopropyl-1H-imidazol-1-yl)-9-(2-fluoropyrimidin-5-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-cyclopropyl-1H-imidazol-1-yl)-9-(2-fluoropyridin-4-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(3-cyclobutyl-1H-1,2,4-triazol-1-yl)-9-(6-fluoropyridin-3-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-cyclopropyl-12-fluoro-2-(4-(methoxymethyl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
(R)-9-cyclopropyl-12-fluoro-2-(4-(1-methoxyethyl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-cyclopropyl-11-fluoro-2-(4-(methoxymethyl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-cyclopropyl-2-(4-(difluoromethyl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-cyclopropyl-2-(4-(fluoromethyl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
(R)-9-cyclopropyl-10-fluoro-2-(4-(1-methoxyethyl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
10-fluoro-9-(6-fluoropyridin-3-yl)-2-(3-methyl-1H-1,2,4-triazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-cyclopropyl-10-fluoro-2-(3-(methoxymethyl)-1H-1,2,4-triazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-10-fluoro-9-(2-fluoropyridin-3-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
10-fluoro-9-(2-fluoropyridin-3-yl)-2-(3-methyl-1H-1,2,4-triazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;

Case 55201A

10-fluoro-9-(2-fluoropyridin-3-yl)-2-(4-methyl-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-(6-fluoropyridin-3-yl)-2-(4-(1-methoxycyclopropyl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-methyl-1H-imidazol-1-yl)-9-(pyrazin-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-(6-fluoropyridin-3-yl)-2-(4-(3-hydroxyoxetan-3-yl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-9-(2-methyloxazol-4-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-cyclobutyl-1H-imidazol-1-yl)-9-(2-methyloxazol-4-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-methyl-1H-imidazol-1-yl)-9-(2-methyloxazol-4-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-cyclopropyl-2-(4-cyclopropyl-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a][2,6]naphthyridin-5(4H)-one;
9-cyclopropyl-2-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a][2,6]naphthyridin-5(4H)-one;
(R)-9-cyclopropyl-2-(4-(1-methoxyethyl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a][2,6]naphthyridin-5(4H)-one;
9-cyclopropyl-2-(4-(difluoromethyl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a][2,6]naphthyridin-5(4H)-one;
9-cyclopropyl-2-(4-(oxazol-5-yl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-cyclopropyl-2-(4-(isoxazol-5-yl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-cyclopropyl-2-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-cyclopropyl-2-(4-methoxy-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-cyclopropyl-2-(4-(trifluoromethyl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-cyclopropyl-2-(4-(pyridin-4-yl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;

9-cyclopropyl-2-(4-((trifluoromethoxy)methyl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-cyclopropyl-2-(4-(1-hydroxycyclopropyl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-cyclopropyl-2-(4-(2-hydroxyethyl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-cyclopropyl-2-(4-(1-hydroxyethyl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-cyclopropyl-2-(4-(cyclopropyl(hydroxy)methyl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-cyclopropyl-2-(4-((trifluoromethoxy)methyl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
methyl 2-(4-cyclopropyl-1H-imidazol-1-yl)-5-oxo-4,5,7,8-tetrahydro-[1,4]diazepino[7,1-a]isoquinoline-9-carboxylate;
2-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-9-(5-fluoropyridin-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-9-(6-fluoropyridin-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-9-(4-fluoropyridin-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-9-(5-fluoropyrazin-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-(5-fluoropyrazin-2-yl)-2-(3-methyl-1H-1,2,4-triazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-cyclopropyl-1H-imidazol-1-yl)-9-(2H-1,2,3-triazol-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
2-(4-cyclopropyl-1H-imidazol-1-yl)-9-(5-fluoropyrazin-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-cyclopropyl-2-(4-(1-fluorocyclopropyl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a][2,6]naphthyridin-5(4H)-one;
2-(4-cyclopropyl-1H-imidazol-1-yl)-9-(6-fluoropyrazin-2-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
9-isopropoxy-2-(4-(methoxymethyl)-1H-imidazol-1-yl)-7,8-dihydro-[1,4]diazepino[7,1-a]isoquinolin-5(4H)-one;
or salts of these compounds.

8. A pharmaceutical composition comprising a therapeutically effective amount of a compound according to any one of claims 1 to 7 and one or more pharmaceutically acceptable carriers.

9. A combination comprising a therapeutically effective amount of the compound according to any one of claims 1 to 7 and one or more therapeutically active agents.

10. A method of inhibiting mGluR5 activity in a subject, wherein the method comprises administering to the subject a therapeutically effective amount of the compound according to any one of claims 1 to 7.

11. A method of treating a disorder or a disease in a subject mediated by mGluR5, wherein the method comprises administering to the subject a therapeutically effective amount of a compound according to any one of claims 1 to 7.

12. A compound according to any one of claims 1 to 7, for use as a medicament.

13. Use of a compound according to any one of claims 1 to 7, for the treatment of a disorder or disease in a subject mediated by mGluR5.

14. Use of a compound according to any one of claims 1 to 7, for the treatment of a disorder or disease in a subject characterized by an abnormal activity of mGluR5.

15. A compound of the formula III



(III),

or a salt thereof, wherein A, R_2, m, R_3, n and R_4 are as defined according to claim 1, and X_A is halogen; or

a compound of formula V

Case 55201A



(V),

or a salt thereof, wherein A, R_2, m, R_3, n and R_4 are as defined according to claim 1, and X_A is halogen; or

a compound of formula VI



(VI),

or a salt thereof, wherein A, R_2, m, R_3, n and R_4 are as defined according to claim 1, and X_A is halogen; or

a compound of formula VIII



(VIII),

or a salt thereof, wherein A, R_2, m, R_3, n and R_4 are as defined according to claim 1, and R_1 is C_{1-6}alkyl; C_{1-6}halogenalkyl; C_{1-6}cyanoalkyl; C_{1-6}carboxyalkyl; C_{1-6}hydroxyalkyl; C_{1-4}alkoxy-C_{1-6}alkyl; C_{1-4}alkoxy-C_{1-4}alkoxy-C_{1-6}alkyl; C_{1-4}alkylcarbonyl-C_{1-6}alkyl; C_{1-4}alkoxycarbonyl-C_{1-6}alkyl; C_{1-4}alkylcarbonyloxy-C_{1-6}alkyl; C_{1-6}aminoalkyl; C_{1-4}alkylamino-C_{1-6}alkyl; di(C_{1-4}alkyl)amino-C_{1-6}alkyl; aminocarbonyl-C_{1-6}alkyl; C_{1-4}alkylaminocarbonyl-C_{1-6}alkyl; di(C_{1-4}alkyl)aminocarbonyl-C_{1-6}alkyl; C_{1-4}alkylcarbonylamino-C_{1-6}alkyl; C_{1-4}alkylaminosulfonyl-C_{1-6}alkyl; di(C_{1-4}alkyl)aminosulfonyl-C_{1-6}alkyl; C_{2-6}alkenyl; C_{2-6}halogenalkenyl; C_{2-6}alkinyl; C_{2-6}halogenalkinyl; or a three- to seven-membered monocyclic ring system which may be

aromatic, saturated or unsaturated non-aromatic and which may contain from 1 to 4 hetero atoms selected from nitrogen, oxygen and sulfur, wherein the ring system is bound via a carbon atom, and wherein the ring system may in turn be substituted once or more than once by R_5; each R_5 independently is halogen, hydroxy, cyano, C_{1-4}alkyl, C_{1-4}halogenalkyl, C_{1-4}alkoxy, or C_{1-4}halogenalkoxy; or two R_5 at the same ring atom together are oxo; or a compound of formula IX



(IX),

or a salt thereof, wherein A, R_2, m, R_3, n and R_4 are as defined according to claim 1, and R_1 is C_{1-6}alkyl; C_{1-6}halogenalkyl; C_{1-6}cyanoalkyl; C_{1-6}carboxyalkyl; C_{1-6}hydroxyalkyl; C_{1-4}alkoxy-C_{1-6}alkyl; C_{1-4}alkoxy-C_{1-4}alkoxy-C_{1-6}alkyl; C_1-$_4$alkylcarbonyl-C_{1-6}alkyl; C_1-$_4$alkoxycarbonyl-C_{1-6}alkyl; C_1-$_4$alkylcarbonyloxy-C_{1-6}alkyl; C_{1-6}aminoalkyl; C_1-$_4$alkylamino-C_{1-6}alkyl; di(C_1-$_4$alkyl)amino-C_{1-6}alkyl; aminocarbonyl-C_{1-6}alkyl; C_1-$_4$alkylaminocarbonyl-C_{1-6}alkyl; di(C_1-$_4$alkyl)aminocarbonyl-C_{1-6}alkyl; C_1-$_4$alkylcarbonylamino-C_{1-6}alkyl; C_1-$_4$alkylaminosulfonyl-C_{1-6}alkyl; di(C_1-$_4$alkyl)aminosulfonyl-C_{1-6}alkyl; C_{2-6}alkenyl; C_{2-6}halogenalkenyl; C_{2-6}alkinyl; C_{2-6}halogenalkinyl; or a three- to seven-membered monocyclic ring system which may be aromatic, saturated or unsaturated non-aromatic and which may contain from 1 to 4 hetero atoms selected from nitrogen, oxygen and sulfur, wherein the ring system is bound via a carbon atom, and wherein the ring system may in turn be substituted once or more than once by R_5; each R_5 independently is halogen, hydroxy, cyano, C_{1-4}alkyl, C_{1-4}halogenalkyl, C_{1-4}alkoxy, or C_{1-4}halogenalkoxy; or two R_5 at the same ring atom together are oxo.

CLAIMS

1. An invention not claimed in any divisional application.