

DESCRIPTION OF INVENTION

Title of Invention

5 DIGITAL THERMOMETER OF ANTIMICROBIAL COPPER.

Technical Field

The invention relates to a digital thermometer for medical use, in whole or in part external surface of antimicrobial copper.

Background Art

10 In medical practice today, to measure human body temperature, we use digital thermometers that their external part is mainly made of plastic, with metal tip mostly made of various metal alloys. The usual digital thermometers have a variety of sizes, designs and types, depending on the indicated part of the body to which they come into
15 contact (armpit, ear, and forehead). In the market are also found thermometers measuring temperature with remote method (non contact, laser thermometer, etc.).

Generally, digital thermometers of all types, consist of the body, the battery cover, that is the removable part through which the
20 thermometer battery is replaced, the power button, that is the key ON-OFF, the display and the tip, which forms the sensor for measuring temperature.

The thermometer, mostly when used in hospitals or other health facilities (e.g. elderly homes) is a carrier of microbes, as firstly it comes into direct contact with the human body and with the body cavities (oral cavity, rectum), secondly it is used by a large number of patients, without compliance with the disinfection rules. 80% of contagious diseases are spread by touch. The pathogens remain viable and infectious, on the surfaces for many hours, days, even months, forming a pool of infections transmitted by touch. Pathogens though, can not survive on the copper surface. Thus, the copper can break the chain of infections transmission and acts complementary to the regular cleaning, for hygiene improvement.

It is now scientifically proven that copper and some of its alloys, have antibacterial and bacteriostatic abilities, meaning, they have the capacity to eliminate or inactivate microbes such as bacteria, fungi (including mold) and viruses, including among others, the resistant *Staphylococcus aureus*, *Staphylococcus aureus* (MRSA), the clostridia *Clostridium difficile*, influenza A (H1N1) and the bacterium *Escherichia coli* O157: H7.

The pure copper and its alloys that have antimicrobial properties, consist the so-called antimicrobial copper (Antibacterial copper). The antimicrobial copper is safe, long lasting and destroys an extremely high amount of microbes (> 99.9%) in a colony, presenting a disruption of their cell's function in several ways. The antimicrobial copper efficacy is extremely rapid (usually within a few minutes to

several hours). The rapid death of bacteria will not allow their resistance in growing, since the cells do not have the opportunity to develop a defense mechanism. Less than 0.01% of germs survive on a
5 copper surface after 24 hours exposure.

The antimicrobial copper products maintain antimicrobial properties in long term. Even if these surfaces are carved, the antimicrobial effectiveness continues to exist - not being degraded like other types of processed surfaces. Thus, antimicrobial copper offers a dynamic of
10 significant reduction to the number of inner-hospital infections, both in laboratory and clinical environment, when used on touch surfaces. The use of antimicrobial copper already takes place in hospital and other health facilities abroad, as a touch pad on doorknobs, doors, patient's tables and patient's orostates.

15 The American Environmental Protection Agency (USA Environmental Protection Agency), has approved the copper registration, in a list that includes all the elements with antimicrobial properties, having officially registered 275 copper alloys as antimicrobial, with positive qualities for public health. To ensure and
20 guarantee the quality of antimicrobial copper products, and their marking as antimicrobial copper products, it is provided an international certification with the mark CU + (Antimicrobial Copper) by the International Copper Association (International Copper Association (ICA). The International Copper Association determines
25 which alloys are certified as antimicrobials, also the use conditions of

antimicrobial copper, in the production (www.copper.org.gr,
www.antimicrobialcopper.com). For further details on the properties
of antimicrobial copper (antimicrobial copper), its scientific evidence
5 and practical significance, we refer to the International Copper
Association (International Copper Association (ICA), the International
Copper Association Study (International Copper Study Group (ICSG),
the European Copper Institute and finally the Greek Institute Copper
Development (E.I.A.CH, www.copper.org.gr).

10 **Disclosure of Invention**

The digital thermometer of antimicrobial copper, according to the
present invention is a medical digital thermometer, of every type,
design or size, consisting externally of the main body, the battery
cover, that is the removable part through which we replace the
15 thermometer battery, the power button that is the key ON-OFF, the
display and the tip, which comes into contact with a designated part of
the human body and forms the sensor for measuring temperature.

The specific feature, however, of the digital thermometer made of
antimicrobial copper is that, the outer surface of its components,
20 meaning the outer casing of the thermometer, except of the display, is
made of antimicrobial copper or bears antimicrobial copper, in its
whole or in some parts of it.

The digital thermometer of antimicrobial copper, according to the
present invention, is not prevented to be constructed on its outer
25 surface, by antimicrobial copper, only in some or part of the outer

parts described above, selectively and not in its entirety, without significantly decreasing its effectiveness. That means, the digital thermometer of antimicrobial copper retains its effectiveness when
5 made from antimicrobial copper parts as: tip -temperature sensor and / or power button given that the largest number of pathogenic microbes of a thermometer, is concentrated at these points. The advantage of this invention is the achievement of the maximum natural- without any further act that is without use of disinfectants- the
10 neutralization of pathogenic microbes that infest on the thermometer body, therefore achievement and limitation of further dispersion. Thus, the invention greatly contributes to the fight against infections transmitted by touch of the thermometer, particularly when using in hospitals and other health facilities.

15

Brief Description of Drawing

The attached Figure 1 shows the front side of an armpit thermometer. The thermometer consists of the body (1), the battery cover, i.e. the removable part through which the battery is inserted into the
20 thermometer (2), the power button i.e. ON-OFF (3), the screen indications (4) and the tip i.e. the part that comes into contact with the designated part of the human body, which is the sensor for measuring temperature (5).

Modes for Carrying out the Invention

25

One way of producing a digital thermometer of antimicrobial copper, is, with the construction of the entire external surface of it, or part/s thereof, except of the display (4), that is the body (1) and / or battery
5 cover (2) and / or the Power Button (3) and / or the tip - measuring temperature sensor (5) of solid antimicrobial copper, as the only material of all or part /s of the outer casing of the thermometer.

Another way of producing digital thermometer of antimicrobial copper, is, with an outer layer of antimicrobial copper over the entire
10 outer surface of it, or part /s thereof, except of the display (4), that is the body (1) and / or battery cover(2) and / or the Power Button (3) and / or the tip-measuring temperature sensor (5), with all acceptable methods of coating, for which it is provided the international quality certification, a product made of antimicrobial copper.

15 **Industrial Applicability**

In Figure 1 displayed, it has been used as an example, the armpit thermometer. Nevertheless, the use of antimicrobial copper can be proportionate, in accordance with the above, also into other types of medical thermometers, as the ear thermometer, the forehead
20 thermometer and the non-contact thermometer, since all of them are consisted externally of the same parts, having the same function and use.

CLAIMS

Claim 1

The digital thermometer of antimicrobial copper, is a medical digital
5 thermometer, of any type, design or size, which consists externally of
the body (1), the battery cover that is removable part through which
the battery is inserted into the thermometer (2), the power button that
is the key ON-OFF (3), the display (4) and the tip , that is the sensor
for measuring temperature (5) and it is characterized by the fact that
10 the outer surface of these parts, except of the display is made of
antimicrobial copper or bears antimicrobial copper.

Claim 2

The digital thermometer of antimicrobial copper, according to claim 1,
15 is characterized by the fact that an outer part or section of the exterior
surface is made of antimicrobial copper or bears antimicrobial copper.

Claim 3

The digital thermometer of antimicrobial copper is characterized by
20 the fact that the construction of the entire exterior surface or part / s

thereof, except of the display is made of solid antimicrobial copper as a unique material for the construction of all, or part of the outer casing of the thermometer.

5

Claim 4

The digital thermometer of antimicrobial copper is characterized by the fact that the entire outer surface or part /s thereof, except of the display, is externally coated with antimicrobial copper. The coating is
10 performed through all acceptable methods of coating, for which is provided the international quality certification, as product made of antimicrobial copper.