

DRAWINGS




FIG. 1




FIG. 2




FIG. 3




FIG. 4

### Remaining of ANGPTL3 mRNA in mouse primary hepatocytes




FIG. 5

### RNAi-mediated silencing of ANGPTL3 in C57BL/6j mice liver Single dose, 3mg/kg, sc, n=5




FIG. 6

### Remaining of FXI mRNA in mouse primary hepatocytes




FIG. 7

### Remaining of FXI mRNA in mouse primary hepatocytes




FIG. 8

RNAi-mediated silencing of CC3 in C57BL/6j mice liver  
Single dose, 3mg/kg, sc, n=5




FIG. 9

Remaining of CC3 mRNA in HepG2 cell line




FIG. 10

Remaining of CC3 mRNA in HepG2 cell line




FIG. 11

Remaining of CC3 mRNA in HepG2 cell line




FIG. 12

Remaining of CC3 mRNA in HepG2 cell line




FIG. 13




FIG. 14




FIG. 15

RNAi-mediated silencing of CC3 in C57BL/6j mice liver  
Single dose, 3mg/kg, sc




FIG. 16

RNAi-mediated silencing of SOD1 in C57BL/6j mice liver  
Single dose, 3mg/kg, sc




FIG. 17




FIG. 18a




FIG. 18b




FIG. 18c




FIG. 18d




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38