30 December 2002

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7 :
C12N 15/52, 15/62, 9/10, C12P 17/06, 19/62, C07K 19 /00

A2

(11) International Publication Number: WO 00/00618

(43) International Publication Date: 6 January 2000 (06.01.00)

(21) International Application Number: PCT/GB99/02044

(22) International Filing Date: 29 June 1999 (29.06.99)

(30) Priority Data:
9814006.4 29 June 1998 (29.06.98) GB

(71) Applicant *(for all designated States except US)*: BIOTICA TECHNOLOGY LIMITED [GB/GB]; 112 Hills Road, Cambridge CB2 1PH (GB).

(72) Inventors; and

(75) Inventors/Applicants *(for US only)*: LEADLAY, Peter, Francis [GB/GB]; 17 Clarendon Road, Cambridge CB2 2BH (GB). STAUNTON, James [ES/GB]; 29 Porson Road, Cambridge CB2 ET (GB). CORTES, Jesus [GB/GB]; 26 Cambanks, Union Lane, Cambridge CB4 1PZ (GB). McARTHUR, Hamish, Alastair, Irvine [GB/US]; 19 Pheasant Run Drive, Gales Ferry, CT 06335 (US).

(74) Agents: STUART, Ian et al.; Mewburn Ellis, York House, 23 Kingsway, London WC2B 6HP (GB).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).


Published

Without international search report and to be republished upon receipt of that report.

(54) Title: POLYKETIDES AND THEIR SYNTHESIS

(57) Abstract

A polyketide synthase ("PKS") of Type I is a complex multienzyme including a loading domain linked to a multiplicity of extension domains. The first extension module receives an acyl starter unit from the loading domain and each extension module adds a further ketide unit which may undergo processing (e.g. reduction). We have found that the Ksq domain possessed by some PKS's has decarboxylating activity, e.g. generating (substituted) acyl from (substituted) malonyl. The CLF domain of type II PKS's has similar activity. By inserting loading modules including such domains into PKS's not normally possessing them it is possible to control the starter units used.



162162

G00001