

SEQUENCE LISTING

<110> PentaBase ApS

<120> Detection of methylation status

<130> P5659PC00

<160> 42

<170> PatentIn version 3.5

<210> 1

<211> 266

<212> DNA

<213> Homo sapiens

<400> 1

ctcttgcttt tctcaggtcc tcggctccgc cccgctctag accccgcccc acgccgccat 60

ccccgtgccc ctcggccccg cccccgcgcc ccggatatgc tgggacagcc cgcgccccta 120

gaacgctttg cgtcccgacg cccgcaggtc ctgcggtgc gcaccgtttg cgacttggtg 180

agtgtctggg tcgcctcgct cccggaagag tgcggagctc tccctcggga cggtaggcagc 240

ctcgagtggg cctgcaggcg ccctca 266

<210> 2

<211> 18

<212> DNA

<213> Artificial sequence

<220>

<223> MGMT_Z Probe

<220>

<221> misc_feature

<222> (2)..(2)

<223> Hydrophobic nucleotide of type Z

<220>

<221> misc_feature

<222> (8)..(8)

<223> Hydrophobic nucleotide of type Z

<220>

<221> misc_feature

<222> (12)..(12)

<223> Hydrophobic nucleotide of type Z

<220>

<221> misc_feature
<222> (17)..(17)
<223> Hydrophobic nucleotide of type Z

<400> 2
cngtcccnga cngcccng

18

<210> 3
<211> 18
<212> DNA
<213> Artificial sequence

<220>
<223> MGMT_E Probe

<220>
<221> misc_feature
<222> (2)..(2)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (8)..(8)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (12)..(12)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (17)..(17)
<223> Hydrophobic nucleotide of type E

<400> 3
cngtcccnga cngcccng

18

<210> 4
<211> 18
<212> DNA
<213> Artificial sequence

<220>
<223> MGMT_E2 Probe

<220>
<221> misc_feature
<222> (1)..(1)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (7)..(7)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (11)..(11)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (16)..(16)
<223> Hydrophobic nucleotide of type E

<400> 4
ncgtccncga ncgccncg

18

<210> 5
<211> 18
<212> DNA
<213> Artificial sequence

<220>
<223> MGMT_E3 Probe

<220>
<221> misc_feature
<222> (3)..(3)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (9)..(9)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (13)..(13)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (18)..(18)
<223> Hydrophobic nucleotide of type E

<400> 5
cgntcccgna cgncccgn

18

<210> 6

<211> 14
<212> DNA
<213> Artificial sequence

<220>
<223> MGMT_Ref Probe

<220>
<221> misc_feature
<222> (1)..(14)
<223> Probe

<400> 6
cgtcccgcacg cccg 14

<210> 7
<211> 14
<212> DNA
<213> Artificial sequence

<220>
<223> MGMT_0mC Target

<220>
<221> misc_feature
<222> (1)..(14)
<223> Target

<400> 7
cgggcgtcgg gacg 14

<210> 8
<211> 14
<212> DNA
<213> Artificial sequence

<220>
<223> MGMT_1,2,3,4mC Target

<220>
<221> misc_feature
<222> (1)..(1)
<223> Methylated nucleotide

<220>
<221> misc_feature
<222> (5)..(5)
<223> Methylated nucleotide

<220>
<221> misc_feature
<222> (8)..(8)
<223> Methylated nucleotide

<220>
<221> misc_feature
<222> (13)..(13)
<223> Methylated nucleotide

<400> 8
cgggcgtcgg gacg 14

<210> 9
<211> 14
<212> DNA
<213> Artificial sequence

<220>
<223> MGMT_1mC Target

<220>
<221> misc_feature
<222> (1)..(1)
<223> Methylated nucleotide

<400> 9
cgggcgtcgg gacg 14

<210> 10
<211> 14
<212> DNA
<213> Artificial sequence

<220>
<223> MGMT_2mC Target

<220>
<221> misc_feature
<222> (5)..(5)
<223> Methylated nucleotide

<400> 10
cgggcgtcgg gacg 14

<210> 11
<211> 14
<212> DNA
<213> Artificial sequence

<220>
<223> MGMT_3mC Target

<220>
<221> misc_feature
<222> (8)..(8)
<223> Methylated nucleotide

<400> 11
cgggcgtcgg gacg 14

<210> 12
<211> 14
<212> DNA
<213> Artificial sequence

<220>
<223> MGMT_4mC Target

<220>
<221> misc_feature
<222> (13)..(13)
<223> Methylated nucleotide

<400> 12
cgggcgtcgg gacg 14

<210> 13
<211> 14
<212> DNA
<213> Artificial sequence

<220>
<223> MGMT_2,3mC Target

<220>
<221> misc_feature
<222> (5)..(5)
<223> Methylated nucleotide

<220>
<221> misc_feature
<222> (8)..(8)
<223> Methylated nucleotide

<400> 13
cgggcgtcgg gacg 14

<210> 14
<211> 38
<212> DNA
<213> Artificial sequence

<220>
<223> MGMT_FwLoop3B BasePrimer

<220>
<221> misc_feature
<222> (2)..(2)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (8)..(8)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (12)..(12)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (17)..(17)
<223> Hydrophobic nucleotide of type E

<400> 14
cngtcccnga cngcccngag gcttctgaca ggtcctcg

38

<210> 15
<211> 40
<212> DNA
<213> Artificial sequence

<220>
<223> MGMT_FwLoop3C BasePrimer

<220>
<221> misc_feature
<222> (2)..(2)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (8)..(8)
<223> Hydrophobic nucleotide of type E

<220>

<221> misc_feature
<222> (12)..(12)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (17)..(17)
<223> Hydrophobic nucleotide of type E

<400> 15
cngtcccnga cngccngag gcttctgaca ggtcctcgcg

40

<210> 16
<211> 40
<212> DNA
<213> Artificial sequence

<220>
<223> MGMT_FwLoop4B BasePrimer

<220>
<221> misc_feature
<222> (2)..(2)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (8)..(8)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (12)..(12)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (17)..(17)
<223> Hydrophobic nucleotide of type E

<400> 16
cngtcccnga cngccngag gcttcactga caggtcctcg

40

<210> 17
<211> 42
<212> DNA
<213> Artificial sequence

<220>
<223> MGMT_FwLoop4C BasePrimer

<220>
<221> misc_feature
<222> (2)..(2)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (8)..(8)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (12)..(12)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (17)..(17)
<223> Hydrophobic nucleotide of type E

<400> 17
cngtcccnga cngccngag gcttcactga caggtcctcg cg

42

<210> 18
<211> 24
<212> DNA
<213> Artificial sequence

<220>
<223> MGMT_Fw2C Primer

<220>
<221> misc_feature
<222> (1)..(24)
<223> Primer

<400> 18
cgcccctaga acgctttgcg tccc

24

<210> 19
<211> 24
<212> DNA
<213> Artificial sequence

<220>
<223> MGMT_Rev2C Primer

<220>
<221> misc_feature

<222> (1)..(24)

<223> Primer

<400> 19

ggagcgaggc gaccagaca ctca

24

<210> 20

<211> 19

<212> DNA

<213> Artificial sequence

<220>

<223> MGMT_Probe2A

<220>

<221> misc_feature

<222> (7)..(7)

<223> Hydrophobic nucleotide of type Z

<220>

<221> misc_feature

<222> (14)..(14)

<223> Hydrophobic nucleotide of type Z

<220>

<221> misc_feature

<222> (18)..(18)

<223> Hydrophobic nucleotide of type Z

<400> 20

caagtcngca aacnggtng

19

<210> 21

<211> 19

<212> DNA

<213> Artificial sequence

<220>

<223> MGMT_Probe2B

<220>

<221> misc_feature

<222> (9)..(9)

<223> Hydrophobic nucleotide of type Z

<220>

<221> misc_feature

<222> (14)..(14)

<223> Hydrophobic nucleotide of type Z

<220>
<221> misc_feature
<222> (18)..(18)
<223> Hydrophobic nucleotide of type Z

<400> 21
caagtcgcna aacnggtng

19

<210> 22
<211> 21
<212> DNA
<213> Artificial sequence

<220>
<223> MGMT_Probe2D

<220>
<221> misc_feature
<222> (9)..(9)
<223> Hydrophobic nucleotide of type Z

<220>
<221> misc_feature
<222> (14)..(14)
<223> Hydrophobic nucleotide of type Z

<220>
<221> misc_feature
<222> (20)..(20)
<223> Hydrophobic nucleotide of type Z

<400> 22
caagtcgcna aacnggtgcn g

21

<210> 23
<211> 24
<212> DNA
<213> Artificial sequence

<220>
<223> MGMT_Probe2E

<220>
<221> misc_feature
<222> (9)..(9)
<223> Hydrophobic nucleotide of type Z

<220>
<221> misc_feature
<222> (14)..(14)

<223> Hydrophobic nucleotide of type Z

<220>

<221> misc_feature

<222> (20)..(20)

<223> Hydrophobic nucleotide of type Z

<400> 23

caagtcgcna aacnggtgcn gcac

24

<210> 24

<211> 45

<212> DNA

<213> Artificial sequence

<220>

<223> MGMT_FwLoop5C BasePrimer

<220>

<221> misc_feature

<222> (2)..(2)

<223> Hydrophobic nucleotide of type E

<220>

<221> misc_feature

<222> (8)..(8)

<223> Hydrophobic nucleotide of type E

<220>

<221> misc_feature

<222> (12)..(12)

<223> Hydrophobic nucleotide of type E

<220>

<221> misc_feature

<222> (17)..(17)

<223> Hydrophobic nucleotide of type E

<400> 24

cngtcccnga cngcccnag cgcttcactg agacaggtcc tcgcg

45

<210> 25

<211> 25

<212> DNA

<213> Artificial sequence

<220>

<223> MGMT_Fw2C_suE Primer

<220>

<221> misc_feature
<222> (1)..(1)
<223> Hydrophobic nucleotide of type E

<400> 25
ncgcccctag aacgctttgc gtccc

25

<210> 26
<211> 25
<212> DNA
<213> Artificial sequence

<220>
<223> MGMT_Rev2C_suE Primer

<220>
<221> misc_feature
<222> (1)..(1)
<223> Hydrophobic nucleotide of type E

<400> 26
nggagcgagg cgacccagac actca

25

<210> 27
<211> 18
<212> DNA
<213> Artificial sequence

<220>
<223> MGMT_E_M1

<220>
<221> misc_feature
<222> (2)..(2)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (8)..(8)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (12)..(12)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (17)..(17)
<223> Hydrophobic nucleotide of type E

<400> 27
cngacccngt cngcccng

18

<210> 28
<211> 18
<212> DNA
<213> Artificial sequence

<220>
<223> MGMT_E_M2

<220>
<221> misc_feature
<222> (2)..(2)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (8)..(8)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (12)..(12)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (17)..(17)
<223> Hydrophobic nucleotide of type E

<400> 28
cngtcacnga cngcacng

18

<210> 29
<211> 18
<212> DNA
<213> Artificial sequence

<220>
<223> MGMT_E_M3

<220>
<221> misc_feature
<222> (2)..(2)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature

<222> (8)..(8)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (12)..(12)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (17)..(17)
<223> Hydrophobic nucleotide of type E

<400> 29
cngtcacnga cngcccng

18

<210> 30
<211> 18
<212> DNA
<213> Artificial sequence

<220>
<223> MGMT_E_M4

<220>
<221> misc_feature
<222> (2)..(2)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (8)..(8)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (12)..(12)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (17)..(17)
<223> Hydrophobic nucleotide of type E

<400> 30
cngtcccnga cngcacng

18

<210> 31
<211> 18
<212> DNA
<213> Artificial sequence

<220>
<223> MGMT_E_M5

<220>
<221> misc_feature
<222> (2)..(2)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (8)..(8)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (12)..(12)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (17)..(17)
<223> Hydrophobic nucleotide of type E

<400> 31
cngaccnga cngcccng

18

<210> 32
<211> 44
<212> DNA
<213> Artificial

<220>
<223> MGMT_FwLoop5D_M5

<220>
<221> misc_feature
<222> (2)..(2)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (8)..(8)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (12)..(12)
<223> Hydrophobic nucleotide of type E

<220>

<221> misc_feature
 <222> (17)..(17)
 <223> Hydrophobic nucleotide of type E

 <400> 32
 cngaccnga cngccngag cgcttcactg agacaggtcc tcgc 44

<210> 33
 <211> 23
 <212> DNA
 <213> Artificial

<220>
 <223> MGMT_Rev2E

<400> 33
 gagcgaggcg acccagacac tca 23

<210> 34
 <211> 43
 <212> DNA
 <213> Artificial

<220>
 <223> MGMT_FwLoop5B_M5

<220>
 <221> misc_feature
 <222> (2)..(2)
 <223> Hydrophobic nucleotide of type E

<220>
 <221> misc_feature
 <222> (8)..(8)
 <223> Hydrophobic nucleotide of type E

<220>
 <221> misc_feature
 <222> (12)..(12)
 <223> Hydrophobic nucleotide of type E

<220>
 <221> misc_feature
 <222> (17)..(17)
 <223> Hydrophobic nucleotide of type E

<400> 34
 cngaccnga cngccngag cgcttcactg agacaggtcc tcg 43

<210> 35

<211> 42
<212> DNA
<213> Artificial

<220>
<223> MGMT_FwLoop5B_M5_2A

<220>
<221> misc_feature
<222> (2)..(2)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (8)..(8)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (12)..(12)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (17)..(17)
<223> Hydrophobic nucleotide of type E

<400> 35
cngacccnga cngccngag cgcttcactg agaggtcctc gc

42

<210> 36
<211> 41
<212> DNA
<213> Artificial

<220>
<223> MGMT_FwLoop5B_M5_2B

<220>
<221> misc_feature
<222> (2)..(2)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (8)..(8)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (12)..(12)

<223> Hydrophobic nucleotide of type E

<220>

<221> misc_feature

<222> (17)..(17)

<223> Hydrophobic nucleotide of type E

<400> 36

cngaccnga cngccngag cgcttcactg agaggtcctc g

41

<210> 37

<211> 42

<212> DNA

<213> Artificial

<220>

<223> MGMT_FwLoop5B_M5_4A

<220>

<221> misc_feature

<222> (2)..(2)

<223> Hydrophobic nucleotide of type E

<220>

<221> misc_feature

<222> (8)..(8)

<223> Hydrophobic nucleotide of type E

<220>

<221> misc_feature

<222> (12)..(12)

<223> Hydrophobic nucleotide of type E

<220>

<221> misc_feature

<222> (17)..(17)

<223> Hydrophobic nucleotide of type E

<400> 37

cngaccnga cngccngag cgcttcactg agatcctcgc gg

42

<210> 38

<211> 41

<212> DNA

<213> Artificial

<220>

<223> MGMT_FwLoop5B_M5_4B

<220>

<221> misc_feature
<222> (2)..(2)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (8)..(8)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (12)..(12)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (17)..(17)
<223> Hydrophobic nucleotide of type E

<400> 38
cngaccnga cngccngag cgcttcactg agatcctcgc g

41

<210> 39
<211> 41
<212> DNA
<213> Artificial

<220>
<223> MGMT_FwLoop5B_M5_6A

<220>
<221> misc_feature
<222> (2)..(2)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (8)..(8)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (12)..(12)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (17)..(17)
<223> Hydrophobic nucleotide of type E

<400> 39
cngaccnga cngccngag cgcttcactg agactcgcgg t

41

<210> 40
<211> 40
<212> DNA
<213> Artificial

<220>
<223> MGMT_FwLoop5B_M5_6B

<220>
<221> misc_feature
<222> (2)..(2)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (8)..(8)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (12)..(12)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (17)..(17)
<223> Hydrophobic nucleotide of type E

<400> 40
cngacccnga cngcccngag cgcttcactg agactcgcgg

40

<210> 41
<211> 39
<212> DNA
<213> Artificial

<220>
<223> MGMT_FwLoop5B_M5_8A

<220>
<221> misc_feature
<222> (2)..(2)
<223> Hydrophobic nucleotide of type E

<220>
<221> misc_feature
<222> (8)..(8)
<223> Hydrophobic nucleotide of type E

<220>
 <221> misc_feature
 <222> (12)..(12)
 <223> Hydrophobic nucleotide of type E

 <220>
 <221> misc_feature
 <222> (17)..(17)
 <223> Hydrophobic nucleotide of type E

 <400> 41
 cngacccnga cngcccnag cgcttcactg agacgcggt

39

<210> 42
 <211> 40
 <212> DNA
 <213> Artificial

 <220>
 <223> MGMT_FwLoop5B_M5_8B

 <220>
 <221> misc_feature
 <222> (2)..(2)
 <223> Hydrophobic nucleotide of type E

 <220>
 <221> misc_feature
 <222> (8)..(8)
 <223> Hydrophobic nucleotide of type E

 <220>
 <221> misc_feature
 <222> (12)..(12)
 <223> Hydrophobic nucleotide of type E

 <220>
 <221> misc_feature
 <222> (17)..(17)
 <223> Hydrophobic nucleotide of type E

 <400> 42
 cngacccnga cngcccnag cgcttcactg agacgcggtg

40