

FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4






FIGURE 5



File: P027-01-PXRD-01.raw - Type: 2Th/Th locked - Anode: Cu - WL1: 1.5406 - Step: 0.008 ° - Step time: 297.6 s - Start: 4.000 ° - End: 39.893 ° - Temp.: 25 °C (Room) - Creation: 11.07.2008 05:42:04
 File: P027-01-93-03-PXRD-01.raw - Type: 2Th/Th locked - Anode: Cu - WL1: 1.5406 - Step: 0.008 ° - Step time: 297.6 s - Start: 4.000 ° - End: 39.893 ° - Temp.: 25 °C (Room) - Creation: 08.11.2008 04:40:35
 File: P027-01-MEC-12-01-PXRD-01.raw - Type: 2Th/Th locked - Anode: Cu - WL1: 1.5406 - Step: 0.008 ° - Step time: 297.6 s - Start: 4.000 ° - End: 39.893 ° - Temp.: 25 °C (Room) - Creation: 23.09.2008 07:08:05
 File: P027-01-NIM-DIE-20-01-PXRD-01.raw - Type: 2Th/Th locked - Anode: Cu - WL1: 1.5406 - Step: 0.008 ° - Step time: 297.6 s - Start: 4.000 ° - End: 39.893 ° - Temp.: 25 °C (Room) - Creation: 12.11.2008 05:28:59
 File: P027-01-NBL-55-01-PXRD-01.raw - Type: 2Th/Th locked - Anode: Cu - WL1: 1.5406 - Step: 0.008 ° - Step time: 297.6 s - Start: 4.000 ° - End: 39.893 ° - Temp.: 25 °C (Room) - Creation: 03.09.2008 15:11:09
 File: P027-01-MOH-23-03-PXRD-01.raw - Type: 2Th/Th locked - Anode: Cu - WL1: 1.5406 - Step: 0.008 ° - Step time: 297.6 s - Start: 4.000 ° - End: 39.893 ° - Temp.: 25 °C (Room) - Creation: 18.11.2008 16:15:54
 File: P027-01-NBL-12-01-PXRD-01.raw - Type: 2Th/Th locked - Anode: Cu - WL1: 1.5406 - Step: 0.008 ° - Step time: 297.6 s - Start: 4.000 ° - End: 39.893 ° - Temp.: 25 °C (Room) - Creation: 03.09.2008 18:42:54
 File: P027-01-DCM-50-01-PXRD-01.raw - Type: 2Th/Th locked - Anode: Cu - WL1: 1.5406 - Step: 0.008 ° - Step time: 297.6 s - Start: 4.000 ° - End: 39.893 ° - Temp.: 25 °C (Room) - Creation: 10.09.2008 12:07:55

FIGURE 6



File: P027-01-PXRD-01.raw - Type: 2Th/Th locked - Anode: Cu - WL1: 1.5406 - Step: 0.008 ° - Step time: 297.6 s - Start: 4.000 ° - End: 39.893 ° - Temp.: 25 °C (Room) - Creation: 11.07.2008 05:42:04
 File: P027-01-NIM-DIE-20-01-PXRD-01.raw - Type: 2Th/Th locked - Anode: Cu - WL1: 1.5406 - Step: 0.008 ° - Step time: 297.6 s - Start: 4.000 ° - End: 39.893 ° - Temp.: 25 °C (Room) - Creation: 12.11.2008 05:28:59
 File: P027-01-NIM-DIE-20-01-PXRD-02.raw - Type: 2Th/Th locked - Anode: Cu - WL1: 1.5406 - Step: 0.008 ° - Step time: 297.6 s - Start: 4.000 ° - End: 39.893 ° - Temp.: 25 °C (Room) - Creation: 17.12.2008 14:11:37

FIGURE 7





FIGURE 8


STAR[®] ASW 8.10

Lab: ICIQ

FIGURE 9

21.01.2009 12:41:19

P027-01-DSC-03

STAR[®] SW 8.10

Lab: ICIQ

FIGURE 10




FIGURE 11




FIGURE 12




FIGURE 13




FIGURE 14




FIGURE 15




FIGURE 16




FIGURE 17




FIGURE 18




FIGURE 19




FIGURE 20




FIGURE 21




FIGURE 22




FIGURE 23




FIGURE 24




FIGURE 25




FIGURE 26




FIGURE 27




FIGURE 28




FIGURE 29




FIGURE 30




FIGURE 31




FIGURE 32




FIGURE 33




FIGURE 34




FIGURE 35




FIGURE 36




FIGURE 37




FIGURE 38




FIGURE 39




FIGURE 40




FIGURE 41




FIGURE 42




FIGURE 43

