CLAIMS

1. Cosmetic and/or dermatological composition, comprising an aqueous phase and an oily phase which are distinct from each other and are superimposed on each other, characterized in that the aqueous phase contains between 0.05 and 0.2% by weight, with respect to the total weight of the composition, of an encapsulating agent for encapsulation of the oily phase, said encapsulating agent being chosen from dextrins.

2. Composition according to Claim 1, wherein the encapsulating agent is chosen from maltodextrins and cyclodextrins, and their mixtures.

3. Composition according to any one of Claims 1 to 2, substantially devoid of emulsifying agent.

4. Composition according to any one of Claims 1 to 3, wherein the refractive indices of the aqueous phase and of the oily phase are substantially equal.

5. Composition according to any one of Claims 1 to 4, wherein the oily phase contains a silicone oil, preferably a nonvolatile silicone oil, or a mixture of such oils.

6. Composition according to Claim 5, wherein the total amount of silicone oils is between 30 and 60% by weight, with respect to the total weight of the composition.

7. Composition according to Claim 6, wherein the total amount of silicone oils is between 40 and 50%, by weight, with respect to the total weight of the composition

8. Composition according to any one of Claims 1 to 7, wherein the aqueous phase contains a polyol, preferably chosen from glycerol, ethylene

glycol, propylene glycol, butylene glycol or a mixture of such polyols.

9. Composition according to Claim 8, wherein the total amount of polyols is between 10 and 20% by weight, with respect to the total weight of the composition.

10. Composition according to any one of Claims 1 to 9, wherein the aqueous phase contains a C_1-C_6 alcohol, preferably ethanol, in an amount of less than 15% by weight, with respect to the total weight of the composition.

11. Composition according to any one of Claims 1 to 10, wherein the oily phase represents from 50 to 80%, preferably from 60 to 70%, by weight, of the total weight of the composition.

12. Composition according to any one of Claims 1 to 11, containing at least one active agent, which is active by the topical route.

13. Composition according to Claim 12, containing at least one active agent having slimming properties.

14. Composition according to Claim 13, containing, as active agent having slimming properties, caffeine, preferably at a concentration of greater than 0.5% by weight, with respect to the total weight of the composition, preferably of between 0.8 and 1.2% by weight, with respect to the total weight of the composition.

15. Composition according to any of claims 13 to 14, comprising phloridzin as active agent having slimming properties.

16. Composition according to Claim 12, containing at least one skin anti-ageing agent.

17. Composition according to Claim 16, wherein the oily phase contains *Argania spinosa* oil and/or the aqueous phase contains a hydrophilic *Argania spinosa* extract.

18. Use of a composition according to any one of Claims 12 to 17 for cosmetic care by application by the topical route to the skin.

19. Use according to Claim 18, comprising the stirring of the composition, so as to disperse the aqueous phase and the oily phase in each other, and the withdrawal of a quantity of the dispersion thus formed for application.

20. Use according to either one of Claims 18 and 19 for the treatment and/or the prevention of localized excess fat deposits and/or of cellulite and/or for obtaining a slimming effect, the composition containing at least one active agent having slimming properties.

21. Use according to either one of Claims 18 and 19 for combating skin ageing, the composition containing at least one skin anti-ageing agent.

22. A cosmetic care method comprising the topical application to at least a portion of the skin of the body and/or the face, of a composition according to any one of claims 12 to 17.

23. Method according to claim 22, comprising the stirring of the composition so as to disperse the aqueous phase and the oily phase in one another, and the withdrawal of a quantity of the dispersion thus formed for application.

24. Method according to either one of claims 22 and 23, comprising the application of said composition in an amount effective for combating skin ageing.

25. Method according to either one of claims 22 and 23, comprising the application of said composition in an amount effective for treating and/or preventing localized excess fat deposits and/or cellulite and/or for obtaining a slimming effect.