

SEQUENCE LISTING

<110> ImCyse S.A.
Vander Elst, Luc
Carlier, Vincent

<120> PEPTIDES AND METHODS FOR THE TREATMENT OF DIABETES

<130> IMCY-006-PCT

<150> 17160085.1

<151> 2017-03-09

<160> 26

<170> PatentIn version 3.5

<210> 1

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> redox motif

<220>

<221> MISC_FEATURE

<222> (2)..(3)

<223> Xaa can be any amino acid

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa is Cys, Ser or Thr

<400> 1

Cys Xaa Xaa Xaa

1

<210> 2

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> redox motif

<220>

<221> MISC_FEATURE

<222> (1)..(1)
 <223> Xaa is Cys, Ser or Thr

<220>
 <221> MISC_FEATURE
 <222> (2)..(3)
 <223> Xaa can be any amino acid

<400> 2

Xaa Xaa Xaa Cys
 1

<210> 3
 <211> 9
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> insulin epitope

<400> 3

Leu Ala Leu Glu Gly Ser Leu Gln Lys
 1 5

<210> 4
 <211> 17
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> redox motif + insulin epitope

<220>
 <221> MISC_FEATURE
 <222> (2)..(3)
 <223> Xaa can be any amino acid

<220>
 <221> MISC_FEATURE
 <222> (4)..(4)
 <223> Xaa is Cys, Ser or Thr

<400> 4

Cys Xaa Xaa Xaa Ser Leu Gln Pro Leu Ala Leu Glu Gly Ser Leu Gln
 1 5 10 15

Lys

<210> 5
 <211> 17
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> redox motif + insulin epitope

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa is Cys, Ser or Thr

<220>
 <221> MISC_FEATURE
 <222> (2)..(3)
 <223> Xaa can be any amino acid

<400> 5

Xaa Xaa Xaa Cys Ser Leu Gln Pro Leu Ala Leu Glu Gly Ser Leu Gln
 1 5 10 15

Lys

<210> 6
 <211> 17
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> redox motif + insulin epitope

<220>
 <221> MISC_FEATURE
 <222> (2)..(3)
 <223> Xaa can be any amino acid

<400> 6

Cys Xaa Xaa Cys Ser Leu Gln Pro Leu Ala Leu Glu Gly Ser Leu Gln
 1 5 10 15

Lys

<210> 7
 <211> 18
 <212> PRT
 <213> artificial sequeunce

<220>
 <223> redox motif + T cell epitope

<220>
 <221> MISC_FEATURE
 <222> (3)..(4)
 <223> Xaa can be any amino acid

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> Xaa is Cys, Ser or Thr

<400> 7

His Cys Xaa Xaa Xaa Ser Leu Gln Pro Leu Ala Leu Glu Gly Ser Leu
 1 5 10 15

Gln Lys

<210> 8
 <211> 18
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> redox motif + T cell epitope

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa is Cys, Ser or Thr

<220>
 <221> MISC_FEATURE
 <222> (3)..(4)
 <223> Xaa can be any amino acid

<400> 8

His Xaa Xaa Xaa Cys Ser Leu Gln Pro Leu Ala Leu Glu Gly Ser Leu
 1 5 10 15

Gln Lys

<210> 9
 <211> 18
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> redox motif + insulin T cell epitope

<220>
 <221> MISC_FEATURE
 <222> (3)..(4)
 <223> Xaa can be any any amino acid

<400> 9

His Cys Xaa Xaa Cys Ser Leu Gln Pro Leu Ala Leu Glu Gly Ser Leu
 1 5 10 15

Gln Lys

<210> 10
 <211> 18
 <212> PRT
 <213> artificial sequence

<220>
 <223> redoc motif + insulin epitope

<220>
 <221> MISC_FEATURE
 <222> (2)..(3)
 <223> Xaa can be any amino acid

<220>
 <221> MISC_FEATURE
 <222> (4)..(4)
 <223> Xaa is Cys, Ser or Thr

<400> 10

Cys Xaa Xaa Xaa Leu Gln Pro Leu Ala Leu Glu Gly Ser Leu Gln Lys
 1 5 10 15

Arg Gly

<210> 11
 <211> 19
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> redox motif + insulin T cell epitope

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa is Cys, Ser or Thr

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa can be any amino acid

<220>
 <221> MISC_FEATURE
 <222> (2)..(3)
 <223> Xaa can be any amino acid

<400> 11

Xaa Xaa Xaa Cys Ser Leu Gln Pro Leu Ala Leu Glu Gly Ser Leu Gln
 1 5 10 15

Lys Arg Gly

<210> 12
 <211> 19
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Redox motif + insulin T cell epitope

<220>

<221> MISC_FEATURE
 <222> (2)..(3)
 <223> Xaa can be any amino acid

<400> 12

Cys Xaa Xaa Cys Ser Leu Gln Pro Leu Ala Leu Glu Gly Ser Leu Gln
 1 5 10 15

Lys Arg Gly

<210> 13
 <211> 20
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> redox motif + insulin T cell epitope

<220>
 <221> MISC_FEATURE
 <222> (3)..(4)
 <223> Xaa can be any amino amino acid

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> Xaa is Cys, Ser or Thr

<400> 13

His Cys Xaa Xaa Xaa Ser Leu Gln Pro Leu Ala Leu Glu Gly Ser Leu
 1 5 10 15

Gln Lys Arg Gly
 20

<210> 14
 <211> 20
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> redox motif + insulin T cell epitope

<220>

<221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa is Cys, Ser or Thr

<220>
 <221> MISC_FEATURE
 <222> (3)..(4)
 <223> Xaa can be any amino acid

<400> 14

His Xaa Xaa Xaa Cys Ser Leu Gln Pro Leu Ala Leu Glu Gly Ser Leu
 1 5 10 15

Gln Lys Arg Gly
 20

<210> 15
 <211> 20
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> redoX motif + insulin T cell epitope

<220>
 <221> MISC_FEATURE
 <222> (3)..(4)
 <223> Xaa can be any amino acid

<400> 15

His Cys Xaa Xaa Cys Ser Leu Gln Pro Leu Ala Leu Glu Gly Ser Leu
 1 5 10 15

Gln Lys Arg Gly
 20

<210> 16
 <211> 4
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> redox motif

<220>

<221> MISC_FEATURE
 <222> (4)..(4)
 <223> Xaa is Cys, Ser or Thr

<400> 16

Cys Pro Tyr Xaa
 1

<210> 17
 <211> 4
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> redox motif

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa is Cys, Ser or Thr

<400> 17

Xaa Pro Tyr Cys
 1

<210> 18
 <211> 4
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> redox motif

<220>
 <221> MISC_FEATURE
 <222> (2)..(3)
 <223> Xaa can be any amino acid

<400> 18

Cys Xaa Xaa Cys
 1

<210> 19
 <211> 4
 <212> PRT

<213> Artificial Sequence

<220>

<223> redox motif

<400> 19

Cys Pro Tyr Cys

1

<210> 20

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> peptide comprising insulin T cell epitope

<400> 20

Ser Leu Gln Pro Leu Ala Leu Glu Gly Ser Leu Gln Lys Arg Gly

1

5

10

15

<210> 21

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> redox motif

<220>

<221> MISC_FEATURE

<222> (2)..(3)

<223> Xaa can be any amino acid

<400> 21

Ser Xaa Xaa Cys

1

<210> 22

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> redox motif

<220>
 <221> MISC_FEATURE
 <222> (2)..(3)
 <223> Xaa can be any amino acid

<400> 22

Thr Xaa Xaa Cys
 1

<210> 23
 <211> 4
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> redox motif

<220>
 <221> MISC_FEATURE
 <222> (2)..(3)
 <223> CXXS

<400> 23

Cys Xaa Xaa Ser
 1

<210> 24
 <211> 4
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> redox motif

<220>
 <221> misc
 <222> (2)..(3)
 <223> Xaa can be any amino acid

<400> 24

Cys Xaa Xaa Thr
 1

<210> 25

<211> 22
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> peptide with redox motif and insulin T cell epitope

<400> 25

His Cys Pro Tyr Cys Val Arg Ser Leu Gln Pro Leu Ala Leu Glu Gly
 1 5 10 15

Ser Leu Gln Lys Arg Gly
 20

<210> 26
 <211> 20
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> peptide with redox motif and insulin T cell epitope

<400> 26

His Cys Pro Tyr Cys Ser Leu Gln Pro Leu Ala Leu Glu Gly Ser Leu
 1 5 10 15

Gln Lys Arg Gly
 20