

Fig. 1




Fig. 2





Fig. 3



This exploded perspective view illustrates the assembly of a mechanical device. The components are labeled with numbers 1 through 20. The assembly includes a base (1), a central shaft (2) with various segments (2a, 2b, 2c, 2d), and a top cap (3). A curved arm (4) is attached to the side, featuring a spring (5) and a pivot point (6). The arm has several segments (6a, 6b, 6c, 6d, 6e, 6f, 6g) and a terminal part (6h). A handle (7) is attached to the end of the arm. The assembly is shown in a disassembled state to show the relationship between the parts.



Fig. 5




Fig. 6




Fig. 7




Fig. 8






Fig. 9



50

Fig. 11






Figure 12




Figure 13A




Figure 13C




Figure 13B




Figure 13D




Figure 14B




Figure 14A




Figure 15A




Figure 15B




Figure 15D




Figure 15C




Figure 16




Figure 17A




Figure 18A




Figure 17B




Figure 18B





Figure 19







Figure 21






Figure 25




FIG. 26




FIG. 28





FIG. 29






FIG. 30





FIG. 32






FIG. 33A




FIG. 33B




FIG. 34




FIG. 35A




FIG. 35B




FIG. 36




FIG. 37A




FIG. 37B




FIG. 37C




FIG. 38B




FIG. 38A




FIG. 39




FIG. 40




FIG. 41