SEQUENCE LISTING

<110> Allysta Pharmaceuticals, Inc.
Hsu, Henry
Otvos, Laszlo

<120> PEPTIDES FOR DRY EYE DISEASE

<130> Ally001PCT

<140> Unassigned
<141> 2018-03-06

<150> US 62/469,170
<151> 2017-03-09

<160> 35

<170> PatentIn version 3.5

<210> 1
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MOD_RES
<222> (14)..(14)
<223> The C-terminal amino acid at position 14 is optionally amidated

<400> 1

Ser Val Thr Glu Gln Gly Ala Glu Leu Ser Asn Glu Glu Arg
1 5 10

<210> 2
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>

<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa at position 1 is D-form Serine

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa at position 3 is Allo-threonine

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa at position 9 is norleucine

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa at position 12 is norleucine

<220>
<221> MOD_RES
<222> (14)..(14)
<223> The C-terminal amino acid at position 14 is optionally amidated

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Xaa at position 14 is ornithine

<400> 2

Xaa Val Xaa Glu Gln Gly Ala Glu Xaa Ser Asn Xaa Glu Xaa
1 5 10

<210> 3
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa at position 1 is hydroxyproline

<220>

<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa at position 4 is N-methyl-glutamic acid

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa at position 10 is hydroxyproline

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa at position 11 is D-asparagine

<220>
<221> MOD_RES
<222> (14)..(14)
<223> The C-terminal amino acid at position 14 is optionally amidated

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Xaa at position 14 is 6-amino-hexanoic acid

<400> 3

Xaa Val Thr Xaa Gln Gly Ala Glu Leu Xaa Xaa Glu Glu Xaa
1 5 10

<210> 4
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MOD_RES
<222> (13)..(13)
<223> The C-terminal amino acid at position 13 is optionally amidated

<400> 4

Ser Val Thr Glu Gln Gly Ala Glu Leu Ser Asn Glu Glu
1 5 10

<210> 5
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa at position 1 is D-serine

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa at position 3 is Allo-threonine

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa at position 9 is norleucine

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa at position 12 is N-methyl-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> The C-terminal amino acid at position 13 is optionally amidated

<220>
<221> MISC_FEATURE
<222> (13)..(13)
<223> Xaa at position 13 is glutamic acid methyl ester

<400> 5

Xaa Val Xaa Glu Gln Gly Ala Glu Xaa Ser Asn Xaa Xaa
1 5 10

<210> 6
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MOD_RES
<222> (13)..(13)
<223> The C-terminal amino acid at position 13 is optionally amidated

<400> 6

Val Thr Glu Gln Gly Ala Glu Leu Ser Asn Glu Glu Arg
1   5   10

<210> 7
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa at position 1 is norvaline

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa at position 2 is Allo-threonine

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa at position 8 is norleucine

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa at position 11 is N-methyl-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> The C-terminal amino acid at position 13 is optionally amidated

<220>

<221> MISC_FEATURE
<222> (13)..(13)
<223> Xaa at position 13 is ornithine

<400> 7

Xaa Xaa Glu Gln Gly Ala Glu Xaa Ser Asn Xaa Glu Xaa
1 5 10

<210> 8
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MOD_RES
<222> (12)..(12)
<223> The C-terminal amino acid at position 12 is optionally amidated

<400> 8

Val Thr Glu Gln Gly Ala Glu Leu Ser Asn Glu Glu
1 5 10

<210> 9
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa at position 1 is norvaline

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa at position 2 is Allo-threonine

<220>

<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa at position 8 is norleucine

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa at position 11 is N-methyl-glutamic acid

<220>
<221> MOD_RES
<222> (12)..(12)
<223> The C-terminal amino acid at position 12 is optionally amidated

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa at position 12 is glutamic acid methyl ester

<400> 9

Xaa Xaa Glu Gln Gly Ala Glu Xaa Ser Asn Xaa Xaa
1 5 10

<210> 10
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa at position 1 is 1-amino-cyclohexyl carboxylic acid

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa at position 3 is N-methyl-glutamic acid

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa at position 9 is hydroxyproline

<220>

<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa at position 10 is D-asparagine

<220>
<221> MOD_RES
<222> (12)..(12)
<223> The C-terminal amino acid at position 12 is optionally amidated

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa at position 12 is D-glutamine

<400> 10

Xaa Thr Xaa Gln Gly Ala Glu Leu Xaa Xaa Glu Xaa
1 5 10

<210> 11
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MOD_RES
<222> (11)..(11)
<223> The C-terminal amino acid at position 11 is optionally amidated

<400> 11

Val Thr Glu Gln Gly Ala Glu Leu Ser Asn Glu
1 5 10

<210> 12
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>

<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa at position 1 is norvaline

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa at position 2 is Allo-threonine

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa at position 8 is norleucine

<220>
<221> MOD_RES
<222> (11)..(11)
<223> The C-terminal amino acid at position 11 is optionally amidated

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa at position 11 is N-methyl-glutamic acid

<400> 12

Xaa Xaa Glu Gln Gly Ala Glu Xaa Ser Asn Xaa
1 5 10

<210> 13
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MOD_RES
<222> (11)..(11)
<223> The C-terminal amino acid at position 11 is optionally amidated

<400> 13

Thr Glu Gln Gly Ala Glu Leu Ser Asn Glu Glu
1 5 10

<210> 14
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa at position 1 is Allo-threonine

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa at position 7 is norleucine

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa at position 10 is N-methyl-glutamic acid

<220>
<221> MOD_RES
<222> (11)..(11)
<223> The C-terminal amino acid at position 11 is optionally amidated

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa at position 11 is glutamic acid methyl ester

<400> 14

Xaa Glu Gln Gly Ala Glu Xaa Ser Asn Xaa Xaa
1 5 10

<210> 15
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>

<221> MOD_RES
<222> (10)..(10)
<223> The C-terminal amino acid at position 10 is optionally amidated

<400> 15

Thr Glu Gln Gly Ala Glu Leu Ser Asn Glu
1   5   10

<210> 16
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa at position 1 is Allo-threonine

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa at position 4 is norvaline

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa at position 7 is norleucine

<220>
<221> MOD_RES
<222> (10)..(10)
<223> The C-terminal amino acid at position 10 is optionally amidated

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa at position 10 is N-methyl-glutamic acid

<400> 16

Xaa Glu Gln Xaa Ala Glu Xaa Ser Asn Xaa
1   5   10

<210> 17
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa at position 1 is D-serine

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa at position 8 is D-serine

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa at position 9 is D-asparagine

<220>
<221> MOD_RES
<222> (10)..(10)
<223> The C-terminal amino acid at position 10 is optionally amidated

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa at position 10 is D-glutamine

<400> 17

Xaa Glu Gln Gly Ala Glu Leu Xaa Xaa Xaa
1 5 10

<210> 18
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>

<221> MOD_RES
<222> (9)..(9)
<223> The C-terminal amino acid at position 9 is optionally amidated

<400> 18

Ser Val Thr Glu Gln Gly Ala Glu Leu
1 5

<210> 19
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa at position 1 is D-serine

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa at position 6 is norvaline

<220>
<221> MOD_RES
<222> (9)..(9)
<223> The C-terminal amino acid at position 9 is optionally amidated

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa at position 9 is norleucine

<400> 19

Xaa Val Thr Glu Gln Xaa Ala Glu Xaa
1 5

<210> 20
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa at position 1 is hydroxyproline

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa at position 7 is beta-alanine

<220>
<221> MOD_RES
<222> (9)..(9)
<223> The C-terminal amino acid at position 9 is optionally amidated

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa at position 9 is 6-amino-hexanoic acid

<400> 20

Xaa Val Thr Glu Gln Gly Xaa Glu Xaa
1   5

<210> 21
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MOD_RES
<222> (9)..(9)
<223> The C-terminal amino acid at position 9 is optionally amidated

<400> 21

Val Thr Glu Gln Gly Ala Glu Leu Ser
1   5

<210> 22
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa at position 1 is norvaline

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa at position 5 is norvaline

<220>
<221> MOD_RES
<222> (9)..(9)
<223> The C-terminal amino acid at position 9 is optionally amidated

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa at position 9 is D-serine

<400> 22

Xaa Thr Glu Gln Xaa Ala Glu Leu Xaa
1 5

<210> 23
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa at position 1 is 1-amino-cyclohexyl carboxylic acid

<220>

<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa at position 6 is beta-alanine

<220>
<221> MOD_RES
<222> (9)..(9)
<223> The C-terminal amino acid at position 9 is optionally amidated

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa at position 9 is hydroxyproline

<400> 23

Xaa Thr Glu Gln Gly Xaa Glu Leu Xaa
1 5

<210> 24
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MOD_RES
<222> (9)..(9)
<223> The C-terminal amino acid at position 9 is optionally amidated

<400> 24

Thr Glu Gln Gly Ala Glu Leu Ser Asn
1 5

<210> 25
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>

<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa at position 1 is Allo-threonine

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa at position 4 is norvaline

<220>
<221> MOD_RES
<222> (9)..(9)
<223> The C-terminal amino acid at position 9 is optionally amidated

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa at position 9 is D-asparagine

<400> 25

Xaa Glu Gln Xaa Ala Glu Leu Ser Xaa
1 5

<210> 26
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa at position 1 is D-serine

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa at position 5 is beta-alanine

<220>
<221> MOD_RES
<222> (9)..(9)
<223> The C-terminal amino acid at position 9 is optionally amidated

<220>

<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa at position 9 is D-glutamine

<400> 26

Xaa Glu Gln Gly Xaa Glu Leu Ser Xaa
1 5

<210> 27
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MOD_RES
<222> (9)..(9)
<223> The C-terminal amino acid at position 9 is optionally amidated

<400> 27

Glu Gln Gly Ala Glu Leu Ser Asn Glu
1 5

<210> 28
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa at position 1 is N-methyl-glutamic acid

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa at position 6 is norleucine

<220>

<221> MOD_RES
<222> (9)..(9)
<223> The C-terminal amino acid at position 9 is optionally amidated

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa at position 9 is N-methyl-glutamic acid

<400> 28

Xaa Gln Gly Ala Glu Xaa Ser Asn Xaa
1 5

<210> 29
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa at position 1 is isoglutamine

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa at position 4 is beta-alanine

<220>
<221> MOD_RES
<222> (9)..(9)
<223> The C-terminal amino acid at position 9 is optionally amidated

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa at position 9 is glutamic acid methyl ester

<400> 29

Xaa Gln Gly Xaa Glu Leu Ser Asn Xaa
1 5

<210> 30
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MOD_RES
<222> (9)..(9)
<223> The C-terminal amino acid at position 9 is optionally amidated

<400> 30

Gln Gly Ala Glu Leu Ser Asn Glu Glu
1 5

<210> 31
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa at position 1 is D-asparagine

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa at position 5 is norleucine

<220>
<221> MOD_RES
<222> (9)..(9)
<223> The C-terminal amino acid at position 9 is optionally amidated

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa at position 9 is N-methyl-glutamic acid

<400> 31

Xaa Gly Ala Glu Xaa Ser Asn Glu Xaa
1   5

<210> 32
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa at position 1 is isoglutamine

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa at position 3 is beta-alanine

<220>
<221> MOD_RES
<222> (9)..(9)
<223> The C-terminal amino acid at position 9 is optionally amidated

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa at position 9 is glutamic acid methyl ester

<400> 32

Xaa Gly Xaa Glu Leu Ser Asn Glu Xaa
1   5

<210> 33
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>

<221> MOD_RES
<222> (9)..(9)
<223> The C-terminal amino acid at position 9 is optionally amidated

<400> 33

Gly Ala Glu Leu Ser Asn Glu Glu Arg
1   5

<210> 34
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa at position 1 is norvaline

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa at position 4 is norleucine

<220>
<221> MOD_RES
<222> (9)..(9)
<223> The C-terminal amino acid at position 9 is optionally amidated

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa at position 9 is ornithine

<400> 34

Xaa Ala Glu Xaa Ser Asn Glu Glu Xaa
1   5

<210> 35
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Chemically synthesized peptide

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa at position 1 is beta-alanine

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa at position 5 is D-serine

<220>
<221> MOD_RES
<222> (9)..(9)
<223> The C-terminal amino acid at position 9 is optionally amidated

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa at position 9 is N-methyl arginine

<400> 35

Xaa Ala Glu Leu Xaa Asn Glu Glu Xaa
1   5