




FIG. 1




FIG. 2

TRBC1	1	DLNKVFPEVAVFEPSEAEISHTQKATLVCLATGEFPDHVELSWWVNGKEVHSGVSTDPO
TRBC2	1	DLKNVFPEVAVFEPSEAEISHTQKATLVCLATGEFPDHVELSWWVNGKEVHSGVSTDPO
TRBC1	61	PLKEQPALNDSRYCLSSRLRVSATFWQNPNNHFERCQVQFYGLSENDEWTOQRAKPVTOIV
TRBC2	61	PLKEOPALNDSRYCLSSRLRVSATFWONPRNHFERCQVQFYGLSENDEWTOQRAKPVTOIV
TRBC1	121	SAFAWGRADCCGFTSVSYQQGVLSATILYEILLGKATLYAVLVSALVLMAMVKKRKD
TRBC2	121	SAFAWGRADCCGFTSESYQQGVLSATILYEILLGKATLYAVLVSALVLMAMVKKRKD

FIG. 3

4/27




FIG. 4

5/27




FIG. 5

6/27




FIG. 6

7/27




FIG. 7

8/27






FIG. 8



9/27

FIG. 9

10/27




FIG. 10

11/27

>VH

EVRLQQSGPDLIKPGASVKMSCKASGYTFTGYVMHWVKQRP
GQGLEWIGFINPYNDDIQSNERFRGKATLTSDKSSTTAYMELSS
LTSEDSAVYYCARGGAGYNFDGAYRFFDFWGQGTTTLTVSS

>VL

DVVMTQSPSLPVS LGDQASISCRSSQRLVHSNGNTYLHWYL
QKPGQSPKLLIYRVSNRFPGV PDRFSGSGSGTDFTLKISRVEAE
DLGIYFCSQSTHVPYTFGGGGTKLEIKR

FIG. 11

12/27





FIG. 12








FIG. 14

15/27

Jurkat TCR KO



Raji



Jurkat




FIG. 15




FIG. 16

17/27




FIG. 17




FIG. 18





FIG. 19



Patient D: PTCL-NOS

FIG. 20

21/27





FIG. 21



Solid phase selections: Direct immobilisation

FIG. 22A

22/27




FIG. 22B




FIG. 22C

23/27




FIG. 23

24/27




FIG. 24

25/27





FIG. 25

26/27





FIG. 26

27/27




FIG. 27