


CLAIMS

What is claimed



1. A compound of Formula (I),



5 wherein

X is CH₂ or O;

Y is selected from the group consisting of:



R¹ is H;

10 R^{2ᵃ} and R^{2ᵇ} are each independently H;

R³ is selected from the group consisting of: 2,3-dihydro-1H-indene; pyridyl substituted with C₁₋₆alkyl; phenyl; and phenyl substituted with one or two members each independently selected from the group consisting of: halo, C₁₋₆alkyl, C₁₋₆alkyl substituted with OH, C₁₋₆alkyl substituted with CO₂H, C₁₋₆haloalkyl, OC₁₋₆haloalkyl, C₃₋₆cycloalkyl, O-phenyl, and

15 C₃₋₆cycloalkyl substituted with CH₃;

R^a and R^b are each independently selected from the group consisting of: H and halo; and


R^c is H or CH₃;



and pharmaceutically acceptable salts, isotopes, N-oxides, solvates, and stereoisomers thereof.


2. A compound as claimed in claim 1, wherein X is CH₂.

20 3. A compound as claimed in claim 1, wherein X is O.




4. A compound as claimed in claim 1, wherein Y is



5. A compound as claimed in claim 1, wherein Y is  ,  ,





6. A compound as claimed in claim 1, wherein Y is




5

7. A compound as claimed in claim 1, wherein R^a and R^b are H.
 8. A compound as claimed in claim 1, wherein R^a and R^b are each independently selected from the group consisting of: H and Cl.
 9. A compound as claimed in claim 1, wherein R^a and R^b are F.

10. A compound as claimed in claim 1, wherein R^3 is  or  .

11. A compound as claimed in claim 1, wherein R^3 is phenyl, or phenyl substituted with one or two members each independently selected from the group consisting of: Cl, F, CH_3 , CH_2CH_3 , $CH(CH_3)_2$, $C(CH_3)_3$, $CH_2CH(CH_3)_2$, $C(CH_3)_2CH_2OH$, $C(CH_3)_2CH_2CO_2H$, CF_3 , OCF_3 , cyclopropyl, cyclopropyl substituted with CH_3 , and O-phenyl.

12. A compound as claimed in claim 1, wherein R^3 is



13. A compound as claimed in claim 1, wherein R³ is 3-tert-butylphenyl, 4-tert-butylphenyl, 4-methyl-3-trifluoromethylphenyl, or 3,4-dimethylphenyl.

- 5 14. A compound selected from the group consisting of:

(rac)-(2s,4s)-2-(1-(p-Tolyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;

(2s,4*R)-2-((1*S,5*R)-1-(p-Tolyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;

10 (2s,4*S)-2-((1*R,5*S)-1-(p-Tolyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-
azaspiro[3.4]octan-6-one;

(rac)-(2s,4s)-2-(1-Phenyl-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;

(rac)-(2s,4s)-2-(1-(4-(tert-Butyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-
15 azaspiro[3.4]octan-6-one;

- (rac)-(2s,4s)-2-(1-(3-Isopropylphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (2s,4*S)-2-((1*R,5*S)-1-(3-Isopropylphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 5 (2s,4*R)-2-((1*R,5*R)-1-(3-Isopropylphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(1-(4-Isopropylphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (2s,4*S)-2-((1*R,5*S)-1-(4-Isopropylphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 10 (2s,4*R)-2-((1*R,5*R)-1-(4-Isopropylphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2r,4s)-2-(1-(4-Isopropylphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-5-azaspiro[3.4]octan-6-one;
- 15 (rac)-(2r,4s)-2-(1-(4-(tert-Butyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-5-azaspiro[3.4]octan-6-one;
- (2r,4*S)-2-((1*R,5*S)-1-(4-(tert-Butyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-5-azaspiro[3.4]octan-6-one;
- (2r,4*R)-2-((1*S,5*R)-1-(4-(tert-Butyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-5-azaspiro[3.4]octan-6-one;
- 20 (rac)-(2s,4s)-2-(1-(3-Cyclopropylphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(1-(3-(tert-Butyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 25 (rac)-(2s,4s)-2-(1-(4-Cyclopropylphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(1-(3-(Trifluoromethoxy)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(1-(o-Tolyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 30

- (rac)-(2s,4s)-2-(1-(m-Tolyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(1-(4-(Trifluoromethoxy)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 5 (rac)-(2s,4s)-2-(1-(3-(Trifluoromethyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(1-(4-(Trifluoromethyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(1-(4-Methyl-3-(trifluoromethyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 10 (rac)-(2s,4s)-2-(1-(4-(1-Methylcyclopropyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2r,4s)-2-(1-(4-(1-Methylcyclopropyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-5-azaspiro[3.4]octan-6-one;
- 15 (rac)-(2s,4s)-2-(1-(4-Phenoxyphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(1-(3-Phenoxyphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(1-(3-Chloro-4-methylphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 20 (rac)-(2s,4s)-2-(1-(3-(1-Methylcyclopropyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(1-(4-Cyclopropyl-2-methylphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 25 (rac)-(2s,4s)-2-(1-(2-Methyl-4-(trifluoromethyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(1-(2-Methyl-4-(trifluoromethoxy)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(1-(3-Methyl-4-(trifluoromethoxy)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 30

- (rac)-(2s,4s)-2-(1-(3-Methyl-4-(trifluoromethyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(1-(3-Fluoro-4-methylphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 5 (2s,4S)-2-((1R,5S,6S)-6-(3-(Trifluoromethoxy)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(6-Phenyl-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (2s,4S)-2-((1R,6S)-6-Phenyl-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 10 (2s,4R)-2-((1S,6R)-6-Phenyl-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(7,7-Difluoro-6-phenyl-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 15 (rac)-(2s,4s)-2-(6-(m-Tolyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (2s,4*R)-2-((1*S,6*R)-6-(m-Tolyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (2s,4*S)-2-((1*R,6*S)-6-(m-Tolyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 20 (rac)-(2s,4s)-2-(6-(3-Fluoro-4-methylphenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (2s,4*R)-2-((1*S,6*R)-6-(3-Fluoro-4-methylphenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 25 (2s,4*S)-2-((1*R,6*S)-6-(3-Fluoro-4-methylphenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(6-(3-(Trifluoromethoxy)phenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (2s,4*R)-2-((1*S,6*R)-6-(3-(Trifluoromethoxy)phenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 30

- (2s,4*S)-2-((1*R,6*S)-6-(3-(Trifluoromethoxy)phenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2r,4s)-2-(6-(3-(Trifluoromethoxy)phenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-5-azaspiro[3.4]octan-6-one;
- 5 (rac)-(2s,4s)-2-(6-(o-Tolyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(6-(4-(Trifluoromethoxy)phenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2r,4s)-2-(6-(4-(Trifluoromethoxy)phenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-5-azaspiro[3.4]octan-6-one;
- 10 (rac)-(2s,4s)-2-(6-(p-Tolyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(6-(3-(Trifluoromethyl)phenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(6-(4-(Trifluoromethyl)phenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 15 (rac)-(2r,4s)-2-(6-(4-(Trifluoromethyl)phenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(6-(3-(tert-Butyl)phenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 20 (rac)-(2r,4s)-2-(6-(3-(tert-Butyl)phenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(6-(4-(tert-Butyl)phenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 25 (rac)-(2r,4s)-2-(6-(4-(tert-Butyl)phenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(6-(3-Cyclopropylphenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2r,4s)-2-(6-(3-Cyclopropylphenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-5-azaspiro[3.4]octan-6-one;
- 30

- (rac)-(2s,4s)-2-(6-(4-Cyclopropylphenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(6-(3-Chloro-4-methylphenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 5 (rac)-(2r,4s)-2-(6-(3-Chloro-4-methylphenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(6-(4-(1-Methylcyclopropyl)phenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2r,4s)-2-(6-(4-(1-Methylcyclopropyl)phenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-5-azaspiro[3.4]octan-6-one;
- 10 (rac)-(2s,4s)-2-(6-(3-(1-Methylcyclopropyl)phenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(6-(4-Cyclopropyl-2-methylphenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 15 (rac)-(2s,4s)-2-(6-(3-Isopropylphenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(6-(4-Isopropylphenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(6-(4-Methyl-3-(trifluoromethoxy)phenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 20 (rac)-(2r,4s)-2-(6-(4-Methyl-3-(trifluoromethoxy)phenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(1-Phenyl-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 25 (2s,4S)-2-((1R,5S,6S)-6-(3-(tert-Butyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (2r,4S)-2-((1R,5S,6S)-6-(3-(tert-Butyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-5-azaspiro[3.4]octan-6-one;
- (2s,4S)-2-((1R,5S,6S)-6-(4-(Trifluoromethyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 30

- (2r,4S)-2-((1R,5S,6S)-6-(4-(Trifluoromethyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-5-azaspiro[3.4]octan-6-one;
- (2s,4S)-2-((1R,5S,6S)-6-(4-(tert-Butyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 5 (2r,4S)-2-((1R,5S,6S)-6-(4-(tert-Butyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-5-azaspiro[3.4]octan-6-one;
- (2s,4S)-2-((1R,5S,6S)-6-(3-Isopropylphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (2s,4S)-2-((1R,5S,6S)-6-(4-Methyl-3-(trifluoromethyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 10 (2s,4S)-2-((1R,5S,6S)-6-(4-Ethylphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (2r,4S)-2-((1R,5S,6S)-6-(4-Ethylphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-5-azaspiro[3.4]octan-6-one;
- (2s,4S)-2-((1R,5S,6S)-6-(3,4-Dimethylphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 15 (2r,4S)-2-((1R,5S,6S)-6-(3,4-Dimethylphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-5-azaspiro[3.4]octan-6-one;
- (2s,4S)-2-((1R,5S,6S)-6-(4-Isopropylphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 20 (2r,4S)-2-((1R,5S,6S)-6-(4-Isopropylphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-5-azaspiro[3.4]octan-6-one;
- (2s,4S)-2-((1R,5S,6S)-6-(2,3-Dihydro-1H-inden-5-yl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 25 (rac)-(2s,4*S)-2-((1*R,5*S,6*R)-6-(3-(tert-Butyl)phenyl)-1-methyl-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (rac)-(2s,4s)-2-(1-(4-Ethylphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (2r,4*S)-2-((1*R,5*S)-1-(4-(1-Methylcyclopropyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-5-azaspiro[3.4]octan-6-one;
- 30

- (2*r*,4**R*)-2-((1**S*,5**R*)-1-(4-(1-Methylcyclopropyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-5-azaspiro[3.4]octan-6-one;
- (*rac*)-(2*s*,4**S*)-2-((1**R*,5**S*,6**R*)-1-Methyl-6-(*o*-tolyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 5 (2*s*,4*S*)-2-((1*R*,5*S*,6*S*)-6-(*o*-Tolyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (2*s*,4**S*)-2-((1**R*,5**S*,6**R*)-6-(3-(*tert*-Butyl)phenyl)-1-methyl-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (2*s*,4**R*)-2-((1**S*,5**R*,6**S*)-6-(3-(*tert*-Butyl)phenyl)-1-methyl-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 10 (2*s*,4*S*)-2-((1*R*,5*S*,6*S*)-6-(3-Isobutylphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (*rac*)-(2*s*,4**S*)-2-((1**R*,5**S*,6**R*)-6-(3,4-Dimethylphenyl)-1-methyl-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 15 (2*s*,4*S*)-2-((1*R*,5*S*,6*S*)-6-(3-(*tert*-Butyl)phenyl-5-*D*)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (2*s*,4*S*)-2-((1*R*,5*S*,6*S*)-6-(3-(1-Hydroxy-2-methylpropan-2-yl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 2-Methyl-2-(3-((1*R*,5*S*,6*S*)-3-((2*s*,4*S*)-6-oxo-7-oxa-5-azaspiro[3.4]octane-2-carbonyl)-3-azabicyclo[3.1.0]hexan-6-yl)phenyl)propanoic acid;
- 20 (*rac*)-(2*s*,4**S*)-2-((1**R*,5**S*,6**R*)-1-Methyl-6-(3-(trifluoromethyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (*rac*)-(2*s*,4**S*)-2-((1**R*,5**S*,6**R*)-1-Methyl-6-(4-(trifluoromethoxy)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 25 (*rac*)-(2*s*,4**S*)-2-((1**R*,5**S*,6**R*)-6-(4-Cyclopropylphenyl)-1-methyl-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (2*s*,4*S*)-2-((1*R*,5*S*,6*S*)-6-(4-Cyclopropyl-2-methylphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (2*s*,4*S*)-2-((1*R*,5*S*,6*S*)-6-(3-Chloro-4-methylphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 30

- (2*s*,4*S*)-2-((1*R*,5*S*,6*S*)-6-(3-Ethyl-4-fluorophenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (*rac*)-(2*s*,4**S*)-2-((1**R*,5**S*,6**R*)-1-Methyl-6-(4-methyl-3-(trifluoromethyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 5 (2*s*,4*S*)-2-((1*R*,5*S*,6*S*)-6-(2-Methyl-3-(trifluoromethyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (*rac*)-(2*s*,4**S*)-2-((1**R*,5**S*,6**R*)-1-Methyl-6-(4-methyl-3-(trifluoromethoxy)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 10 (2*s*,4*S*)-2-((1*R*,5*S*,6*S*)-6-(4-Methyl-3-(trifluoromethoxy)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (2*s*,4*S*)-2-((1*R*,5*S*,6*R*)-6-(6-(*tert*-Butyl)pyridin-2-yl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (2*s*,4**R*)-2-((1**S*,6**R*)-6-(4-(Trifluoromethyl)phenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 15 (2*s*,4**S*)-2-((1**R*,6**S*)-6-(4-(Trifluoromethyl)phenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (2*r*,4**S*)-2-((1**R*,6**S*)-6-(3-(Trifluoromethoxy)phenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-5-azaspiro[3.4]octan-6-one;
- (2*r*,4**R*)-2-((1**S*,6**R*)-6-(3-(Trifluoromethoxy)phenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-5-azaspiro[3.4]octan-6-one;
- 20 (2*r*,4**S*)-2-((1**R*,6**S*)-6-(4-(Trifluoromethoxy)phenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-5-azaspiro[3.4]octan-6-one;
- (2*r*,4**R*)-2-((1**S*,6**R*)-6-(4-(Trifluoromethoxy)phenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-5-azaspiro[3.4]octan-6-one;
- 25 (*rac*)-(2*s*,4*s*)-2-(7-Chloro-6-phenyl-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one; and
- (*rac*)-(2*s*,4*s*)-2-(7,7-Dichloro-6-phenyl-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one

and pharmaceutically acceptable salts, isotopes, N-oxides, solvates, and stereoisomers thereof.

- 30 15. A compound selected from the group consisting of:

- (*rac*)-(2*s*,4*s*)-2-(1-(4-Isopropylphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (2*s*,4**R*)-2-((1**S*,6**R*)-6-(3-(Trifluoromethoxy)phenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- 5 (2*s*,4**S*)-2-((1**R*,6**S*)-6-(3-(Trifluoromethoxy)phenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one;
- (2*s*,4*S*)-2-((1*R*,5*S*,6*S*)-6-(3-(*tert*-Butyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one; and
- 10 (*2r*,4*S*)-2-((1*R*,5*S*,6*S*)-6-(3-(*tert*-Butyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-5-azaspiro[3.4]octan-6-one;
- and pharmaceutically acceptable salts, isotopes, N-oxides, solvates, and stereoisomers.
16. A compound as claimed in claim 14, wherein the compound is (*rac*)-(2*s*,4*s*)-2-(1-(4-Isopropylphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one, and pharmaceutically acceptable salts thereof.
- 15
17. A compound as claimed in claim 14, wherein the compound is (2*s*,4**R*)-2-((1**S*,5**R*)-1-(3-Isopropylphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one, and pharmaceutically acceptable salts thereof.
- 20
18. A compound as claimed in claim 14, wherein the compound is (2*s*,4**R*)-2-((1**S*,6**R*)-6-(3-(Trifluoromethoxy)phenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one, and pharmaceutically acceptable salts thereof.
- 25
19. A compound as claimed in claim 14, wherein the compound is (2*s*,4**S*)-2-((1**R*,6**S*)-6-(3-(Trifluoromethoxy)phenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one, and pharmaceutically acceptable salts thereof.
- 30
20. A compound as claimed in claim 14, wherein the compound is (2*s*,4*S*)-2-((1*R*,5*S*,6*S*)-6-(3-Chloro-4-methylphenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one, and pharmaceutically acceptable salts thereof.


21. A compound as claimed in claim 14, wherein the compound is (2*s*,4*S*)-2-((1*R*,5*S*,6*S*)-6-(3-(*tert*-Butyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one, and pharmaceutically acceptable salts thereof.

5

22. A compound as claimed in claim 14, wherein the compound is (2*s*,4**S*)-2-((1**R*,6**S*)-6-(3-Fluoro-4-methylphenyl)-3-azabicyclo[4.1.0]heptane-3-carbonyl)-7-oxa-5-azaspiro[3.4]octan-6-one, and pharmaceutically acceptable salts thereof.

- 10 23. A compound as claimed in claim 14, wherein the compound is (2*r*,4*S*)-2-((1*R*,5*S*,6*S*)-6-(3-(*tert*-Butyl)phenyl)-3-azabicyclo[3.1.0]hexane-3-carbonyl)-5-azaspiro[3.4]octan-6-one, and pharmaceutically acceptable salts thereof.

- 15 24. The compound of claim 1, and pharmaceutically acceptable salts, isotopes, N-oxides, solvates, and stereoisomers thereof, having the structure of Formula (IA):




wherein

X is CH₂ or O; and

- 20 R³ is selected from the group consisting of: phenyl; phenyl substituted with one or two members each independently selected from the group consisting of: halo, C₁₋₆alkyl, C₁₋₆haloalkyl, OC₁₋₆haloalkyl, C₃₋₆cycloalkyl, O-phenyl, and C₃₋₆cycloalkyl substituted with CH₃.

25. The compound of claim 1, and pharmaceutically acceptable salts, isotopes, N-oxides, solvates, and stereoisomers thereof, having the structure of Formula (IB):




25 wherein

X is CH₂ or O;

R^3 is selected from the group consisting of: 2,3-dihydro-1*H*-indene; pyridyl substituted with C_{1-6} alkyl; phenyl substituted with one or two members each independently selected from the group consisting of: halo, C_{1-6} alkyl, C_{1-6} alkyl substituted with OH, C_{1-6} alkyl substituted with CO_2H , C_{1-6} haloalkyl, OC_{1-6} haloalkyl and cyclopropyl; and

5 R^c is H or CH_3 .

26. The compound of claim 1, and pharmaceutically acceptable salts, isotopes, N-oxides, solvates, and stereoisomers thereof, having the structure of Formula (IC):



wherein


10 X is CH_2 or O;

R^3 is selected from the group consisting of: phenyl; phenyl substituted with one or two members each independently selected from the group consisting of: halo, C_{1-6} alkyl, C_{1-6} haloalkyl, OC_{1-6} haloalkyl, C_{3-6} cycloalkyl, and C_{3-6} cycloalkyl substituted with CH_3 ; and

R^a and R^b are each independently selected from the group consisting of: H, Cl and F.

15 27. A pharmaceutical composition comprising:



(C) a therapeutically effective amount of at least one compound of Formula (I):



wherein

X is CH_2 or O;

20 Y is selected from the group consisting of:



R^1 is H;

R^{2a} and R^{2b} are each independently H;

R^3 is selected from the group consisting of: 2,3-dihydro-1H-indene; pyridyl substituted with C₁-alkyl; phenyl; and phenyl substituted with one or two members each independently

5 selected from the group consisting of: halo, C₁-alkyl, C₁-alkyl substituted with OH, C₁-alkyl substituted with CO₂H, C₁-haloalkyl, OC₁-haloalkyl, C₃-cycloalkyl, O-phenyl, and C₃-cycloalkyl substituted with CH₃;

R^a and R^b are each independently selected from the group consisting of: H and halo; and


R^c is H or CH₃;

10 and pharmaceutically acceptable salts, isotopes, N-oxides, solvates, and stereoisomers of compounds of Formula (I); and

(D) at least one pharmaceutically acceptable excipient.

28. A pharmaceutical composition comprising a therapeutically effective amount of at least one compound of claim 14 and at least one pharmaceutically acceptable excipient.



15 29. A method of treating a subject suffering from or diagnosed with a disease, disorder, or condition mediated by MGL receptor activity, comprising administering to a subject in need of such treatment a therapeutically effective amount of at least one compound of Formula (I):



20 wherein

X is CH₂ or O;

Y is selected from the group consisting of:



R¹ is H;

R^{2a} and R^{2b} are each independently H;

R³ is selected from the group consisting of: 2,3-dihydro-1H-indene; pyridyl substituted with C₁-alkyl; phenyl; and phenyl substituted with one or two members each independently

5 selected from the group consisting of: halo, C₁-alkyl, C₁-alkyl substituted with OH, C₁-alkyl substituted with CO₂H, C₁-haloalkyl, OC₁-haloalkyl, C₃-cycloalkyl, O-phenyl, and C₃-cycloalkyl substituted with CH₃;

R^a and R^b are each independently selected from the group consisting of: H and halo; and

R^c is H or CH₃;

10 and pharmaceutically acceptable salts, isotopes, N-oxides, solvates, and stereoisomers of compounds of Formula (I).

30. The method of claim 29, wherein the MGL receptor mediated disease, disorder, or condition is selected from the group consisting of: pain, psychiatric conditions, neurological conditions, cancers, and eye conditions.

15 31. The method of claim 30, wherein the MGL receptor mediated disease, disorder or condition is selected from the group consisting of major depressive disorder, treatment resistant depression, anxious depression, and bipolar disorder.

32. The method of claim 30, wherein the MGL receptor mediated disease, disorder or condition is inflammatory pain.

20