


FIGURE 1

Overlay Zymography and gel band excision process

INCORPORATED BY REFERENCE (RULE 20.6)

FIGURE 2






FIGURE 3




INCORPORATED BY REFERENCE (RULE 20.6)

FIGURE 4



INCORPORATED BY REFERENCE (RULE 20.6)


FIGURE 5



INCORPORATED BY REFERENCE (RULE 20.6)


FIGURE 6

OPAL B




INCORPORATED BY REFERENCE (RULE 20.6)

FIGURE 7




INCORPORATED BY REFERENCE (RULE 20.6)

FIGURE 8




INCORPORATED BY REFERENCE (RULE 20.6)

FIGURE 9



INCORPORATED BY REFERENCE (RULE 20.6)

FIGURE 10



INCORPORATED BY REFERENCE (RULE 20.6)

FIGURE 11





FIGURE 12



INCORPORATED BY REFERENCE (RULE 20.6)

FIGURE 13





FIGURE 14


Pre-commencement of treatment with OPAL B.



INCORPORATED BY REFERENCE (RULE 20.6)

FIGURE 15


Treatment day 2



INCORPORATED BY REFERENCE (RULE 20.6)

FIGURE 16

Treatment day 4



INCORPORATED BY REFERENCE (RULE 20.6)

FIGURE 17

Treatment day 16



INCORPORATED BY REFERENCE (RULE 20.6)

FIGURE 18

Treatment day 19



INCORPORATED BY REFERENCE (RULE 20.6)