




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5

TABLE 1

One Codeword: Codeword 0 enabled, Codeword 1 disabled		Two Codewords: Codeword 0 enabled, Codeword 1 enabled	
Value	Message	Value	Message
0	1 layer, port 7, $n_{SCID}=0$	0	2 layers, ports 7-8, $n_{SCID}=0$
1	1 layer, port 7, $n_{SCID}=1$	1	2 layers, ports 7-8, $n_{SCID}=1$
2	1 layer, port 8, $n_{SCID}=0$	2	3 layers, ports 7-9
3	1 layer, port 8, $n_{SCID}=1$	3	4 layers, ports 7-10
4	2 layers, ports 7-8	4	5 layers, ports 7-11
5	3 layers, ports 7-9	5	6 layers, ports 7-12
6	4 layers, ports 7-10	6	7 layers, ports 7-13
7	Reserved	7	8 layers, ports 7-14

Fig. 6

TABLE 2

Offset	Lowest antenna port	nSCID
0	7	0
1	8	1
2	7	1
3	8	0

Fig. 7

granularity =1/4					
<i>offset</i>					
<i>PRB_1st</i>	0	1	2	3	
	0	1	2	3	
	1	1	2	3	
	2	1	2	3	
	3	0	2	3	
	4	1	2	3	
	5	1	2	3	
	6	1	2	3	
	7	1	2	3	
	8	2	3	4	
	9	2	3	4	
	10	2	3	4	
	11	2	3	4	
	12	3	4	5	
	13	3	4	5	
	14	3	4	5	
	15	3	4	5	
	16	4	5	6	
	17	4	5	6	
	18	4	5	6	
	19	4	5	6	
	20	5	6	7	
	21	5	6	7	
	22	5	6	7	
	23	5	6	7	
	24	6	7	8	

TABLE 3A

granularity =2					
<i>offset</i>					
<i>PRB_1st</i>	0	1	2	3	
	0	1	2	3	
	1	3	4	5	
	2	5	6	7	
	3	7	8	9	
	4	9	10	11	
	5	11	12	13	
	6	13	14	15	
	7	15	16	17	
	8	17	18	19	
	9	19	20	21	
	10	21	22	23	
	11	23	24	25	
	12	25	26	27	
	13	27	28	29	
	14	29	30	31	
	15	31	32	33	
	16	33	34	35	
	17	35	36	37	
	18	37	38	39	
	19	39	40	41	
	20	41	42	43	
	21	43	44	45	
	22	45	46	47	
	23	47	48	49	
	24	49	50	51	

TABLE 3B

Fig. 8