

1/3

Figure 1

Survival rate

			days after tumoral challenge										
Groupe	VIRUS	DOSES pfu / souris	9	13	20	27	34	41	49	56	63	70	77
1	IMV/EEV	5,0 E+05 pfu	100	100	100	100	100	100	90	65	60	60	60
2	IMV	5,0E+05 pfu	100	100	100	100	95	95	60	40	35	30	20
3	N33	5,0 E+05 pfu	100	100	100	100	100	90	70	25	10	5	5

2/3

Figure 2

Pourcentage of tumor free Mices												
	DOSES pfu/50µL / mice	days after tumoral challenge										
		9	13	20	27	34	41	49	56	63	70	77
VIRUS												
IMV/EEV	5,0 E+05 pfu	0	0	0	10	20	30	30	35	35	35	35
IMV	5,0 E+05 pfu	0	0	0	0	0	5	5	10	10	10	10
N33	5,0 E+05 pfu	0	0	0	0	0	0	0	0	0	0	0

3/3

Figure 3

mice survival rates

Groupe	VIRUS	DOSE pfu/50µL / souris	days after tumoral challenge						
			9	15	20	23	27	30	38
1	IMV	1,0 E+04	100	100	100	95	75	60	55
2	IMV	3,0 E+04	100	100	100	100	90	60	55
3	IMV/EEV	1,0 E+04	100	100	100	95	85	75	70
4	IMV/EEV	3,0 E+04	100	100	100	100	100	80	75
5	Empty IMV	1,0 E+04	100	100	100	60	30	10	5