



(51) International Patent Classification:
H04N 7/50 (2006.01)

(21) International Application Number: PCT/CN2013/079964

(22) **International Filing Date:** 24 July 2013 (24.07.2013)

(25) **Filing Language:** English

(26) **Publication Language:** English

(71) **Applicant: MICROSOFT CORPORATION** [US/US];
One Microsoft Way, Redmond, Washington 98052-6399
(US).

(72) Inventors: and

(71) **Applicants (for US only):** **PENG, Xiulian** [CN/CN]; c/o Microsoft Asia Pacific R&D Headquarters, 14F, Building 2, No 5, Dan Ling Street, Haidian District, Beijing 100080 (CN). **XU, Jizheng** [CN/CN]; c/o Microsoft Asia Pacific R&D Headquarters, 14F, Building 2, No 5, Dan Ling Street, Haidian District, Beijing 100080 (CN).

(74) **Agent: SHANGHAI PATENT & TRADEMARK LAW OFFICE, LLC**; 435 Guiping Road, Shanghai 200233 (CN).

(81) Designated States (*unless otherwise indicated, for every kind of national protection available*): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KN, KP, KR, KZ, LA, LC, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Published:

— with international search report (Art. 21(3))

(54) Title: SCANNING ORDERS FOR NON-TRANSFORM CODING




FIG. 1

(S7) Abstract: Non-transform blocks of video content may be coded by selectively changing a scanning order. In some implementations, an encoder or decoder may perform a scanning process on a block according to a scanning order. When the block has not been transformed, the encoder or decoder may selectively change the scanning order to a different order. For example, if the block is associated with a particular type of prediction, the scanning order may be changed to a different order. In another example, if the non-transform block has a size that is smaller than a predetermined size, the scanning order may be changed to a different order.