CLAIMS

1. A composition containing a cyclic dipeptide or a salt thereof and a sweetening agent, wherein

the content of the cyclic dipeptide or a salt thereof in the composition is 5.0×10^{-3} ppm to 1.5×10^{4} ppm; and

the content ratio of the cyclic dipeptide or a salt thereof and the sweetening agent is 1:30 to 1:15000000,

wherein the cyclic dipeptide includes either one or both of cyclo(glycyl-tyrosine) [Cyclo(Gly-Tyr)] and cyclo(leucyl-phenylalanine) [Cyclo(Leu-Phe)], and the content of cyclo(glycyl-tyrosine) [Cyclo(Gly-Tyr)] or cyclo(leucyl-phenylalanine) [Cyclo(Leu-Phe)] is 5.0×10^{-5} ppm to 1.0×10^{2} ppm,

wherein the sweetening agent includes one or two or more members selected from the group consisting of glucose, sucralose, acesulfame potassium, aspartame, stevioside, rebaudioside A, rebaudioside B and rebaudioside D.

2. The composition according to claim 1, wherein

the sweetening agent includes glucose, and

the content ratio of the cyclic dipeptide or a salt thereof and glucose is 1:3000 to 1:15000000.

3. The composition according to claim 1, wherein

the sweetening agent includes sucralose, and

the content ratio of the cyclic dipeptide or a salt thereof and sucralose is 1:60 to 1:300000.

4. The composition according to claim 1, wherein

the sweetening agent includes acesulfame potassium,

the content ratio of the cyclic dipeptide or a salt thereof and acesulfame potassium is 1:30 to 1:150000.

5. The composition according to claim 1, wherein

the sweetening agent contains aspartame, and

the content ratio of the cyclic dipeptide or a salt thereof and aspartame is 1:30 to 1:150000.

6. The composition according to claim 1, wherein

the sweetening agent includes one or two or more members selected from the group consisting of stevioside, rebaudioside A, rebaudioside B and rebaudioside D.

7. The composition according to claim 6, including stevioside, and

the content ratio of the cyclic dipeptide or a salt thereof and stevioside is 1:30 to 1:1:20000.

8. The composition according to claim 6, including rebaudioside A, and

the content ratio of the cyclic dipeptide or a salt thereof and rebaudioside A is 1:30 to 1:1:20000.

9. The composition according to claim 6, including rebaudioside D, and

the content ratio of the cyclic dipeptide or a salt thereof and rebaudioside D is 1:30 to 1:1:20000.

10. The composition according to any one of claims 1 to 9, wherein the content of the

sweetening agent is 1.0 ppm to 6.0×10^5 ppm.

11. The composition according to any one of claims 1 to 10, wherein the content of the sweetening agent is 0.5 wt% to 600 wt% in terms of sucrose concentration.

12. The composition according to any one of claims 1 to 11, wherein the cyclic dipeptide or a salt thereof is obtained from a soybean peptide, a tea peptide or a malt peptide.

13. The composition according to any one of claims 1 to 12, for use in GLP-1 secretion-acceleration.

14. The composition according to any one of claims 1 to 13, for use in ameliorating glucose metabolism, suppressing appetite or preventing or ameliorating diabetes or obesity.