




Figure 1: IR spectra of the compound of the formula I in polymorph I, II and III



Polymorph I




5 Polymorph II




Polymorph III

2/14

Figure 2: IR spectra of the compound of the formula I in polymorph IV, V and of the triacetic acid solvate




Polymorph IV



5


Polymorph V




Triacetic acid solvate

3/14

Figure 3: IR spectra of the compound of the formula I as the di-DMSO solvate, DMF/water solvate and the monohydrate




Di-DMSO solvate



5


DMF/water solvate



Monohydrate

4/14


Figure 4: IR spectra of the compound of the formula I as the dihydrate



Dihydrate

5/14

Figure 5: X-ray powder diffractograms of the compound of the formula I in polymorph I



6/14

Figure 6: X-ray powder diffractograms of the compound of the formula I in polymorph II






Figure 7: X-ray powder diffractograms of the compound of the formula I in polymorph III




8/14

Figure 8: X-ray powder diffractograms of the compound of the formula I in polymorph IV




9/14

Figure 9: X-ray powder diffractograms of the compound of the formula I in polymorph V



10/19

Figure 10: X-ray powder diffractograms of the compound of the formula I as the triacetic acid solvate



11/14

Figure 11: X-ray powder diffractograms of the compound of the formula I as the di-DMSO solvate






Figure 12: X-ray powder diffractograms of the compound of the formula I as the DMF-water solvate



13/14

Figure 13: X-ray powder diffractograms of the compound of the formula I as the monohydrate



14/14

Figure 14: X-ray powder diffractograms of the compound of the formula I as the dihydrate

