**PCT** WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

| (51) International Patent Classification 7 : G06F | A2 | (11) International Publication Number: **WO 00/22493** |
|---|---|---|
| | | (43) International Publication Date: 20 April 2000 (20.04.00) |

(21) International Application Number: PCT/US99/24029

(22) International Filing Date: 12 October 1999 (12.10.99)

(30) Priority Data:
60/103,948 13 October 1998 (13.10.98) US

(71) Applicant: VIRTUAL GOLD, INC. [US/US]; Suite 235, 280 N. Central Park Avenue, Hartsdale, NY 10530 (US).


(72) Inventors: BHANDARI, Inderpal, S.; 220 Ardsley Road, Scarsdale, NY 10583 (US). PRATAP, Rajiv; 5 Wyndover Woods Lane #1, White Plains, NY 10603 (US). RAMANUJAM, Krishnakumar; 3 Wyndover Woods Lane #16, White Plains, NY 10603 (US).

(74) Agent: IM, C. Andrew; Suite 235, 280 N. Central Park Avenue, Hartsdale, NY 10530 (US).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

**Published**
*Without international search report and to be republished upon receipt of that report.*

(54) Title: METHOD AND APPARATUS FOR FINDING HIDDEN PATTERNS IN THE CONTEXT OF QUERYING APPLICATIONS




(57) Abstract

The querying application of the present invention provides method and apparatus to find related queries having the greatest–valued and/or least–valued results. Elements (or inputs) of the related queries overlap with the elements of the user query. Preferably, the querying application of the present invention enables the user to trace other queries having the greatest–valued and/or least–valued results that overlap other elements of the user query. In accordance with another aspect of the present invention, the querying application of the present invention provides method and apparatus to find non–related queries having the greatest–valued and/or least–valued results.