




Fig.1.

MARKUP DOCUMENT 108




Fig.2.

```

1   Counter #1: <span id="counterLabel1">0</span><br />
2   Counter #2: <span id="counterLabel2">0</span><br />
3   <script type="text/xml-script"> ~ 210
4     <page xmlns:script="http://schemas.microsoft.com/xml-script/2005">
5       <references> ~ 212
6         <add src="../../ScriptLibrary/AtlasUI.js" />
7         <add src="../../ScriptLibrary/AtlasControls.js" />
8       </references>
9       <components> ~ 214
10      302 <counter id="counter1" />
11      304 <counter id="counter2" value="10000" />
12          ~ 306
13          <timer interval="500" enabled="true">
14            <tick> ~ 308
15              <invokeMethod target="counter1" method="increment" />
16            </tick> ~ 310
17          </timer> ~ 316
18          <timer interval="500" enabled="true">
19            <tick> ~ 318
20              <invokeMethod target="counter2" method="decrement" />
21            </tick>
22          </timer> ~ 312
23          <label targetElement="counterLabel1">
24            <bindings> ~ 314
25              <binding dataContext="counter1" dataPath="value" property="text" />
26            </bindings>
27          </label> ~ 320
28          <label targetElement="counterLabel2">
29            <bindings>
30              <binding dataContext="counter2" dataPath="value" property="text" />
31            </bindings>
32          </label>
33        </components>
34      </page>
35    </script>

```

Fig.3.