

1/4





Fig. 1

2/4

The figure displays four sequential screens of a medical software interface, likely for labor management. Each screen has a title bar with 'SMART' and 'EX @ 12:00' and a status bar with 'START' and 'BACK' buttons.

- Screen 1: APARTOGRAPH**
 - NAME: [Text Field]
 - AGE: [Text Field] - LMP: [Text Field]
 - ACG: [Text Field] - G: [Text Field] P: [Text Field]
 - T: [Text Field] P: [Text Field] A: [Text Field] L: [Text Field]
 - ADMISSION DATE: [Text Field] Date today
 - TIME LABOR START: [Text Field] Time wheel
 - SUBMIT: [Button]
 - OPTIONS: [Text]
 - HOME: [Text]
- Screen 2: INITIAL ASSESSMENT**
 - CERVIX: [Text Field] STATION: [Text Field]
 - ☐ RUPTURED MEMBRANES
 - TIME SINCE RUPTURE OF MEMBRANES: [Text Field]
 - AMNIOTIC FLUID COLOR: [Text Field]
 - ☐ TRUE LABOR
 - CONTRACTION/MIN: [Text Field]
 - ☐ VAGINAL BLEEDING
 - NEXT: [Button]
 - START: [Text]
 - BACK: [Text]
- Screen 3: OXYTOCIN**
 - OXYTOCIN: [Text Field]
 - 31 Jan 2011 10:00H
 - START: [Button]
 - STOP: [Button]
 - START: [Text]
 - BACK: [Text]
- Screen 4: VITAL SIGNS**
 - FHR: [Text Field] UO: [Text Field]
 - BP: [Text Field] PULSE: [Text Field]
 - ☐ OXYTOCIN STARTED
 - SUBMIT: [Button]
 - START: [Text]
 - BACK: [Text]

Fig. 2

**Fig. 3**

4/4

PARTOGRAPH												
USE THIS FORM FOR MONITORING ACTIVE LABOUR												
FINDINGS	TIME											
	1	2	3	4	5	6	7	8	9	10	11	12
Hours in active labour												
Hours since ruptured membranes												
Rapid assessment 63-87												
Vaginal bleeding (0 + ++)												
Amniotic fluid (meconium stained)												
Contractions in 10 minutes												
Fetal heart rate (beats/minute)												
Uterine voided												
T (axillary)												
Pulse (beats/minute)												
Blood pressure (systolic/diastolic)												
Cervical dilatation (cm)												
Delivery of placenta (time)												
Oxytocin (time/given)												
Problem-note onset/describe below												

Fig. 4