N-(2-Hydroxy-2-methylpropyl)-4-(4-fluorobenzyl)-4H-benzo[1,4]oxazine-2-carboxamide;
N-(cis-1S, 2S-2-Hydroxycyclohexyl)-4-(2-methoxypyridin-5-ylmethyl)-4H-benzo[1,4]oxazine-2-carboxamide;
N-(2-Hydroxy-2-methylpropyl)-4-(2-methoxypyridin-5-ylmethyl)-4H-benzo[1,4]oxazine-2-carboxamide;
N-(cis-1S, 2S-2-Hydroxycyclohexyl)-4-(3-trifluoromethylbenzyl)-4H-benzo[1,4]oxazine-2-carboxamide;
N-(cis-1S, 2S-2-Hydroxycyclohexyl)-4-(2,3-difluorobenzyl)-4H-benzo[1,4]oxazine-2-carboxamide;
N-(cis-1S, 2S-2-Hydroxycyclohexyl)-4-(3,4-difluorobenzyl)-4H-benzo[1,4]oxazine-2-carboxamide;
N-(3-Hydroxytetrahydropyran-4-yl)-4-(2,3-difluorobenzyl)-4H-benzo[1,4]oxazine-2-carboxamide;
N-(cis-1S, 2S-2-Hydroxycyclohexyl)-4-(2-chloropyridin-5-ylmethyl)-4H-benzo[1,4]oxazine-2-carboxamide;
N-(cis-1S, 2S-2-Hydroxycyclohexyl)-4-(pyridin-3-ylmethyl)-4H-benzo[1,4]oxazine-2-carboxamide;
N-(cis-1S, 2S-2-Hydroxycyclohexyl)-4-(pyridin-4-ylmethyl)-4H-benzo[1,4]oxazine-2-carboxamide;
N-(cis-1S, 2S-2-Hydroxycyclohexyl)-4-(2-chloropyridin-4-ylmethyl)-4H-benzo[1,4]oxazine-2-carboxamide;
N-(cis-1S, 2S-2-Hydroxycyclohexyl)-4-(pyridin-2-ylmethyl)-4H-benzo[1,4]oxazine-2-carboxamide;
N-(cis-1S, 2S-2-Hydroxycyclohexyl)-4-(3,4-dichlorobenzyl)-4H-benzo[1,4]oxazine-2-carboxamide;
N-(cis-1S, 2S-2-Hydroxycyclohexyl)-4-(2-methylpyridin-3-ylmethyl)-4H-benzo[1,4]oxazine-2-carboxamide;
N-(cis-1S, 2S-2-Hydroxycyclohexyl)-4-(2,4-dichlorobenzyl)-4H-benzo[1,4]oxazine-2-carboxamide;
N-(cis-1S, 2S-2-Hydroxycyclohexyl)-4-(2,3-difluorobenzyl)-8-fluoro-4H-benzo[1,4]oxazine-2-carboxamide;

7. The compound as claimed in any one of the claims 1 to 6, wherein the pharmaceutically acceptable salt is selected from the group consisting of:
N-(3-Fluoropiperidin-4-yl)-4-(2-fluorobenzyl)-8-fluoro-4H-benzo[1,4]oxazine-2-carboxamide hydrochloride;
N-(3-Fluoropiperidin-4-yl)-4-(2,3-difluorobenzyl)-8-fluoro-4H-benzo[1,4]oxazine-2-carboxamide hydrochloride;
N-(3-Hydroxypiperidin-4-yl)-4-(2,3-difluorobenzyl)-8-fluoro-4H-benzo[1,4]oxazine-2-carboxamide trifluoroacetate;
N-(3-Hydroxypiperidin-4-yl)-4-(2-fluorobenzyl)-4H-benzo[1,4]oxazine-2-carboxamide trifluoroacetate;
N-(3-Hydroxypiperidin-4-yl)-4-(4-fluorobenzyl)-8-fluoro-4H-benzo[1,4]oxazine-2-carboxamide trifluoroacetate;
N-(3-Hydroxypiperidin-4-yl)-4-(4-fluorobenzyl)-4H-benzo[1,4]oxazine-2-carboxamide trifluoroacetate;
N-(3-Hydroxypiperidin-4-yl)-4-(2,3-difluorobenzyl)-4H-benzo[1,4]oxazine-2-carboxamide trifluoroacetate; and
N-(3-Hydroxypiperidin-4-yl)-4-(2-fluorobenzyl)-8-fluoro-4H-benzo[1,4]oxazine-2-carboxamide trifluoroacetate.

8. A pharmaceutical composition comprising a compound as claimed in any one of the claims 1 to 7, and pharmaceutically acceptable excipients or carriers.

9. The pharmaceutical composition as claimed in claim 8, for use in the treatment of clinical conditions mediated through muscarinic M1 receptor selected from the group consisting of Alzheimer's disease, schizophrenia, cognitive disorders, pain or sleep disorders.

10. Use of the compound as claimed in any one of the claims 1 to 7, for the manufacture of medicament for the treatment of disorder related to Muscarinic M1 receptor.

11. The use as claimed in claim 10, wherein the disorder related to muscarinic M1 receptor is selected from the group consisting of Alzheimer's disease, schizophrenia, cognitive disorders, pain or sleep disorders.