

Biomarker IL-18 over time by RIFLE Stage
Population: AnalysisPopulation; Normalization: UCREA
IL-18
Biomarker (normalized)
2.0
1.5
1.0
0.5
0.0
-0.5
-1.0
RIFLE
NoAKI
Risk
>=Injury
-2
0
1
2
4
8
12
24
48
72
96
Time since ICU arrival
>=In 4 5 4 5 5 5 4 5 3 3 5
Risk 9 6 8 8 8 8 7 7 7 7 6
NAKI 184 177 184 185 185 179 181 180 173 177 137

Fig. 1



Biomarker NGAL over time by RIFLE Stage
Population: AnalysisPopulation; Normalization: UCREA
NGAL
Biomarker (normalized)
Time since ICU arrival
RIFLE
NoAKI
Risk
>=Injury
>=In 4 5 4 5 5 5 4 5 3 3 5
Risk 6 6 6 6 6 6 7 7 7 7 6
NAKI 184 177 184 185 185 180 181 180 173 177 137

Fig. 2



Biomarker TFF3 over time by RIFLE Stage
Population: AnalysisPopulation; Normalization: UCREA
TFF3
Biomarker (normalized)
-0.5
-1.0
-1.5
-2.0
-2.5
-3.0
-3.5
-2
0
1
2
4
8
12
24
48
72
96
Time since ICU arrival
RIFLE
NoAKI
Risk
>=Injury
>=In 4 5 4 5 5 5 4 5 3 3 5
Risk 6 6 6 6 6 6 7 7 7 7 6
NAKI 184 177 184 185 185 180 181 180 173 177 137

Fig. 3