Claims

1. A ~~versatile~~ dishwasher comprising:

a washing station for cleaning eating utensils, the washing station ~~having~~ comprising:

a first side comprising:

at least one inlet for receiving a first batch of eating utensils; and

at least one outlet for discharging a second batch of ~~cleaned~~ eating utensils~~; and~~

~~a carrier configured to couple with the washing station for fetching eating utensils with the washing station or collecting a second batch of eating utensils after being detached from the washing station~~.

2. The ~~versatile~~ dishwasher of claim 1 further comprising

at least one door for closing an opening of the washing station during the cleaning process.

3. The ~~versatile~~ dishwasher of claim 2, wherein

the at least one door is detachable from the washing station~~, the carrier or both the washing station and the carrier~~.

4. The ~~versatile~~ dishwasher of claim 1, further comprising a carrier comprising ~~wherein the carrier comprises~~ at least one rack for carrying at least one basket in order to hold the eating utensils.

5. The ~~versatile~~ dishwasher of claim 4, wherein
the at least one rack is adjustable for fetching the eating utensils from the washing station.

6. The ~~versatile~~ dishwasher of claim 1, wherein the at least one inlet comprises a first inlet and a second inlet for receiving soiled eating utensils independently.

6. The ~~versatile~~ dishwasher of claim 1, wherein
the at least one outlet comprises a first outlet and a second outlet for discharging cleaned eating utensils.

7. The ~~versatile~~ dishwasher of Claim 1 further comprising
a locking mechanism for fastening a part of the washing station.

8. The ~~versatile~~ dishwasher of Claim 8, wherein
the locking mechanism comprises a shut-tight door, a latch or both.

9. The ~~versatile~~ dishwasher of Claim 1 further comprising
a warning device for alerting operating status.

11. A~~n adaptable~~ dishwasher comprising:

a washer for cleaning eating utensils, the washer comprising a first inlet, a second inlet, a first ~~out~~ outlet and a second outlet;

wherein the washer is configured to transfer the eating utensils from one of the inlets to one of the outlets for cleaning; and

wherein the first inlet and the first outlet are positioned on a common side of the dishwasher.