
CLAIMS

1. A compound of Formula (Ib):



Formula (Ib)

wherein:

R^3 is selected from H, halogen, C_6-C_{10} phenyl, 5-10 membered heteroaryl, C_3-C_6 heteroalkyl; the hydrogens in R^3 are optionally substituted by one or more R^7 groups independently, and the adjacent R^7 groups can join to form a 5-7 membered ring;

W is selected from C_6-C_{10} aryl, 5-10 membered heteroaryl, wherein the hydrogens on the rings may be substituted by one or more R^7 groups independently;

R^7 is selected from H, halogen, OH, NO_2, CN, $O(C_1$-$C_3)$alkyl, $(C_1$-$C_5)$heteroalkyl, $O(C_3$-$C_6)$cycloalkyl, $O(C_3$-$C_6)$heterocycloalkyl, C_1-C_5 alkyl, C=C, C ≡ C, C_3-C_6 cycloalkyl, C_3-C_6 heterocycloalkyl, NR^5R^6, $C(O)(C_1$-$C_2)$alkyl, $C(O)O(C_1$-$C_2)$alkyl, $P(O)((C_1$-$C_2)alkyl)_2$, SO_2 cyclopropyl, $S(O)_n(C_1$-$C_3)$alkyl, wherein n=0, 1, or 2; and the two adjacent R^7 groups can join to form a 5-7 membered ring;

each R^5 and R^6 is independently selected from H, C_1-C_3 alkyl, C_3-C_6 cycloalkyl, $C(O)C_1$-C_3 alkyl, $S(O)_2(C_1$-$C_3)$alkyl or $S(O)_2(C_3$-$C_6)$cycloalkyl; R^5 and R^6 can join to form a 3-6 membered ring.

2. The compound of Claim 1, wherein R^3 is selected from H, halogen; W is selected from phenyl or 5-10 membered heteroaryl, wherein the hydrogens on the ring may be substituted by one or more R^7 groups independently, and the two adjacent R^7 groups can join to form a 5-7 membered ring； R^7 is selected from halogen, OH, NO_2, CN, $O(C_1$-$C_3)$alkyl, $(C_1$-$C_5)$ heteroalkyl, $O(C_3$-$C_6)$cycloalkyl, $O(C_3$-$C_6)$heterocycloalkyl, C_1-C_5 alkyl, C=C, C≡C, C_3-C_6 cycloalkyl, C_3-C_6 heterocycloalkyl, $N((C_1$-$C_2)alkyl)_2$,

$NH(C_1\text{-}C_2)alkyl$, $C(O)(C_1\text{-}C_2)alkyl$, $C(O)O(C_1\text{-}C_2)alkyl$, $P(O)((C_1\text{-}C_2)alkyl)_2$, SO_2 cyclopropyl, $S(O)_n(C_1\text{-}C_3)alkyl$, wherein n=0, 1, or 2.

3. The compound of Claim 1, wherein R^3 is selected from phenyl, 5-10 membered heteroaryl, $C_3\text{-}C_6$ heterocycloalkyl, wherein the hydrogens on the ring may be independently substituted by halogen, OH, NO_2, CN, $O(C_1\text{-}C_3)alkyl$, $(C_1\text{-}C_5)heteroalkyl$, $O(C_3\text{-}C_6)cycloalkyl$, $O(C_3\text{-}C_6)heterocycloalkyl$, $C_1\text{-}C_5$ alkyl, C=C, C≡C, $C_3\text{-}C_6$ cycloalkyl, $C_3\text{-}C_6$ heterocycloalkyl, $N((C_1\text{-}C_2)alkyl)_2$, $NH(C_1\text{-}C_2)alkyl$, $C(O)(C_1\text{-}C_2)alkyl$, $C(O)O(C_1\text{-}C_2)alkyl$, $P(O)((C_1\text{-}C_2)alkyl)_2$, SO_2 cyclopropyl, $S(O)_n(C_1\text{-}C_3)alkyl$, wherein n=0, 1, or 2; W is selected from phenyl or 5-10 membered heteroaryl, wherein the hydrogens on the ring may be substituted by one or more R^7 groups independently, and one of the substituted groups should be selected from NH_2, $N((C_1\text{-}C_2)alkyl)_2$, $NH(C_1\text{-}C_2)alkyl$, $C(O)(C_1\text{-}C_2)alkyl$, $C(O)O(C_1\text{-}C_2)alkyl$, $P(O)((C_1\text{-}C_2)alkyl)_2$, SO_2 cyclopropyl, $S(O)_n(C_1\text{-}C_3)alkyl$, wherein n=0, 1, or 2, and the adjacent groups in R^7 or W can join to form a 5-7 membered ring.

4. The compound of Claim 3, wherein R^3 is selected from phenyl, pyrazolyl, pyridyl, wherein the hydrogens on the ring may be substituted by halogen, CN, $O(C_1\text{-}C_3)alkyl$, $C_1\text{-}C_3$ alkyl, $C_3\text{-}C_6$ cycloalkyl, $(C_1\text{-}C_5)heteroalkyl$, $C_3\text{-}C_6$ heterocycloalkyl, $N((C_1\text{-}C_2)alkyl)_2$, $NH(C_1\text{-}C_2)alkyl$; and the adjacent substituted groups in R^3 can join to form a 5-7 membered ring.

5. The compound of Claim 4, wherein R^3 is selected from pyrazolyl, pyridyl, wherein the hydrogens on the ring may be substituted by halogen, CN, $C_1\text{-}C_3$ alkyl, $C_3\text{-}C_6$ cycloalkyl, $(C_1\text{-}C_5)$ heteroalkyl, $C_3\text{-}C_6$ heterocycloalkyl, and the adjacent substituted groups on R^3 can join to form a 5-7 membered ring.

6. The compound of Claim 3, 4 or 5, wherein W is selected from phenyl, wherein the hydrogens on the ring is substituted by one or more R^7 groups independently, and one of the substituted groups should be selected from $N((C_1\text{-}C_2)alkyl)_2$, $C(O)(C_1\text{-}C_2)$ alkyl, $C(O)O(C_1\text{-}C_2)$ alkyl, $P(O)((C_1\text{-}C_2)alkyl)_2$, SO_2 cyclopropyl, $S(O)_n(C_1\text{-}C_3)$ alkyl, wherein n=0, 1, or 2, and the adjacent substituted groups in W can join to form a 5-7 membered ring.

7. The compound of Claim 1, wherein the compound is selected from:

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-methylbenzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-2-chloro-5-methylbenzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-methoxybenzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-cyanobenzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-2,5-dichlorobenzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-ethynylbenzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-(methylsulfonyl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-(isopropylsulfonyl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-(cyclopropylsulfonyl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-(dimethylphosphoryl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-(dimethylamino)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-5-methylnicotinamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-2-fluoro-5-methylbenzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-2-chloro-3-methylbenzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-cyclopropylbenzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-isopropylbenzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-isopropoxybenzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-(ethylsulfonyl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-2-chloro-3-methoxybenzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-(1-hydroxycyclopentyl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-4-(methylsulfonyl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-(1-hydroxycyclobutyl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-4-methylbenzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)-4-chlorophenyl)-2-chloro-3-methylbenzamide

N-(3-((R)-1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-((2-hydroxycyclohexyl)amino)benzamide

(R)-N-(5-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)-2-fluorophenyl)-2-chloro-3-methylbenzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-(1-hydroxycyclohexyl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-4-((4-methylpiperazin-1-yl)methyl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-(4-methylpiperazin-1-yl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-4-(4-methylpiperazin-1-yl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-2-methoxy-5-(methylsulfonyl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-((4-methylpiperazin-1-yl)methyl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-(cyclopropylsulfonyl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-(isopropylsulfonyl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-(cyclopentylsulfonyl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)quinoline-3-carboxamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)isoquinoline-6-carboxamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)quinoline-6-carboxamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-(pyrrolidin-1-ylsulfonyl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-5-cyclopropylnicotinamide

(R)-N-(5-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)pyridin-3-yl)-2-chloro-3-methylbenzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-(1-cyanocyclopropyl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-cyclobutylbenzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-(trifluoromethyl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-(pyrrolidin-1-yl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-2,3-dihydrobenzo[b]thiophene-4-carboxamide 1,1-dioxide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-2,3-dihydrobenzo[b]thiophene-5-carboxamide 1,1-dioxide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)benzo[d][1,3]dioxole-5-carboxamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-5-fluoropicolinamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-5-methylpicolinamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-4-methylpicolinamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-4-(trifluoromethyl)picolinamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-5-(trifluoromethyl)picolinamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-6-(trifluoromethyl)picolinamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-4-methyl-3-(methylsulfonyl)benzamide

(R)-N-(5-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)-2-methylphenyl)-3-(trifluoromethyl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-(difluoromethyl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-6-methylpicolinamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-4-chloro-3-methylbenzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-4-fluoro-3-methylbenzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3,4-dimethylbenzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-2,3-dihydro-1H-indene-5-carboxamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-2,3-dihydrobenzo[b]thiophene-6-carboxamide 1,1-dioxide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-fluoro-5-methylbenzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-chloro-5-methylbenzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3,5-dimethylbenzamide

(R)-N-(5-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)-2-methylphenyl)-3-(methylsulfonyl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)-4-fluorophenyl)-3-(methylsulfonyl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)-4-chlorophenyl)-3-(methylsulfonyl)benzamide

(R)-N-(6-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)pyridin-2-yl)-3-methylbenzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)-4-methylphenyl)-3-(methylsulfonyl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)-2-methylphenyl)-3-(methylsulfonyl)benzamide

(R)-N-(4-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)pyridin-2-yl)-3-methylbenzamide

(R)-N-(5-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)-2-chlorophenyl)-3-(methylsulfonyl)benzamide

(R)-N-(5-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)-2-fluorophenyl)-3-(methylsulfonyl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-(methylsulfonyl)-4-(trifluoromethyl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)benzo[b]thiophene-5-carboxamide 1,1-dioxide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)benzo[b]thiophene-6-carboxamide 1,1-dioxide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3-(methylsulfonyl)-5-(trifluoromethyl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-3,4-dimethyl-5-(methylsulfonyl)benzamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-1,5-dimethyl-1H-pyrazole-3-carboxamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-5-methylthiazole-2-carboxamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-1-(tert-butyl)-1H-pyrazole-4-carboxamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-1-isopropyl-1H-pyrazole-4-carboxamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-1-methyl-1H-indazole-6-carboxamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)benzofuran-6-carboxamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-1-methyl-1H-indole-6-carboxamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-5-(tert-butyl)isoxazole-3-carboxamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-1-methyl-2-oxo-1,2,3,4-tetrahydroquinoline-7-carboxamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-1-methyl-1,2,3,4-tetrahydroquinoline-7-carboxamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-1-methylindoline-6-carboxamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-1-methyl-2-oxoindoline-6-carboxamide

(R)-N-(3-(1-((2-amino-5-chloropyridin-3-yl)oxy)ethyl)phenyl)-1,3-dihydroisobenzofuran-5-carboxamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-3-(methylsulfonyl)benzamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-3-(trifluoromethyl)benzamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-3,4-dimethylbenzamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-3,5-dimethylbenzamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-4-methyl-3-(methylsulfonyl)benzamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-2,3-dihydrobenzo[b]thiophene-6-carboxamide 1,1-dioxide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-3-cyclopropylbenzamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-3-(methylsulfonyl)-4-(trifluoromethyl)benzamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-3-(methylsulfonyl)-5-(trifluoromethyl)benzamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-3,4-dimethyl-5-(methylsulfonyl)benzamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-3-(dimethylamino)benzamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-3-(dimethylamino)-4-methylbenzamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-3-(methylthio)benzamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-4-(methylthio)benzamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-4-methyl-3-(methylthio)benzamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-2',3'-dihydrospiro[cyclopropane-1,1'-indene]-6'-carboxamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-1-methylindoline-6-carboxamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-4-chloro-3-(dimethylamino)benzamide

methyl (R)-3-((3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)carbamoyl)benzoate

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-3-isopropylbenzamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-2,3-dihydro-1H-indene-5-carboxamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-3-ethylbenzamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-5-isopropylnicotinamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-1-methyl-1H-indole-6-carboxamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)benzo[b]thiophene-6-carboxamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-3,3-dimethyl-1,3-dihydroisobenzofuran-5-carboxamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-2H-spiro[benzofuran-3,1'-cyclopropane]-5-carboxamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-2,3-dihydrobenzofuran-5-carboxamide

(R)-N-(3-(1-((6-amino-[3,3'-bipyridin]-5-yl)oxy)ethyl)phenyl)-3-(methylsulfonyl)benzamide

(R)-N-(3-(1-((6-amino-[3,3'-bipyridin]-5-yl)oxy)ethyl)phenyl)-3-cyclopropylbenzamide

(R)-N-(3-(1-((6-amino-[3,3'-bipyridin]-5-yl)oxy)ethyl)phenyl)-3-(trifluoromethyl)benzamide

(R)-N-(3-(1-((6-amino-[3,3'-bipyridin]-5-yl)oxy)ethyl)phenyl)-3-methylbenzamide

(R)-N-(3-(1-((6-amino-[3,3'-bipyridin]-5-yl)oxy)ethyl)phenyl)-3,4-dimethylbenzamide

(R)-N-(3-(1-((6-amino-[3,3'-bipyridin]-5-yl)oxy)ethyl)phenyl)-3,5-dimethylbenzamide

(R)-N-(3-(1-((6-amino-[3,3'-bipyridin]-5-yl)oxy)ethyl)phenyl)-3-(dimethylamino)benzamide

(R)-N-(3-(1-((6-amino-[3,3'-bipyridin]-5-yl)oxy)ethyl)phenyl)-3-(dimethylamino)-4-methylbenzamide

(R)-N-(3-(1-((6-amino-[3,3'-bipyridin]-5-yl)oxy)ethyl)phenyl)-3-(methylthio)benzamide

(R)-N-(3-(1-((6-amino-[3,3'-bipyridin]-5-yl)oxy)ethyl)phenyl)-1-methylindoline-6-carboxamide

(R)-N-(3-(1-((2-amino-5-(1-(piperidin-4-yl)-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-3-cyclopropylbenzamide

(R)-N-(3-(1-((2-amino-5-(1-cyclopropyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-3-(dimethylamino)benzamide

(R)-N-(3-(1-((2-amino-5-(1-ethyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-3-(dimethylamino)benzamide

(R)-N-(3-(1-((2-amino-5-(1-methylpiperidin-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-3-(dimethylamino)benzamide

(R)-N-(3-(1-((2-amino-5-(4-hydroxy-3-methoxyphenyl)pyridin-3-yl)oxy)ethyl)phenyl)-3-(dimethylamino)benzamide

(R)-N-(3-(1-((6-amino-6'-(4-methylpiperazin-1-yl)-[3,3'-bipyridin]-5-yl)oxy)ethyl)phenyl)-3-(dimethylamino)benzamide

(R)-N-(3-(1-((6-amino-[3,4'-bipyridin]-5-yl)oxy)ethyl)phenyl)-3-(dimethylamino)benzamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-5-yl)pyridin-3-yl)oxy)ethyl)phenyl)-4-(methylthio)benzamide

(R)-N-(3-(1-((2-amino-5-(1-cyclopropyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-4-(methylthio)benzamide

(R)-N-(3-(1-((2-amino-5-(1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-4-(methylthio)benzamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-3-chloro-4-(methylthio)benzamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-3-fluoro-4-(methylthio)benzamide

(R)-N-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-3-cyano-4-(methylthio)benzamide

(R)-N-(3-(1-((2-amino-5-(1,3-dimethyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-4-(methylthio)benzamide

(R)-N-(3-(1-((2-amino-5-(1-(2-(dimethylamino)-2-oxoethyl)-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-4-(methylthio)benzamide

(R)-N-(3-(1-((2-amino-5-(3-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-4-(methylthio)benzamide

(R)-N1-(3-(1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-4-(methylthio)isophthalamide

N-(3-((R)-1-((2-amino-5-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)oxy)ethyl)phenyl)-3-(methylsulfinyl)benzamide.

8. A pharmaceutical composition, comprising a therapeutically effective amount of at least one compound according to any one of Claims 1-7, and at least one pharmaceutically acceptable excipient, adjuvant or carrier.

9. The pharmaceutical composition of Claim 8 for use in manufacturing a medicament.

10. The compound of any one of claims 1-7 or pharmaceutical composition of claim 8 for use in treating and preventing CSF-1R kinase-mediated melanoma, ovarian, uterine, breast, colon, stomach, liver, or non-small cell lung cancer.

11. The compound of any one of claims 1-7 or pharmaceutical composition of claim 8 for use in treating CSF-1R kinase-mediated abnormal cell growth in a mammal.

12. The compound of any one of claims 1-7 or pharmaceutical composition of claim 8 for use in treating CSF-1R kinase-mediated tumor.

13. The compound of any one of claims 1-7 or pharmaceutical composition of claim 8 for use in treating or preventing CSF-1R kinase-mediated tumor.

14. The compound of any one of claims 1-7 or pharmaceutical composition of claim 8 for use in treatment combination with chemotherapeutic agents, radiotherapy, and/or cancer immunotherapy.

15. Use of a compound of any one of claims 1-7 or a pharmaceutical composition of claim 8 in the manufacture of a medicament for:

treating and preventing CSF-1R kinase-mediated melanoma, ovarian, uterine, breast, colon, stomach, liver, or non-small cell lung cancer;

treating CSF-1R kinase-mediated abnormal cell growth in a mammal; or

treating or preventing a CSF-1R kinase-mediated tumor.