





FIG. 1

2/28

**FIG. 2**




FIG. 3





FIG. 4

5/28

**FIG. 5**





FIG. 6

7/28

**FIG. 7**




FIG. 8

9/28




FIG. 9

Individual Animal and Group Mean Serum Pharmacokinetic Parameters Following 5 mg/kg IV Administration						
Analyte	T _{max} (h)	C _{max} (ug/mL)	AUC _{0-∞} (h*ug/mL)	V _z (mL/kg)	CL (mL/h/kg)	t _{1/2} (h)
ADC-1	2.0	111	6940	78.8	0.435	130
	2.0	108	6800	79.9	0.407	140
	Mean	109	6870	79.4	0.421	131
ADC-2	2.0	121	8810	57.3	0.282	140
	2.0	132	8590	71.3	0.237	210
	Mean	126	8700	64.3	0.260	174
ADC-3	2.0	187	11600	45.9	0.207	190
	2.0	139	11300	51.9	0.186	190
	Mean	163	11400	48.9	0.197	174
ADC-4	2.0	177	11400	49.9	0.151	230
	2.0	160	11900	49.0	0.192	180
	Mean	168	11600	49.5	0.171	203
ADC-5	2.0	172	12600	47.9	0.200	170
	2.0	182	12200	51.2	0.165	220
	Mean	177	12400	49.6	0.183	191
ADC-6	2.0	149	10100	65.5	0.199	230
	2.0	155	10700	53.2	0.136	270
	Mean	152	10400	59.3	0.168	249

→ 5.5 Days

→ 7.3 Days

→ 7.3 Days

→ 8.5 Days

→ 8.0 Days

→ 10.4 Days

FIG. 10





FIG. 11

12/28

**FIG. 12**





FIG. 13

**FIG. 14**





FIG. 15

**FIG. 16**




FIG. 17

ADC	T _{max} (h)	C _{max} (µg/mL)	AUC _{last} (hr µg/mL)	V _z (mL/kg)	CL (mL/hr/kg)	t _{1/2} (h)	t _{1/2} (days)
ADC-1	2.00	126	7250	63.7	0.53	83.6	3.5
ADC-8	2.00	138	9850	53.7	0.297	127	5.3
ADC-9	2.00	102	7040	76.6	0.325	185	7.7
ADC-10	2.00	115	8520	68.4	0.306	160	6.7

FIG. 18




FIG. 19




FIG. 20




FIG. 21

Enantiomer ADC ROR1 quench internalization LCLC103H
(minus T=0)




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28