




|               | Pre-dose | Phase 1 | Wash-out Wk 1 | Wash-out Wk 2 | Phase 2 Wk 1 | Phase 2 Wk 2 | Phase 2 Wk 3 | Phase 2 Wk 4 |
|---------------|----------|---------|---------------|---------------|--------------|--------------|--------------|--------------|
| Hematol.      | D-5      | D5      |               | D-5           | D5           | D5           | D5           | D5           |
| Clin. Ch.     | D-5      | D5      |               | D-5           | D5           | D5           | D5           | D5           |
| FACS          | D-5      | D5      |               | D-5           | D3, D5       | D3, D5       | D3, D5       | D2, D5       |
| Study days 1) | D-5      | D5      |               | D17           | D24, D26     | D31, D33     | D38, D40     | D45, D47     |

Fig. 1 A

Fig. 1 B

C




Fig. 1 D




Fig. 1 E




Fig. 1




Fig. 1





Fig. 1






Fig. 2

Fig. 3




Fig. 4





Fig. 5






Fig. 5

Fig. 6





Fig. 7

A



B




FIG. 8




FIG. 9




FIG. 10





FIG. 11

A



B




FIG. 12




FIG. 13




FIG. 14




**FIG. 15** 2) Daratumumab -Week 25 onwards until disease progression: 16 mg/kg IV infusion every 4 weeks; first dose of every-4-week dosing schedule is given at Week 25




FIG. 16




FIG. 17a




FIG. 17b




FIG. 17c




FIG. 17d




FIG. 18





FIG. 19






FIG. 21

