

eolf-seql
SEQUENCE LISTING

<110> BioNTech RNA Pharmaceuticals GmbH et al.

<120> METHODS FOR PREDICTING THE USEFULNESS OF PROTEINS OR PROTEIN FRAGMENTS FOR IMMUNOTHERAPY

<130> 674-157 PCT2

<150> PCT/EP2016/060897

<151> 2016-05-13

<160> 2

<170> PatentIn version 3.5

<210> 1

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Linker sequence

<220>

<221> REPEAT

<222> (1)..(3)

<223> Portion of sequence repeated a times, wherein a is independently a number selected from 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, or 20

<220>

<221> MISC_FEATURE

<222> (1)..(15)

<223> a + b + c + d + e are different from 0 and preferably are 2 or more, 3 or more, 4 or more or 5 or more

<220>

<221> REPEAT

<222> (4)..(6)

<223> Portion of sequence repeated b times, wherein b is independently a number selected from 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, or 20

<220>

<221> REPEAT

<222> (7)..(9)

eolf-seql

<223> Portion of sequence repeated c times, wherein c is independently a number selected from 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, or 20

<220>

<221> REPEAT

<222> (10)..(12)

<223> Portion of sequence repeated d times, wherein d is independently a number selected from 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, or 20

<220>

<221> REPEAT

<222> (13)..(15)

<223> Portion of sequence repeated e times, wherein e is independently a number selected from 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, or 20

<400> 1

Gly Gly Ser Gly Ser Ser Gly Gly Gly Ser Ser Gly Gly Ser Gly
1 5 10 15

<210> 2

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Linker sequence

<400> 2

Gly Gly Ser Gly Gly Gly Gly Ser Gly
1 5