

a]pyridine, 5-methyl-[1,2,4]triazolo[1,5-a]pyridine, and (5-Methyl-[1,2,4]triazolo[1,5-a]pyrazin-8-yl)-methanol.

5. The compound of any one of Claim 1-4 wherein L is selected from the group consisting of $-\text{CH}_2\text{-CH}_2-$, $-\text{CH=CH-}$, $-\text{CH}_2\text{-S-}$, and $-\text{S-CH}_2-$

6. The compound of claim 1 wherein R1 and R2 are independently selected from the group consisting of H, OH, F, CH3, and OCH3

7. The compound of claim 1 wherein R5, R6 and R7 are independently selected from the group consisting of H, CH3, and OCH3.

8. The compound of claim 1 wherein one or more of the hydrogen atoms of the compound are replaced by deuterium.

9. The compound of claim 1, wherein the compound is selected from the group consisting of 2-[2-(5,8-dimethyl-[1,2,4]triazolo[1,5-a]pyrazin-2-yl)-ethyl]-5H-imidazo[2,1-a]isoindole; 2-[2-(5,8-dimethyl-[1,2,4]triazolo[1,5-a]pyridin-2-yl)-ethyl]-5H-imidazo[2,1-a]isoindole; 2-[2-(5-methyl-[1,2,4]triazolo[1,5-a]pyridin-2-yl)-ethyl]-5H-imidazo[2,1-a]isoindole; 2-[2-(5,8-dimethyl-[1,2,4]triazolo[1,5-a]pyrazin-2-yl)-vinyl]-5H-imidazo[2,1-a]isoindole; {2-[2-(5H-Imidazo[2,1-a]isoindol-2-yl)-ethyl]-5-methyl-[1,2,4]triazolo[1,5-a]pyrazin-8-yl}-methanol; and 2-[2-(5,8-dimethyl-[1,2,4]triazolo[1,5-a]pyrazin-2-yl)-ethyl]-7-fluoro-5H-imidazo[2,1-a]isoindole, 2-[2-(5,8-Dimethyl-[1,2,4]triazolo[1,5-a]pyrazin-2-yl)-ethyl]-5,6-dihydro-imidazo[2,1-a]isoquinoline and pharmaceutically acceptable acid addition salts thereof.

10. A compound of any one of claims 1 to 9 as a medicament.

11. Use of Aa compound of any one of claims 1 to 9 ~~in the treatment of a neurodegenerative or psychiatric disorder, alone or in combination with one or more neuroleptic agents such as sertindole, olanzapine, risperidone, quetiapine, aripiprazole, haloperidol, clozapine, ziprasidone and osanetant, wherein the in~~

the manufacture of a medicament for treatment of a neurodegenerative or psychiatric disorder, wherein the neurodegenerative disorder is Huntington's disease, and the psychiatric disorder is selected from the group consisting of schizophrenia, for example of the paranoid, disorganized, catatonic, undifferentiated, or residual type; schizophreniform disorder; schizoaffective disorder, for example of the delusional type or the depressive type; delusional disorder; bipolar disorder, for example bipolar I disorder, bipolar II disorder, and cyclothymic disorder.

12. ~~A Use of a~~ compound of any one of claims 1 to 9, for the preparation of a medicament for ~~use in the~~ treatment of a neurodegenerative or psychiatric disorder, wherein the neurodegenerative disorder is Huntingtons disease, and the psychiatric disorder is selected from the group consisting of schizophrenia, for example of the paranoid, disorganized, catatonic, undifferentiated, or residual type; schizophreniform disorder; schizoaffective disorder, for example of the delusional type or the depressive type; delusional disorder; bipolar disorder, for example bipolar I disorder, bipolar II disorder.

13. A pharmaceutical composition comprising a therapeutically effective amount of a compound of any one of claims 1 to 9, and one or more pharmaceutically acceptable carriers, diluents and excipients.