


We claim:

1. A compound of Formula (I)



Formula (I)

wherein

R₁ is selected from the group consisting of

- i) naphthalen-1-yl, optionally substituted with a fluoro or amino substituent; and
- ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from deuterium, methyl, ethyl, propyl, isopropyl, trifluoromethyl, , cyclopropyl, methoxymethyl, difluoromethyl, 1,1-difluoroethyl, hydroxymethyl, 1-hydroxyethyl, 1-ethoxyethyl, hydroxy, methoxy, ethoxy, fluoro, chloro, bromo, methylthio, cyano, amino, methylamino, dimethylamino, 4-oxotetrahydrofuran-2-yl, 5-oxopyrrolidin-2-yl, 1,4-dioxanyl, aminocarbonyl, methylcarbonyl, methylaminocarbonyl, oxo, 1-(t-butoxycarbonyl)azetidin-2-yl, N-(methyl)formamidomethyl, tetrahydrofuran-2-yl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, or azetidin-2-yl;

R₂ is selected from the group consisting of C₁₋₄alkyl, 1-methoxy-ethyl, difluoromethyl, fluoro, chloro, bromo, cyano, and trifluoromethyl;

G₁ is N or C(R₄);

G₂ is N or C(R₃); such that only one of G₁ and G₂ are N in any instance;

R₃ is independently selected from the group consisting of trifluoromethyl, cyano, C₁₋₄alkyl, fluoro, chloro, bromo, methylcarbonyl, methylthio, methylsulfinyl, and methanesulfonyl; or, when G₁ is N, R₃ is further selected from C₁₋₄alkoxycarbonyl;

R₄ is selected from the group consisting of

- i) hydrogen, when G₂ is N;
- ii) C₁₋₄alkoxy;
- iii) cyano;
- iv) cyclopropyloxy;
- v) a heteroaryl selected from the group consisting of triazolyl, oxazolyl, isoxazolyl, pyrazolyl, pyrrolyl, thiazolyl, tetrazolyl, oxadiazolyl, imidazolyl, 2-amino-pyrimidin-4-yl, 2H-[1,2,3]triazolo[4,5-c]pyridin-2-yl, 2H-[1,2,3]triazolo[4,5-b]pyridin-2-yl, 3H-[1,2,3]triazolo[4,5-b]pyridin-3-yl, 1H-[1,2,3]triazolo[4,5-c]pyridin-1-yl, wherein the heteroaryl is optionally substituted with one or two substituents independently selected from oxo, C₁₋₄alkyl, carboxy, methoxycarbonyl, aminocarbonyl, hydroxymethyl, aminomethyl, (dimethylamino)methyl, amino, methoxymethyl, trifluoromethyl, amino(C₂₋₄alkyl)amino, or cyano;
- vi) 1-methyl-piperidin-4-yloxy;
- vii) 4-methyl-piperazin-1-ylcarbonyl;
- viii) (4-aminobutyl)aminocarbonyl;
- ix) (4-amino)butoxy;
- x) 4-(4-aminobutyl)-piperazin-1-ylcarbonyl;
- xi) methoxycarbonyl;
- xii) 5-chloro-6-(methoxycarbonyl)pyridin-3-ylaminocarbonyl;
- xiii) 1,1-dioxo-isothiazolidin-2-yl;
- xiv) 3-methyl-2-oxo-2,3-dihydro-1H-imidazol-1-yl;
- xv) 2-oxopyrrolidin-1-yl;
- xvi) (*E*)- (4-aminobut-1-en-1-yl)-aminocarbonyl;
- xvii) difluoromethoxy;
- and
- xviii) morpholin-4-ylcarbonyl;

R₅ is independently selected from the group consisting of hydrogen, chloro, fluoro, bromo, methoxy, methylsulfonyl, cyano, C₁₋₄alkyl, ethynyl, morpholin-4-yl, trifluoromethyl, hydroxyethyl, methylcarbonyl, methylsulfinyl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, azetidin-2-yl, methylthio, and 1,1-difluoroethyl;

or R₄ and R₅ may be taken together to form 8-chloro-4-methyl-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl, 8-chloro-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl, 2-methyl-1-oxo-1,2,3,4-tetrahydroisoquinolin-7-yl, 4-methyl-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl, 3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl, 1-methyl-1*H*-pyrazolo[3,4-*b*]pyridin-5-yl, 1*H*-pyrazolo[3,4-*b*]pyridin-5-yl, 2,3-dihydro-[1,4]dioxino[2,3-*b*]pyridin-5-yl, 1,3-dioxolo[4,5]pyridine-5-yl, 1-oxo-1,3-dihydroisobenzofuran-5-yl, 2,2-dimethylbenzo[*d*][1,3]dioxol-5-yl, 2,3-dihydrobenzo[*b*][1,4]dioxin-6-yl, 1-oxoisindolin-5-yl, or 2-methyl-1-oxoisindolin-5-yl, 1*H*-indazol-5-yl;

R₆ is hydrogen, C₁₋₄alkyl, fluoro, 2-methoxy-ethoxy, chloro, cyano, or trifluoromethyl;

R₇ is hydrogen or fluoro;

provided that a compound of Formula (I) is other than

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 2*H*-1,2,3-triazol-2-yl, G₂ is N, and R₅ is hydrogen;

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1*H*-imidazol-1-yl, G₂ is N, and R₅ is chloro;

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1*H*-1,2,3-triazol-1-yl, G₂ is N, and R₅ is hydrogen;

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is hydrogen, G₂ is N, and R₅ is fluoro;

or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof.

2. The compound according to claim 1 wherein R₁ is selected from the group consisting of
 - i) naphthalen-1-yl, optionally substituted with an amino or fluoro substituent; and
 - ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from deuterium, methyl, ethyl, propyl, isopropyl, trifluoromethyl, methoxymethyl, difluoromethyl, 1,1-difluoroethyl, hydroxymethyl, 1-hydroxyethyl, hydroxy, methoxy, fluoro, chloro, bromo, cyano, amino, methylamino, 4-oxotetrahydrofuran-2-yl, 5-oxopyrrolidin-2-yl, 1,4-dioxanyl, aminocarbonyl, methylaminocarbonyl, oxo, N-(methyl)formamidomethyl, tetrahydrofuran-2-yl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, or azetidin-2-yl.
3. The compound according to claim 1 wherein R₁ is selected from the group consisting of
 - i) naphthalen-1-yl, optionally substituted with an amino or fluoro substituent; and
 - ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from deuterium, methyl, difluoromethyl, hydroxymethyl, 1-hydroxyethyl, hydroxy, fluoro, cyano, amino, aminocarbonyl, methylaminocarbonyl, oxo, tetrahydrofuran-2-yl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, or azetidin-2-yl.
4. The compound according to claim 1 wherein R₁ is selected from the group consisting of


- i) naphthalen-1-yl, optionally substituted with an amino or fluoro substituent; and
 - ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from hydroxymethyl, 1-hydroxyethyl, hydroxy, fluoro, cyano, amino, or oxo.
5. The compound according to claim 1 wherein R₁ is selected from the group consisting of
- i) naphthalen-1-yl, 4-amino-naphthalen-1-yl, 4-fluoronaphthalen-1-yl, or 5-fluoronaphthalen-1-yl; and
 - ii) a heteroaryl selected from the group consisting of isoquinolin-1-yl, isoquinolin-4-yl, isoquinolin-5-yl, isoquinolin-8-yl, quinolin-7-yl, cinnolin-4-yl, imidazo[1,2-a]pyrazin-8-yl, phthalazin-1-yl, naphthyridin-5-yl, thieno[3,2-c]pyridin-4-yl, furo[3,2-c]pyridin-4-yl, furo[2,3-c]pyridin-7-yl, quinoxalin-5-yl, 1*H*-indazolyl, furo[3,2-b]pyridin-7-yl, pyrazolo[1,5-a]pyrazin-4-yl, quinolin-4-yl, quinolin-5-yl, 1-aminoisoquinolin-4-yl, 1-oxo-1,2-dihydroisoquinolin-5-yl, benzo[d]thiazol-7-yl, 1-hydroxyisoquinolin-5-yl, benzo[d][1,2,3]thiadiazol-7-yl, thieno[2,3-c]pyridin-4-yl, pyrazolo[1,5-a]pyridin-4-yl, thieno[3,2-b]pyridin-7-yl, 2-oxo-1,2-dihydroquinolin-4-yl, 1-amino-8-fluoroisoquinolin-4-yl, 8-fluoroisoquinolin-4-yl, 1-cyanoisoquinolin-5-yl, pyrrolo[2,1-f][1,2,4]triazin-4-yl, 7-(1-hydroxyethyl)thieno[2,3-c]pyridin-4-yl, thieno[2,3-d]pyrimidin-4-yl, thieno[2,3-c]pyridin-7-yl, 1,7-naphthyridin-5-yl, pyrrolo[1,2-a]pyrazin-1-yl, imidazo[1,2-a]pyridin-5-yl, 1-aminocarbonyl-isoquinolin-4-yl, benzo[d]thiazol-4-yl, 8-fluoro-1-hydroxyisoquinolin-4-yl, thieno[3,2-d]pyrimidin-4-yl, 8-fluoroimidazo[1,2-a]pyridin-5-yl, 3-methylimidazo[1,2-a]pyridin-5-yl, 1-oxo-quinolin-4-yl, 8-aminoquinolin-5-yl, benzo[d]oxazol-4-yl, 3-methylthieno[3,2-b]pyridin-7-yl, 1-(hydroxymethyl)isoquinolin-4-yl, (3*R*-hydroxypyrrolidin-1-yl)isoquinolin-4-yl, (1-hydroxyethyl)isoquinolin-4-yl, 2-(difluoromethyl)quinolin-4-yl, 8-fluoroquinolin-5-yl, 1-hydroxyisoquinolin-4-yl, 1-(tetrahydrofuran-2-

yl)isoquinolin-4-yl, 7-(difluoromethyl)thieno[2,3-c]pyridin-4-yl, 1-(1-hydroxyethyl)isoquinolin-4-yl, 1-cyanoisoquinolin-4-yl, 1-(1(R)-hydroxyethyl)isoquinolin-4-yl, quinazolin-4-yl, 2-methylimidazo[1,2-a]pyridin-3-yl, thiazolo[5,4-d]pyrimidin-7-yl, 6-*N*-oxido-thieno[2,3-c]pyridin-4-yl, imidazo[1,2-a]pyridin-3-yl, furo[2,3-d]pyrimidin-4-yl, 2-fluoroquinolin-5-yl, benzo[d]isothiazol-3-yl, 7-methylpyrazolo[1,5-a]pyridin-4-yl, 1-(hydroxyethyl)quinolin-4-yl, 1-(methoxymethyl)isoquinolin-4-yl, 1-fluoroisoquinolin-4-yl, 1-(difluoromethyl)isoquinolin-4-yl, 8-fluoroquinolin-4-yl, 1-(tetrahydrofuran-2(*R*)-yl)isoquinolin-4-yl, 2-amino-[1,2,4]triazolo[1,5-a]pyridin-5-yl, 1-(4-oxotetrahydrofuran-2-yl)isoquinolin-4-yl, 2-(aminocarbonyl)quinolin-4-yl, 1H-indazol-7-yl, 1-(1,4-dioxan-2-yl)isoquinolin-4-yl, 2-methylimidazo[1,2-a]pyridin-5-yl, 1-chloroisoquinolin-4-yl, 2-cyanoquinolin-4-yl, 8-fluoro-1-(methylamino)isoquinolin-4-yl, benzo[d]isoxazol-3-yl, 2-aminobenzo[d]thiazol-7-yl, 1,7-naphthyridin-4-yl, imidazo[1,2-a]pyrazin-5-yl, (N-(methyl)formamido)methyl)isoquinolin-4-yl, [1,2,4]triazolo[1,5-a]pyridin-5-yl, 2-methylbenzo[d]oxazol-7-yl, 1,5-naphthyridin-4-yl, 5-oxopyrrolidin-2-ylisoquinolin-4-yl, 1-methyl-1H-indazol-3-yl, 1-(1,1-difluoroethyl)isoquinolin-4-yl, 1-(1(^x S)-hydroxyethyl)isoquinolin-4-yl, 1-(methylamino)isoquinolin-4-yl, 4-fluoroisoquinolin-1-yl, 1H-pyrazolo[4,3-b]pyridin-7-yl, 5-fluoroquinolin-8-yl, 6-fluoroimidazo[1,2-a]pyridin-5-yl, 2-methylfuro[3,2-b]pyridin-7-yl, 8-(difluoromethyl)quinolin-5-yl, 1-(4-oxotetrahydrofuran-2*R*-yl)isoquinolin-4-yl, 1-(dimethylamino)isoquinolin-4-yl, 1-methyl-1H-pyrazolo[3,4-c]pyridin-7-yl, 2-methyl-[1,2,4]triazolo[1,5-a]pyridin-5-yl, 2-methoxyquinolin-4-yl, imidazo[1,2-a]pyrimidin-5-yl, 2-(difluoromethyl)thieno[2,3-c]pyridin-4-yl, 1-(1-ethoxyethyl)isoquinolin-4-yl, 2-(azetidin-2-yl)quinolin-4-yl, 2-methylbenzo[d]thiazol-7-yl, 2-acetylquinolin-4-yl, 1-(methylthio)isoquinolin-4-yl, 2-aminoquinolin-5-yl, 1-methoxyisoquinolin-5-yl, imidazo[1,2-b]pyridazin-6-yl, 1-(pyrrolidin-2-yl)isoquinolin-4-yl, 4-(difluoromethyl)quinolin-5-yl, 1-acetylisoquinolin-5-yl, 1-(azetidin-2-yl)isoquinolin-4-yl, 1-ethoxyisoquinolin-4-yl, 1-methyl-1H-pyrazolo[3,4-b]pyridin-4-yl, 1-aminoisoquinolin-5-yl, 1-methyl-1H-indazol-4-yl, 2-aminoquinolin-4-yl, 2-oxo-1,2-dihydroquinolin-5-yl, 1-(azetidin-3-

yl)isoquinolin-4-yl, 2-methylthieno[3,2-b]pyridin-7-yl, benzo[d][1,2,3]thiadiazol-4-yl, 1-(1(*S*)-hydroxyethyl)isoquinolin-5-yl, imidazo[1,2-a]pyridin-8-yl, 2-methyl-1-oxo-1,2-dihydroisoquinolin-5-yl, 2-(tetrahydrofuran-2-yl)quinolin-5-yl, , 1-(1(*R*)-hydroxyethyl)isoquinolin-5-yl, 1,6-naphthyridin-4-yl, 1H-pyrazolo[3,4-d]pyrimidin-4-yl, 2-aminocarbonylquinolin-5-yl, 2-chloroquinolin-5-yl, 2-chloroquinolin-4-yl, 2-cyanoquinolin-5-yl, 2-methoxyquinolin-5-yl, 2-methylbenzo[d]oxazol-4-yl, 2-(difluoromethyl)quinolin-5-yl, 2-(azetidin-2-yl)quinolin-5-yl, 1-(azetidin-2-yl)isoquinolin-5-yl, 1,5-bis(tetrahydrofuran-2-yl)isoquinolin-4-yl, 1-oxo-1,2-dihydroisoquinolin-4-yl, 2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl, 1-(3-hydroxyazetidin-1-yl)isoquinolin-4-yl, 8-fluoro-1-(3-hydroxyazetidin-1-yl)isoquinolin-4-yl, (*R*)-8-fluoro-1-(3-hydroxypyrrolidin-1-yl)isoquinolin-4-yl, (*S*)-8-fluoro-1-(3-hydroxypyrrolidin-1-yl)isoquinolin-4-yl, 3-hydroxyazetidin-1-yl)thieno[2,3-c]pyridin-4-yl, 8-(3-hydroxyazetidin-1-yl)imidazo[1,2-a]pyridin-5-yl, 7-(3-hydroxyazetidin-1-yl)pyrazolo[1,5-a]pyridin-4-yl, 1-(3-hydroxyazetidin-1-yl)isoquinolin-5-yl, and 1-(1-*t*-butoxycarbonylazetidin-2-yl)isoquinolin-5-yl.

6. The compound according to claim 1 wherein R₂ is independently selected from the group consisting of methyl, isopropyl, cyano, bromo, chloro, and trifluoromethyl.
7. The compound according to claim 6 wherein R₂ is trifluoromethyl.
8. The compound according to claim 1 wherein R₃ is independently selected from the group consisting of trifluoromethyl, cyano, methylcarbonyl, methylthio, methylsulfinyl, methanesulfonyl, and chloro; or, when G₁ is N, R₃ is further selected from C₁₋₄alkoxycarbonyl.
9. The compound according to claim 1 wherein R₃ is independently selected from the group consisting of trifluoromethyl, cyano, and chloro.
10. The compound according to claim 1 wherein G₂ is N.

11. The compound according to claim 1 wherein R₅ is hydrogen, chloro, fluoro, bromo, cyano, methyl, ethyl, or trifluoromethyl; or, R₄ and R₅ may be taken together to form 8-chloro-4-methyl-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl or 8-chloro-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl.
12. The compound according to claim 11 wherein R₅ is hydrogen, chloro, or cyano.
13. The compound according to claim 1 wherein R₆ is hydrogen or methyl.
14. The compound according to claim 1 wherein R₇ is hydrogen.
15. A compound of Formula (I)



wherein

R₁ is selected from the group consisting of

- i) naphthalen-1-yl, 4-fluoronaphthalen-1-yl, 5-fluoronaphthalen-1-yl, or 4-aminonaphthalen-1-yl;
- and
- ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from deuterium, methyl, ethyl, propyl, isopropyl, trifluoromethyl, methoxymethyl, difluoromethyl, 1,1-difluoroethyl, hydroxymethyl, 1-hydroxyethyl, hydroxy, methoxy, fluoro, chloro, bromo, cyano, amino, methylamino, 4-oxotetrahydrofuran-2-yl, 5-oxopyrrolidin-2-yl, 1,4-dioxanyl, aminocarbonyl, methylaminocarbonyl, oxo, N-(methyl)formamidomethyl, tetrahydrofuran-2-yl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, or azetidin-2-yl;

R₂ is independently selected from the group consisting of methyl, isopropyl, cyano, bromo, chloro, and trifluoromethyl;

G₁ is N or C(R₄);

G₂ is N or C(R₃); such that only one of G₁ and G₂ is N in any instance;

R₃ is independently selected from the group consisting of trifluoromethyl, cyano, methylcarbonyl, methylthio, methylsulfinyl, methanesulfonyl, and chloro; or, when G₁ is N, R₃ is further selected from C₁₋₄alkoxycarbonyl;

R₄ is independently selected from the group consisting of

- i) hydrogen, when G₂ is N;
- ii) C₁₋₄alkoxy;
- iii) cyano;
- iv) cyclopropyloxy;
- v) carboxy;
- vi) a heteroaryl selected from the group consisting of triazolyl, oxazolyl, pyrazolyl, thiazolyl, oxadiazolyl, imidazolyl, and 2-amino-pyrimidin-4-yl, wherein the heteroaryl is optionally substituted with one or two substituents independently selected from the group consisting of C₁₋₄alkyl, carboxy, methoxycarbonyl, hydroxymethyl, aminocarbonyl, (dimethylamino)methyl, amino, methoxymethyl, trifluoromethyl, amino(C₂₋₄alkyl)amino, and cyano;
- vii) 1-methyl-piperidin-4-yloxy;
- viii) 4-methyl-piperazin-1-ylcarbonyl;
- ix) (4-aminobutyl)aminocarbonyl;
- x) (4-amino)butoxy;
- xi) methoxycarbonyl;
- xii) 5-chloro-6-(methoxycarbonyl)pyridin-3-ylaminocarbonyl;
- xiii) 1,1-dioxo-isothiazolidin-2-yl;
- and
- xiv) morpholin-4-ylcarbonyl;

R₅ is hydrogen, chloro, fluoro, bromo, cyano, methyl, ethyl, or trifluoromethyl;
 or, R₄ and R₅ may be taken together to form 8-chloro-4-methyl-3-oxo-3,4-dihydro-
 2*H*-benzo[*b*][1,4]oxazin-6-yl or 8-chloro-3-oxo-3,4-dihydro-2*H*-
 benzo[*b*][1,4]oxazin-6-yl;

R₆ is hydrogen or methyl;

R₇ is hydrogen;


and provided that a compound of Formula (I) is other than
 a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄)
 wherein R₄ is 2*H*-1,2,3-triazol-2-yl, G₂ is N, and R₅ is hydrogen;

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄)
 wherein R₄ is 1*H*-imidazol-1-yl, G₂ is N, and R₅ is chloro;

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄)
 wherein R₄ is 1*H*-1,2,3-triazol-1-yl, G₂ is N, and R₅ is hydrogen;

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄)
 wherein R₄ is hydrogen, G₂ is N, and R₅ is fluoro;
 or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form
 thereof.

16. A compound of Formula (I)



Formula (I)

wherein

R₁ is selected from the group consisting of

- i) naphthalen-1-yl, optionally substituted with an amino or fluoro substituent;
- and

- ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from deuterium, methyl, difluoromethyl, hydroxymethyl, 1-hydroxyethyl, hydroxy, fluoro, cyano, amino, aminocarbonyl, methylaminocarbonyl, oxo, tetrahydrofuran-2-yl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, or azetidin-2-yl;

R₂ is selected from the group consisting of methyl, isopropyl, cyano, and trifluoromethyl;

G₁ is N or C(R₄);

G₂ is N or C(R₃); such that only one of G₁ and G₂ is N in any instance;

R₃ is independently selected from the group consisting of trifluoromethyl, cyano, and chloro;

R₄ is independently selected from the group consisting of

- i) hydrogen when G₂ is N;
- ii) C₁₋₄alkoxy;
- iii) cyano;
- iv) cyclopropyloxy;
- v) a heteroaryl selected from the group consisting of triazolyl, oxazolyl, pyrazolyl, thiazolyl, oxadiazolyl, and imidazolyl, wherein the heteroaryl is optionally substituted with one or two substituents independently selected from the group consisting of methyl, carboxy, methoxycarbonyl, hydroxymethyl, aminocarbonyl, (dimethylamino)methyl, and amino, methoxymethyl;
- vi) (4-amino)butoxy;
- vii) methoxycarbonyl;
- viii) 5-chloro-6-(methoxycarbonyl)pyridin-3-ylaminocarbonyl;

and

ix) 1,1-dioxo-isothiazolidin-2-yl;

R₅ is hydrogen, chloro, bromo, or cyano;

R₆ is hydrogen or methyl;

R₇ is hydrogen;

provided that a compound of Formula (I) is other than

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 2*H*-1,2,3-triazol-2-yl, G₂ is N, and R₅ is hydrogen;


a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1*H*-imidazol-1-yl, G₂ is N, and R₅ is chloro;

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1*H*-1,2,3-triazol-1-yl, G₂ is N, and R₅ is hydrogen;

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is hydrogen, G₂ is N, and R₅ is fluoro;

or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof.

17. A compound of Formula (I)



Formula (I)

wherein

R₁ is selected from the group consisting of

i) naphthalen-1-yl, optionally substituted with an amino or fluoro substituent;
and

- ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from hydroxymethyl, 1-hydroxyethyl, hydroxy, fluoro, cyano, amino, oxo, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, or azetidin-2-yl;

R₂ is selected from the group consisting of methyl, isopropyl, cyano, and trifluoromethyl;

G₁ is N or C(R₄);

G₂ is N or C(R₃); such that only one of G₁ and G₂ is N in any instance;

R₃ is independently selected from the group consisting of trifluoromethyl, cyano, and chloro;

R₄ is selected from the group consisting of

- i) methoxy;
- ii) a heteroaryl selected from the group consisting of 2H-1,2,3-triazol-2-yl, 4-carboxy-2H-1,2,3-triazol-2-yl, 4-(hydroxymethyl)-2H-1,2,3-triazol-2-yl, 4-methyl-2H-1,2,3-triazol-2-yl, oxazol-2-yl, 4-amino-2H-1,2,3-triazol-2-yl, 4-(hydroxymethyl)-1H-pyrazol-1-yl, 4-((dimethylamino)methyl)-2H-1,2,3-triazol-2-yl, 4-methoxycarbonyl-2H-1,2,3-triazol-2-yl, 4-aminocarbonyl-2H-1,2,3-triazol-2-yl, 1-methyl-1H-pyrazol-3-yl, 1,3,4-oxadiazol-2-yl, 2-methyl-2H-tetrazol-5-yl, 5-amino-1-methyl-1H-pyrazol-3-yl, 4-(hydroxymethyl)-1H-pyrazol-1-yl, 4-cyano-2H-1,2,3-triazol-2-yl, 5-amino-1H-1,2,3-triazol-1-yl, 2H-1,2,3-triazol-4-yl, 2H-tetrazol-5-yl, 4-(aminomethyl)-1H-pyrazol-1-yl, 4-(methoxymethyl)-2H-1,2,3-triazol-2-yl, 2-methyl-2H-tetrazol-5-yl, and 4-methyl-1H-1,2,3-triazol-1-yl;
- and
- iii) methoxycarbonyl;

R₅ is hydrogen, chloro, or cyano;


R₆ is hydrogen or methyl;

R₇ is hydrogen;

or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof,

provided that a compound of Formula (I) is other than a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 2*H*-1,2,3-triazol-2-yl, G₂ is N, and R₅ is hydrogen.

18. A compound of Formula (I)



Formula (I)

wherein

R₁ is independently selected from the group consisting of

- i) naphthalen-1-yl, 4-amino-naphthalen-1-yl, 4-fluoronaphthalen-1-yl, or 5-fluoronaphthalen-1-yl;
- and
- ii) a heteroaryl selected from the group consisting of isoquinolin-1-yl, isoquinolin-4-yl, isoquinolin-5-yl, isoquinolin-8-yl, quinolin-7-yl, cinnolin-4-yl, imidazo[1,2-*a*]pyrazin-8-yl, phthalazin-1-yl, naphthyridin-5-yl, thieno[3,2-*c*]pyridin-4-yl, furo[3,2-*c*]pyridin-4-yl, furo[2,3-*c*]pyridin-7-yl, quinoxalin-5-yl, 1*H*-indazolyl, furo[3,2-*b*]pyridin-7-yl, pyrazolo[1,5-*a*]pyrazin-4-yl, quinolin-4-yl, quinolin-5-yl, 1-aminoisoquinolin-4-yl, 1-oxo-1,2-dihydroisoquinolin-5-yl, benzo[*d*]thiazol-7-yl, 1-hydroxyisoquinolin-5-yl, benzo[*d*][1,2,3]thiadiazol-7-yl, thieno[2,3-*c*]pyridin-4-yl, pyrazolo[1,5-*a*]pyridin-4-yl, thieno[3,2-*b*]pyridin-7-yl, 2-oxo-1,2-dihydroquinolin-4-yl, 1-amino-8-fluoroisoquinolin-4-yl, 8-fluoroisoquinolin-4-yl, 1-cyanoisoquinolin-

5-yl, pyrrolo[2,1-f][1,2,4]triazin-4-yl, 7-(1-hydroxyethyl)thieno[2,3-c]pyridin-4-yl, thieno[2,3-d]pyrimidin-4-yl, thieno[2,3-c]pyridin-7-yl, 1,7-naphthyridin-5-yl, pyrrolo[1,2-a]pyrazin-1-yl, imidazo[1,2-a]pyridin-5-yl, 1-aminocarbonyl-isoquinolin-4-yl, benzo[d]thiazol-4-yl, 8-fluoro-1-hydroxyisoquinolin-4-yl, thieno[3,2-d]pyrimidin-4-yl, 8-fluoroimidazo[1,2-a]pyridin-5-yl, 3-methylimidazo[1,2-a]pyridin-5-yl, 1-oxo-quinolin-4-yl, 8-aminoquinolin-5-yl, benzo[d]oxazol-4-yl, 3-methylthieno[3,2-b]pyridin-7-yl, 1-(hydroxymethyl)isoquinolin-4-yl, (3*R*-hydroxypyrrolidin-1-yl)isoquinolin-4-yl, (1-hydroxyethyl)isoquinolin-4-yl, 2-(difluoromethyl)quinolin-4-yl, 8-fluoroquinolin-5-yl, 1-hydroxyisoquinolin-4-yl, 1-(tetrahydrofuran-2-yl)isoquinolin-4-yl, 7-(difluoromethyl)thieno[2,3-c]pyridin-4-yl, 1-(1-hydroxyethyl)isoquinolin-4-yl, 1-cyanoisoquinolin-4-yl, 1-(1(*R*)-hydroxyethyl)isoquinolin-4-yl, quinazolin-4-yl, 2-methylimidazo[1,2-a]pyridin-3-yl, thiazolo[5,4-d]pyrimidin-7-yl, 6-*N*-oxido-thieno[2,3-c]pyridin-4-yl, imidazo[1,2-a]pyridin-3-yl, furo[2,3-d]pyrimidin-4-yl, 2-fluoroquinolin-5-yl, benzo[d]isothiazol-3-yl, 7-methylpyrazolo[1,5-a]pyridin-4-yl, 1-(hydroxyethyl)quinolin-4-yl, 1-(methoxymethyl)isoquinolin-4-yl, 1-fluoroisoquinolin-4-yl, 1-(difluoromethyl)isoquinolin-4-yl, 8-fluoroquinolin-4-yl, 8-fluoroquinolin-5-yl, 1-(tetrahydrofuran-2(*R*)-yl)isoquinolin-4-yl, 2-amino-[1,2,4]triazolo[1,5-a]pyridin-5-yl, 1-(4-oxotetrahydrofuran-2-yl)isoquinolin-4-yl, 2-(aminocarbonyl)quinolin-4-yl, 1*H*-indazol-7-yl, 1-(1,4-dioxan-2-yl)isoquinolin-4-yl, 2-methylimidazo[1,2-a]pyridin-5-yl, 1-chloroisoquinolin-4-yl, 2-cyanoquinolin-4-yl, 8-fluoro-1-(methylamino)isoquinolin-4-yl, benzo[d]isoxazol-3-yl, 2-aminobenzo[d]thiazol-7-yl, 1,7-naphthyridin-4-yl, imidazo[1,2-a]pyrazin-5-yl, (N-(methyl)formamido)methyl)isoquinolin-4-yl, [1,2,4]triazolo[1,5-a]pyridin-5-yl, 2-methylbenzo[d]oxazol-7-yl, 1,5-naphthyridin-4-yl, 5-oxopyrrolidin-2-ylisoquinolin-4-yl, 1-methyl-1*H*-indazol-3-yl, 1-(1,1-difluoroethyl)isoquinolin-4-yl, 1-(1(^x*S*)-hydroxyethyl)isoquinolin-4-yl, 1-(methylamino)isoquinolin-4-yl, 4-fluoroisoquinolin-1-yl, 1*H*-pyrazolo[4,3-*b*]pyridin-7-yl, 5-fluoroquinolin-8-yl, 6-fluoroimidazo[1,2-a]pyridin-5-yl, 2-methylfuro[3,2-*b*]pyridin-7-yl, 8-(difluoromethyl)quinolin-5-yl, 1-(4-oxotetrahydrofuran-2*R*-yl)isoquinolin-4-yl, 1-(dimethylamino)isoquinolin-4-

yl, 1-methyl-1H-pyrazolo[3,4-c]pyridin-7-yl, 2-methyl-[1,2,4]triazolo[1,5-a]pyridin-5-yl, 2-methoxyquinolin-4-yl, imidazo[1,2-a]pyrimidin-5-yl, 2-(difluoromethyl)thieno[2,3-c]pyridin-4-yl, 1-(1-ethoxyethyl)isoquinolin-4-yl, 2-(azetidin-2-yl)quinolin-4-yl, 2-methylbenzo[d]thiazol-7-yl, 2-acetylquinolin-4-yl, 1-(methylthio)isoquinolin-4-yl, 2-aminoquinolin-5-yl, 1-methoxyisoquinolin-5-yl, imidazo[1,2-b]pyridazin-6-yl, 1-(pyrrolidin-2-yl)isoquinolin-4-yl, 4-(difluoromethyl)quinolin-5-yl, 1-acetylisoquinolin-5-yl, 1-(azetidin-2-yl)isoquinolin-4-yl, 1-ethoxyisoquinolin-4-yl, 1-methyl-1H-pyrazolo[3,4-b]pyridin-4-yl, 1-aminoisoquinolin-5-yl, 1-methyl-1H-indazol-4-yl, 2-aminoquinolin-4-yl, 2-oxo-1,2-dihydroquinolin-5-yl, 1-(azetidin-3-yl)isoquinolin-4-yl, 2-methylthieno[3,2-b]pyridin-7-yl, benzo[d][1,2,3]thiadiazol-4-yl, 1-(1(S)-hydroxyethyl)isoquinolin-5-yl, imidazo[1,2-a]pyridin-8-yl, 2-methyl-1-oxo-1,2-dihydroisoquinolin-5-yl, 2-(tetrahydrofuran-2-yl)quinolin-5-yl, 1-(1(R)-hydroxyethyl)isoquinolin-5-yl, 1,6-naphthyridin-4-yl, 1H-pyrazolo[3,4-d]pyrimidin-4-yl, 2-aminocarbonylquinolin-5-yl, 2-chloroquinolin-5-yl, 2-chloroquinolin-4-yl, 2-cyanoquinolin-5-yl, 2-methoxyquinolin-5-yl, 2-methylbenzo[d]oxazol-4-yl, 2-(difluoromethyl)quinolin-5-yl, 2-(azetidin-2-yl)quinolin-5-yl, 1-(azetidin-2-yl)isoquinolin-5-yl, 1,5-bis(tetrahydrofuran-2-yl)isoquinolin-4-yl, 1-oxo-1,2-dihydroisoquinolin-4-yl, 2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl, 1-(3-hydroxyazetidin-1-yl)isoquinolin-4-yl, 8-fluoro-1-(3-hydroxyazetidin-1-yl)isoquinolin-4-yl, (R)-8-fluoro-1-(3-hydroxypyrrolidin-1-yl)isoquinolin-4-yl, (S)-8-fluoro-1-(3-hydroxypyrrolidin-1-yl)isoquinolin-4-yl, 3-hydroxyazetidin-1-yl)thieno[2,3-c]pyridin-4-yl, 8-(3-hydroxyazetidin-1-yl)imidazo[1,2-a]pyridin-5-yl, 7-(3-hydroxyazetidin-1-yl)pyrazolo[1,5-a]pyridin-4-yl, 1-(3-hydroxyazetidin-1-yl)isoquinolin-5-yl, and 1-(1-t-butoxycarbonylazetidin-2-yl)isoquinolin-5-yl;

R₂ is trifluoromethyl;

G₁ is N or C(R₄);

G₂ is N or C(R₃); such that only one of G₁ and G₂ is N in any instance;

R₃ is independently selected from the group consisting of trifluoromethyl, cyano, and chloro;

R₄ is independently selected from the group consisting of 2H-1,2,3-triazol-2-yl, 4-carboxy-2H-1,2,3-triazol-2-yl, 4-(hydroxymethyl)-2H-1,2,3-triazol-2-yl, 4-methyl-2H-1,2,3-triazol-2-yl, oxazol-2-yl, 1H-imidazol-2-yl, 4-amino-2H-1,2,3-triazol-2-yl, 4-(hydroxymethyl)-1H-pyrazol-1-yl, 4-((dimethylamino)methyl)-2H-1,2,3-triazol-2-yl, 4-methoxycarbonyl-2H-1,2,3-triazol-2-yl, 4-aminocarbonyl-2H-1,2,3-triazol-2-yl, 1-methyl-1H-pyrazol-3-yl, and 1,3,4-oxadiazol-2-yl;

R₅ is hydrogen, chloro, bromo, or cyano;


R₆ is hydrogen or methyl;

R₇ is hydrogen;

or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof,

provided that a compound of Formula (I) is other than a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 2H-1,2,3-triazol-2-yl, G₂ is N, and R₅ is hydrogen.

19. A compound of Formula (I)



Formula (I)

selected from the group consisting of:

N-(2-cyanopyridin-4-yl)-1-(naphthalen-1-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(naphthalen-1-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
 1-(naphthalen-1-yl)-5-(trifluoromethyl)-*N*-(2-(trifluoromethyl)pyridin-4-yl)-1*H*-pyrazole-4-carboxamide;
 1-(naphthalen-1-yl)-5-(trifluoromethyl)-*N*-(5-(trifluoromethyl)pyridin-3-yl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyanopyridin-3-yl)-1-(naphthalen-1-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
 1-(quinolin-5-yl)-5-(trifluoromethyl)-*N*-(2-(trifluoromethyl)pyridin-4-yl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-methoxypyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(3-methylisoquinolin-1-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(3-chloro-4-methoxyphenyl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(3-chloro-4-(2*H*-1,2,3-triazol-2-yl)phenyl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(3-chloro-4-(1*H*-pyrazol-1-yl)phenyl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(6-cyano-5-(trifluoromethyl)pyridin-3-yl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(4-(2-aminopyrimidin-4-yl)-3-chlorophenyl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(1*H*-pyrazol-1-yl)pyridin-3-yl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-isobutyl-1-(quinolin-5-yl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-ethyl-1-(quinolin-5-yl)-1*H*-pyrazole-4-carboxamide;

N-(3-chloro-4-(1*H*-1,2,3-triazol-1-yl)phenyl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(1,1-dioxidoisothiazolidin-2-yl)pyridin-3-yl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(1-methyl-1*H*-pyrazol-3-yl)pyridin-3-yl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(oxazol-2-yl)pyridin-3-yl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-methoxypyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-cyano-6-methoxypyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(3-fluoroquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-isopropyl-1-(quinolin-5-yl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(6-methylquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-methylquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(3-chloro-4-(3-methyl-1*H*-1,2,4-triazol-1-yl)phenyl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(3-methyl-1*H*-1,2,4-triazol-1-yl)pyridin-3-yl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(3-chloro-4-(5-methyl-1*H*-1,2,4-triazol-1-yl)phenyl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(4-methylisoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

1-(benzofuran-4-yl)-*N*-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(1-methoxyethyl)-1-(quinolin-5-yl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(6-methylisoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methylquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(3-chloro-4-(2*H*-1,2,3-triazol-2-yl)phenyl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-methyl-1-(quinolin-5-yl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(6-cyano-5-fluoropyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(1,1-dioxidoisothiazolidin-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(3-chloro-4-(1*H*-1,2,3-triazol-1-yl)phenyl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
 methyl 3-chloro-5-(3-chloro-5-(1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamido)picolinamido)picolinate;
N-(5-chloro-6-((1-methylpiperidin-4-yl)oxy)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(1*H*-pyrazol-1-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(4-methylpiperazine-1-carbonyl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(6-cyano-5-(trifluoromethyl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(oxazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(3-chloro-4-(5-methyl-1*H*-1,2,4-triazol-1-yl)phenyl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(1-methyl-1*H*-pyrazol-3-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(3-methyl-1*H*-1,2,4-triazol-1-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(5-methyl-1*H*-1,2,4-triazol-1-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(3-chloro-4-(3-methyl-1*H*-1,2,4-triazol-1-yl)phenyl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(difluoromethyl)-1-(isoquinolin-1-yl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-1-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(4-(2-aminopyrimidin-4-yl)-3-chlorophenyl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(3-cyano-4-(2*H*-1,2,3-triazol-2-yl)phenyl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-fluoro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(3-cyano-4-(1*H*-1,2,3-triazol-1-yl)phenyl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(thiazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-methyl-1-(quinolin-4-yl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(3-methylquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methylisoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(6-fluoroquinolin-7-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1*H*-indazol-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(1,3,4-oxadiazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(1*H*-imidazol-1-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(4-aminobutyl)-3-chloro-5-(1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamido)picolinamide;
1-(isoquinolin-4-yl)-*N*-(2-methyl-6-(trifluoromethyl)pyridin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
methyl 6-chloro-4-(1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamido)picolinate;
methyl 4-(1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamido)picolinate
N-(2-cyanopyridin-4-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-(1-methyl-1*H*-pyrazol-3-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-cyclopropoxy)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-((1-methylpiperidin-4-yl)oxy)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-ethoxy)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyanopyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(6-(4-aminobutoxy)-5-cyanopyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-
1H-pyrazole-4-carboxamide;
N-(5-cyano-6-methoxypyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-*1H*-
pyrazole-4-carboxamide;
N-(5-cyano-6-(*1H*-1,2,4-triazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-
(trifluoromethyl)-*1H*-pyrazole-4-carboxamide;
N-(8-chloro-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl)-1-(isoquinolin-4-yl)-5-
(trifluoromethyl)-*1H*-pyrazole-4-carboxamide;
N-(5-cyano-6-cyclopropoxypyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-*1H*-
pyrazole-4-carboxamide;
N-(5-cyano-6-(1-methyl-*1H*-pyrazol-3-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-
(trifluoromethyl)-*1H*-pyrazole-4-carboxamide;
N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[3,2-*c*]pyridin-4-yl)-5-
(trifluoromethyl)-*1H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(oxazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-*1H*-
pyrazole-4-carboxamide;
N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroquinolin-4-yl)-5-
(trifluoromethyl)-*1H*-pyrazole-4-carboxamide;
1-(cinnolin-4-yl)-*N*-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-
(trifluoromethyl)-*1H*-pyrazole-4-carboxamide;
N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(furo[3,2-*c*]pyridin-4-yl)-5-
(trifluoromethyl)-*1H*-pyrazole-4-carboxamide;
N-(8-chloro-4-methyl-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl)-1-(quinolin-
5-yl)-5-(trifluoromethyl)-*1H*-pyrazole-4-carboxamide;
N-(5-cyano-6-(4-methylpiperazine-1-carbonyl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-
(trifluoromethyl)-*1H*-pyrazole-4-carboxamide;
N-(8-chloro-4-methyl-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl)-1-
(isoquinolin-4-yl)-5-(trifluoromethyl)-*1H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(1-methyl-*1H*-imidazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-
(trifluoromethyl)-*1H*-pyrazole-4-carboxamide;
N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(furo[2,3-*c*]pyridin-7-yl)-5-
(trifluoromethyl)-*1H*-pyrazole-4-carboxamide;

N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1,6-naphthyridin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(6-(4-(4-aminobutyl)piperazine-1-carbonyl)-5-cyanopyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(phthalazin-1-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-*a*]pyrazin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(1*H*-imidazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinoxalin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(2-methyl-1-oxo-1,2,3,4-tetrahydroisoquinolin-7-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

tert-butyl 2-(5-(4-((5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)carbonyl)-5-(trifluoromethyl)-1*H*-pyrazol-1-yl)isoquinolin-1-yl)azetidine-1-carboxylate;

N-(3-(methylsulfonyl)-4-(1*H*-1,2,3-triazol-1-yl)phenyl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

1-(1,5-bis(tetrahydrofuran-2-yl)isoquinolin-4-yl)-*N*-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(4-methyl-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

1-(1-(azetidin-2-yl)isoquinolin-5-yl)-*N*-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(3-(methylsulfonyl)-4-(2*H*-1,2,3-triazol-2-yl)phenyl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

1-(2-(azetidin-2-yl)quinolin-5-yl)-*N*-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

1-(benzo[*d*]thiazol-4-yl)-*N*-(2,5-dimethyl-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-methyl-6-(3-methyl-2-oxo-2,3-dihydro-1*H*-imidazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(2,5-diethyl-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-*a*]pyridin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-(difluoromethyl)quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methylbenzo[*d*]oxazol-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methoxyquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
1-(1-aminoisoquinolin-5-yl)-*N*-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-cyanoquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
1-(2-methylimidazo[1,2-*a*]pyridin-5-yl)-5-(trifluoromethyl)-*N*-(2-(trifluoromethyl)pyridin-4-yl)-1*H*-pyrazole-4-carboxamide;
1-(2-chloroquinolin-4-yl)-*N*-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-chloroquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-(tetrahydrofuran-2-yl)quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
5-(4-((5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1*H*-pyrazol-1-yl)quinoline-2-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1*H*-pyrazolo[3,4-*d*]pyrimidin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1,6-naphthyridin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
(**R*)-*N*-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(1-hydroxyethyl)isoquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
1-(benzo[*d*]thiazol-4-yl)-*N*-(5-cyano-2-methyl-4-(2*H*-1,2,3-triazol-2-yl)phenyl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

(**R*)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-(tetrahydrofuran-2-yl)quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2-oxopyrrolidin-1-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(1-methyl-1H-pyrazolo[3,4-b]pyridin-5-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methyl-1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(5-cyano-1H-1,2,3-triazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

2-(2-chloro-4-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)phenyl)-2H-1,2,3-triazole-4-carboxylic acid;

N-(1H-pyrazolo[3,4-b]pyridin-5-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-a]pyridin-8-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

(**S*)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(1-hydroxyethyl)isoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(2-methylpyridin-4-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(benzo[d][1,2,3]thiadiazol-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methylthieno[3,2-b]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(1-(azetidin-3-yl)isoquinolin-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,5-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-1H-1,2,3-triazole-4-carboxylic acid;

N-(5-methoxy-6-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-oxo-1,2-dihydroquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(4-aminobutyl)-3-cyano-5-(1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)picolinamide;
 N-(4-(4-(aminomethyl)-1H-pyrazol-1-yl)-3-methylphenyl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(2-aminoquinolin-4-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methyl-1H-indazol-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-5-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-methyl-6-(1-methyl-1H-tetrazol-5-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methyl-1H-pyrazolo[3,4-b]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-ethoxyisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-(azetidin-2-yl)isoquinolin-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(2-aminoquinolin-5-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-acetylisquinolin-5-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(4-(difluoromethyl)quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(pyrrolidin-2-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(difluoromethoxy)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-b]pyridazin-6-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(1-aminoisoquinolin-4-yl)-N-(2,5-dimethyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methoxyisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(2-aminoquinolin-5-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 2-(2-chloro-4-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)phenyl)-2H-1,2,3-triazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(methylthio)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-fluoro-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methylbenzo[d]thiazol-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-1H-1,2,3-triazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-cyano-1-(quinolin-5-yl)-1H-pyrazole-4-carboxamide;
 1-(7-methylpyrazolo[1,5-a]pyridin-4-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;
 N-(6-(2H-[1,2,3]triazolo[4,5-c]pyridin-2-yl)-5-chloropyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(2-acetylquinolin-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methylbenzo[d]thiazol-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(6-(5-(aminomethyl)-1H-1,2,3-triazol-1-yl)-5-chloropyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(2-(azetidin-2-yl)quinolin-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(1-ethoxyethyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

methyl 1-(3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-1H-1,2,3-triazole-4-carboxylate
 1-(imidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-ethyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-(difluoromethyl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-a]pyrimidin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-methoxy-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methoxyquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-chloro-2-methyl-6-(1H-pyrazol-1-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(2,5-dimethyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d]thiazol-4-yl)-N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(5-(methoxymethyl)-1H-1,2,3-triazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(6-(2H-[1,2,3]triazolo[4,5-b]pyridin-2-yl)-5-chloropyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methyl-[1,2,4]triazolo[1,5-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 3-(3-cyano-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-1-methyl-1H-pyrazole-5-carboxylic acid;
 1-(benzo[d]thiazol-4-yl)-N-(5-cyano-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-2-methyl-6-(1-methyl-1H-pyrazol-3-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(6-(3H-[1,2,3]triazolo[4,5-b]pyridin-3-yl)-5-chloropyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 methyl 2-(2-chloro-4-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)phenyl)-2H-1,2,3-triazole-4-carboxylate;
 N-(5-cyano-6-(2-methyl-2H-1,2,3-triazol-4-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(3-chloro-4-(5-oxo-4,5-dihydro-1H-1,2,4-triazol-3-yl)phenyl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 methyl 3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)picolinate;
 N-(6-(1H-[1,2,3]triazolo[4,5-c]pyridin-1-yl)-5-chloropyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyanopyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methyl-1H-pyrazolo[3,4-c]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-2-methyl-6-(1H-pyrazol-1-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(dimethylamino)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-(difluoromethyl)quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (* R)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(4-oxotetrahydrofuran-2-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methylfuro[3,2-b]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(difluoromethyl)isoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methyl-1H-indazol-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(6-fluoroimidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(5-fluoroquinolin-8-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1H-pyrazolo[4,3-b]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(4-fluoroisoquinolin-1-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 5-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbonyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)isoquinoline-1-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(methylamino)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (*S)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(1-hydroxyethyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(1,1-difluoroethyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 5-chloro-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-2-methyl-4-(2H-1,2,3-triazol-2-yl)phenyl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methoxyisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (*S)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(4-oxotetrahydrofuran-2-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (*S)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(tetrahydrofuran-2-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methyl-1H-pyrazolo[3,4-b]pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroimidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methyl-1H-indazol-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(5-oxopyrrolidin-2-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 methyl 3-(3-cyano-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-1-methyl-1H-pyrazole-5-carboxylate;
 N-(5-cyano-6-(1-methyl-1H-pyrazol-3-yl)pyridin-3-yl)-1-(8-fluoroquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1,5-naphthyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(5-((dimethylamino)methyl)-1H-1,2,3-triazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methylbenzo[d]oxazol-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(6-(4-(aminomethyl)-2H-1,2,3-triazol-2-yl)-5-chloropyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(1-methyl-1H-pyrazol-3-yl)pyridin-3-yl)-1-(8-fluoroquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-cyano-2-methyl-4-(2H-1,2,3-triazol-2-yl)phenyl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-chloro-2-fluoro-4-(2H-1,2,3-triazol-2-yl)phenyl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-([1,2,4]triazolo[1,5-a]pyridin-5-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-((N-methylformamido)methyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-a]pyrazin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1,7-naphthyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(1H-pyrazol-1-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-fluoroquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(2-aminobenzo[d]thiazol-7-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isothiazolo[5,4-b]pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(1H-pyrrol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methoxyisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(2-aminobenzo[d]thiazol-7-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(6-(1H-1,2,3-triazol-1-yl)-5-(trifluoromethyl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d]isoxazol-3-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoro-1-(methylamino)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 5-bromo-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-cyanoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-chloroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(pyrazolo[1,5-a]pyridin-4-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methylimidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-N-(5-(trifluoromethyl)pyridin-3-yl)-1H-pyrazole-4-carboxamide;
 1-(1-(1,4-dioxan-2-yl)isoquinolin-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1H-indazol-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 4-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbonyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)quinoline-2-carboxamide;
 N-(5-chloro-6-(5-(hydroxymethyl)-1H-1,2,3-triazol-1-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(4-oxotetrahydrofuran-2-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(6-(4-amino-2H-1,2,3-triazol-2-yl)-5-chloropyridin-3-yl)-1-(benzo[d]thiazol-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(2-amino-[1,2,4]triazolo[1,5-a]pyridin-5-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (*R)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(tetrahydrofuran-2-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-bromo-6-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(oxazol-2-yl)pyridin-3-yl)-1-(8-fluoroquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-methoxypyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(difluoromethyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(methoxymethyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-(1-hydroxyethyl)quinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-methylpyrazolo[1,5-a]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-2-fluoro-4-(2H-1,2,3-triazol-2-yl)phenyl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(benzo[d]isothiazol-3-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-fluoroquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(furo[2,3-d]pyrimidin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-a]pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 4-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbonyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)thieno[2,3-c]pyridine 6-oxide;
 1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-chloro-6-(1-methyl-1H-pyrazol-3-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thiazolo[5,4-d]pyrimidin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methylimidazo[1,2-a]pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-methoxypyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(1-methyl-1H-pyrazol-3-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinazolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (* R)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(1-hydroxyethyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-cyanoisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-fluoro-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(1-hydroxyethyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-2-methyl-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(4-methyl-1H-1,2,3-triazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-methyl-6-(2-methyl-2H-tetrazol-5-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-(difluoromethyl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(tetrahydrofuran-2-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(4-(methoxymethyl)-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(4-(4-(aminomethyl)-1H-pyrazol-1-yl)-3-chlorophenyl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-cyano-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d]thiazol-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-hydroxyisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-tetrazol-5-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-(difluoromethyl)quinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoro-1-(methylamino)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-4-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-fluoro-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methyl-2-oxo-1,2-dihydroquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (*R)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(3-hydroxypyrrolidin-1-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(hydroxymethyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(3-methylthieno[3,2-b]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d]oxazol-4-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(4-fluoronaphthalen-1-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(3-chloro-4-(4-(hydroxymethyl)-1H-pyrazol-1-yl)phenyl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(8-aminoquinolin-5-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 4-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbonyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)quinoline 1-oxide;
 N-(5-cyano-6-(4-(hydroxymethyl)-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 methyl 2-cyano-4-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)benzoate;
 N-(6-(5-amino-1H-1,2,3-triazol-1-yl)-5-chloropyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(4-cyano-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-cyano-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroimidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(6-(5-amino-1-methyl-1H-pyrazol-3-yl)-5-cyanopyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(4-(hydroxymethyl)-1H-pyrazol-1-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(3-methylimidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(6-(5-amino-1-methyl-1H-pyrazol-3-yl)-5-chloropyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroimidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[3,2-d]pyrimidin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoro-1-hydroxyisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d]thiazol-4-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrrolo[1,2-a]pyrazin-1-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(6-(2H-1,2,3-triazol-2-yl)-5-(trifluoromethyl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 4-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbonyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)isoquinoline-1-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrrolo[1,2-a]pyrazin-1-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2-methyl-2H-tetrazol-5-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1,7-naphthyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 2-(3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-2H-1,2,3-triazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrazolo[1,5-a]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[2,3-c]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[2,3-d]pyrimidin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(1,3,4-oxadiazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrazolo[1,5-a]pyrazin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-(1-hydroxyethyl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrrolo[2,1-f][1,2,4]triazin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(1-methyl-1H-pyrazol-3-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 methyl-2-(3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-2H-1,2,3-triazole-4-carboxylate;
 N-(5-chloro-6-(4-((dimethylamino)methyl)-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-bromo-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-cyanoisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(4-(hydroxymethyl)-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(4-(hydroxymethyl)-1H-pyrazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrazolo[1,5-a]pyrazin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(6-(4-amino-2H-1,2,3-triazol-2-yl)-5-chloropyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(6-(4-amino-2H-1,2,3-triazol-2-yl)-5-chloropyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-amino-8-fluoroisoquinolin-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(3-cyano-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-oxo-1,2-dihydroquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(4-aminonaphthalen-1-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(4-fluoro-2-methoxyphenyl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-Dquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-D-quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(3-chloro-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[3,2-b]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-bromo-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrazolo[1,5-a]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(oxazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[2,3-b]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(4-methyl-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(5-fluoronaphthalen-1-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-hydroxyisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d]thiazol-7-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(4-(hydroxymethyl)-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d]thiazol-7-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-amino-8-fluoroisoquinolin-4-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 2-(3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-2H-1,2,3-triazole-4-carboxylic acid;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(furo[3,2-b]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 4-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbonyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)thieno[2,3-c]pyridine-7-carboxamide;
 1-(7-(3-hydroxyazetidin-1-yl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-bromo-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(4-methyl-1H-1,2,3-triazol-1-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(1-aminoisoquinolin-4-yl)-5-(trifluoromethyl)-N-(5-(trifluoromethyl)pyridin-3-yl)-1H-pyrazole-4-carboxamide;

1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-2-methyl-6-(4-methyl-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-ethynyl-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-2-methyl-6-(4-methyl-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

(*R)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-(3-hydroxypyrrolidin-1-yl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-chlorothieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

(*S)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-(3-hydroxypyrrolidin-1-yl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-cyanothieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-(3-hydroxyazetidin-1-yl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

4-(4-((5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbonyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)thieno[2,3-c]pyridine-7-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-cyclopropylthieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-methylthieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-cyanothieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

4-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbonyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)-N-methylthieno[2,3-c]pyridine-7-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-(3-hydroxyazetidin-1-yl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-chlorothieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(2-cyanopyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloropyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;
 1-(8-fluoroimidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;
 N-(6-cyano-5-(trifluoromethyl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 methyl 3-chloro-5-(1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)picolinate;
 1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;
 N-(2-cyanopyridin-4-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(2-(2-methoxyethoxy)-5-(trifluoromethyl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-oxo-1,2-dihydroquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (* S)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-(tetrahydrofuran-2-yl)quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof.

20. A compound selected from the group consisting of:

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-1*H*-pyrazole-4-carboxamide;

N-(2-methyl-1-oxo-1,2-dihydroisoquinolin-7-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-cyano-6-(4-methylpiperazin-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

2-cyano-4-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamido)benzoic acid;

N-(2-morpholinopyridin-4-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(2-methoxypyridin-4-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(6-methyl-5-(trifluoromethyl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-*N*-(pyridin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(2-cyclopropylpyridin-4-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

3-chloro-*N,N*-dimethyl-5-(1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamido)picolinamide;

3-chloro-*N*-methyl-5-(1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamido)picolinamide;

1-(1-aminoisoquinolin-4-yl)-*N*-(6-methyl-5-(trifluoromethyl)pyridin-3-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof.

21. A compound of claim 19 selected from the group consisting of:

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(naphthalen-1-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(benzofuran-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(3-chloro-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(oxazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[3,2-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(oxazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(furo[3,2-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(furo[2,3-c]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

methyl2-(3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-2H-1,2,3-triazole-4-carboxylate;

2-(3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-2H-1,2,3-triazole-4-carboxylic acid;

1-(1-amino-8-fluoroisoquinolin-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(1-amino-8-fluoroisoquinolin-4-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(benzo[d]thiazol-7-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(4-(hydroxymethyl)-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-hydroxyisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(5-fluoronaphthalen-1-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(4-methyl-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[2,3-b]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(oxazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[3,2-b]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(3-chloro-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-D-quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-Dquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(4-aminonaphthalen-1-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(3-cyano-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(6-(4-amino-2H-1,2,3-triazol-2-yl)-5-chloropyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(4-(hydroxymethyl)-1H-pyrazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(4-(hydroxymethyl)-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(4-((dimethylamino)methyl)-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-bromo-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrrolo[2,1-f][1,2,4]triazin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrazolo[1,5-a]pyrazin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[2,3-d]pyrimidin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[2,3-c]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

2-(3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-2H-1,2,3-triazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1,7-naphthyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrrolo[1,2-a]pyrazin-1-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2-methyl-2H-tetrazol-5-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(furo[3,2-b]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(4-fluoro-2-methoxyphenyl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(benzo[d]thiazol-7-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(6-(4-amino-2H-1,2,3-triazol-2-yl)-5-chloropyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(1-aminoisoquinolin-4-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(1-methyl-1H-pyrazol-3-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-bromo-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(1,3,4-oxadiazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrazolo[1,5-a]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrazolo[1,5-a]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(3-chloroimidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-2-methyl-6-(4-methyl-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(1-aminoisoquinolin-4-yl)-N-(5-bromo-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

methyl 3-chloro-5-(1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)picolinate;

N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-oxo-1,2-dihydroquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-2-methyl-6-(4-methyl-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-(1-hydroxyethyl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

4-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)isoquinoline-1-carboxamide;

4-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)thieno[2,3-c]pyridine-7-carboxamide;

4-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)-N-methylthieno[2,3-c]pyridine-7-carboxamide;

4-(4-((5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)thieno[2,3-c]pyridine-7-carboxamide;

5-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)isoquinoline 2-oxide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-cyanoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-cyanoisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methyl-2-oxo-1,2-dihydroquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methoxyquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methoxyisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-ethoxyisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-chlorothieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

(R)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(3-hydroxypyrrolidin-1-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-methoxypyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(methylthio)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-(3-hydroxyazetidin-1-yl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

(S)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-(3-hydroxypyrrolidin-1-yl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

(*S)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(1-hydroxyethyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;


N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

and

1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;


or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof.

22. The compound of claim 21 that is




or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof.

23. The compound of claim 21 that is




or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof.

24. The compound of claim 21 that is




or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof.

25. The compound of claim 21 that is



or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof; or


26. The compound of claim 21 that is



or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof.

27. The compound of according to any one of claims 21 to 26 wherein the compound is a solvate.
28. The compound of claim 27 wherein the compound is a hydrate.


29. The compound that is:



- or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof.
30. The compound of claim 29 wherein the compound is a solvate.
31. The compound of claim 30 wherein the compound is a hydrate.
32. A pharmaceutical composition comprising a compound of claim 1 to 31 and at least one of a pharmaceutically acceptable carrier, a pharmaceutically acceptable excipient, and a pharmaceutically acceptable diluent.
33. The pharmaceutical composition of claim 32, wherein the composition is a solid oral dosage form.
34. The pharmaceutical composition of claim 32, wherein the composition is a syrup, an elixir or a suspension.
35. A compound of any one of claims 1 to 31 for use in treating a disease, syndrome, condition, or disorder, wherein said disease, syndrome, condition, or disorder is affected by the inhibition of MALT1, comprising administering to a subject in need thereof a therapeutically effective amount of the compound of claim 1.
36. The compound of claim 35 for use in treating a disease, syndrome, condition or disorder, wherein said disease, syndrome, condition, or disorder is selected from the

group consisting of diffuse large B-cell lymphoma (DLBCL), mantle cell lymphoma (MCL), follicular lymphoma (FL), and mucosa-associated lymphoid tissue (MALT) lymphoma rheumatoid arthritis (RA), psoritic arthritis (PsA), psoriasis (Pso), ulcerative colitis (UC), Crohn's disease, systemic lupus erythematosus (SLE), asthma, and chronic obstructive pulmonary disease (COPD).

37. A composition of claim 32 for use in treating a disease, syndrome, condition, or disorder selected from the group consisting of diffuse large B-cell lymphoma (DLBCL), mantle cell lymphoma (MCL), follicular lymphoma (FL), and mucosa-associated lymphoid tissue (MALT) lymphoma rheumatoid arthritis (RA), psoritic arthritis (PsA), psoriasis (Pso), ulcerative colitis (UC), Crohn's disease, systemic lupus erythematosus (SLE), asthma, and chronic obstructive pulmonary disease (COPD), comprising administering to a subject in need thereof a therapeutically effective amount of the composition of claim 32.
38. A compound of any one of claims 1 to 31 for use in treating a disorder selected from the group consisting of diffuse large B-cell lymphoma (DLBCL), mantle cell lymphoma (MCL), follicular lymphoma (FL), and mucosa-associated lymphoid tissue (MALT) lymphoma rheumatoid arthritis (RA), psoritic arthritis (PsA), psoriasis (Pso), ulcerative colitis (UC), Crohn's disease, systemic lupus erythematosus (SLE), asthma, and chronic obstructive pulmonary disease (COPD), in a subject in need thereof.
39. A therapeutically effective amount of (a) a MALT1 inhibitor and (b) a pharmaceutical agent for use in treating a disease, syndrome, condition, or disorder, wherein said disease, syndrome, condition, or disorder is affected by the inhibition of MALT1, comprising administering to a subject in need thereof a therapeutically effective amount of (a) a MALT1 inhibitor, and (b) a pharmaceutical agent selected from the group consisting of a BTK inhibitor, a SYK inhibitor, a PKC inhibitor, a PI3K pathway inhibitor, a BCL family inhibitor, a JAK inhibitor, a PIM kinase inhibitor, a B cell antigen-binding antibody, an immune cell redirection agent, an immunomodulatory agent, an anti-PD1 antibody, and an anti-PD-L1 antibody; and wherein said MALT1 inhibitor is a compound of Formula (I)



Formula (I)

wherein

R₁ is selected from the group consisting of

- i) naphthalen-1-yl, optionally substituted with a fluoro or amino substituent; and
- ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from deuterium, methyl, ethyl, propyl, isopropyl, trifluoromethyl, cyclopropyl, methoxymethyl, difluoromethyl, 1,1-difluoroethyl, hydroxymethyl, 1-hydroxyethyl, 1-ethoxyethyl, hydroxy, methoxy, ethoxy, fluoro, chloro, bromo, methylthio, cyano, amino, methylamino, dimethylamino, 4-oxotetrahydrofuran-2-yl, 5-oxopyrrolidin-2-yl, 1,4-dioxanyl, aminocarbonyl, methylcarbonyl, methylaminocarbonyl, oxo, 1-(t-butoxycarbonyl)azetidin-2-yl, N-(methyl)formamidomethyl, tetrahydrofuran-2-yl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, or azetidin-2-yl;

R₂ is selected from the group consisting of C₁₋₄alkyl, 1-methoxy-ethyl, difluoromethyl, fluoro, chloro, bromo, cyano, and trifluoromethyl;

G₁ is N or C(R₄);

G₂ is N or C(R₃); such that only one of G₁ and G₂ are N in any instance;

R₃ is independently selected from the group consisting of trifluoromethyl, cyano, C₁₋₄alkyl, fluoro, chloro, bromo, methylcarbonyl, methylthio, methylsulfinyl, and methanesulfonyl; or, when G₁ is N, R₃ is further selected from C₁₋₄alkoxycarbonyl;

R₄ is selected from the group consisting of

- i) hydrogen, when G₂ is N;
- ii) C₁₋₄alkoxy;
- iii) cyano;
- iv) cyclopropyloxy;
- v) a heteroaryl selected from the group consisting of triazolyl, oxazolyl, isoxazolyl, pyrazolyl, pyrrolyl, thiazolyl, tetrazolyl, oxadiazolyl, imidazolyl, 2-amino-pyrimidin-4-yl, 2H-[1,2,3]triazolo[4,5-c]pyridin-2-yl, 2H-[1,2,3]triazolo[4,5-b]pyridin-2-yl, 3H-[1,2,3]triazolo[4,5-b]pyridin-3-yl, 1H-[1,2,3]triazolo[4,5-c]pyridin-1-yl, wherein the heteroaryl is optionally substituted with one or two substituents independently selected from oxo, C₁₋₄alkyl, carboxy, methoxycarbonyl, aminocarbonyl, hydroxymethyl, aminomethyl, (dimethylamino)methyl, amino, methoxymethyl, trifluoromethyl, amino(C₂₋₄alkyl)amino, or cyano;
- vi) 1-methyl-piperidin-4-yloxy;
- vii) 4-methyl-piperazin-1-ylcarbonyl;
- viii) (4-aminobutyl)aminocarbonyl;
- ix) (4-amino)butoxy;
- x) 4-(4-aminobutyl)-piperazin-1-ylcarbonyl;
- xi) methoxycarbonyl;
- xii) 5-chloro-6-(methoxycarbonyl)pyridin-3-ylaminocarbonyl;
- xiii) 1,1-dioxo-isothiazolidin-2-yl;
- xiv) 3-methyl-2-oxo-2,3-dihydro-1H-imidazol-1-yl;
- xv) 2-oxopyrrolidin-1-yl;
- xvi) (*E*)- (4-aminobut-1-en-1-yl)-aminocarbonyl;
- xvii) difluoromethoxy;
- and
- xviii) morpholin-4-ylcarbonyl;

R₅ is independently selected from the group consisting of hydrogen, chloro, fluoro, bromo, methoxy, methylsulfonyl, cyano, C₁₋₄alkyl, ethynyl, morpholin-4-yl, trifluoromethyl, hydroxyethyl, methylcarbonyl, methylsulfinyl, 3-hydroxy-pyrrolidin-

1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, azetidin-2-yl, methylthio, and 1,1-difluoroethyl;

or R₄ and R₅ may be taken together to form 8-chloro-4-methyl-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl, 8-chloro-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl, 2-methyl-1-oxo-1,2,3,4-tetrahydroisoquinolin-7-yl, 4-methyl-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl, 3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl, 1-methyl-1*H*-pyrazolo[3,4-*b*]pyridin-5-yl, 1*H*-pyrazolo[3,4-*b*]pyridin-5-yl, 2,3-dihydro-[1,4]dioxino[2,3-*b*]pyridin-5-yl, 1,3-dioxolo[4,5]pyridine-5-yl, 1-oxo-1,3-dihydroisobenzofuran-5-yl, 2,2-dimethylbenzo[*d*][1,3]dioxol-5-yl, 2,3-dihydrobenzo[*b*][1,4]dioxin-6-yl, 1-oxoisindolin-5-yl, or 2-methyl-1-oxoisindolin-5-yl, 1*H*-indazol-5-yl;

R₆ is hydrogen, C₁₋₄alkyl, fluoro, 2-methoxy-ethoxy, chloro, cyano, or trifluoromethyl;

R₇ is hydrogen or fluoro;

provided that a compound of Formula (I) is other than

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 2*H*-1,2,3-triazol-2-yl, G₂ is N, and R₅ is hydrogen;

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1*H*-imidazol-1-yl, G₂ is N, and R₅ is chloro;

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1*H*-1,2,3-triazol-1-yl, G₂ is N, and R₅ is hydrogen;


a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is hydrogen, G₂ is N, and R₅ is fluoro;

or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof.

40. The therapeutically effective amount of (a) a MALT1 inhibitor and (b) a pharmaceutical agent of claim 39 for use in treating a disease, syndrome, condition, or


disorder, wherein said disease, syndrome, condition, or disorder is affected by the inhibition of MALT1 wherein the BTK inhibitor is ibrutinib.

41. The therapeutically effective amount of (a) a MALT1 inhibitor and (b) a pharmaceutical agent of claim 39 for use in treating a disease, syndrome, condition, or disorder, wherein said disease, syndrome, condition, or disorder is affected by the inhibition of MALT1 wherein the B cell antigen-binding antibody is rituximab.
42. The therapeutically effective amount of (a) a MALT1 inhibitor and (b) a pharmaceutical agent of claim 39 for use in treating a disease, syndrome, condition, or disorder, wherein said disease, syndrome, condition, or disorder is affected by the inhibition of MALT1 wherein the immunomodulatory agent is daratumumab.
43. A process for the preparation of a compound that is




comprising the steps of:

(i)




reacting (112a) with intermediate (Y1) to yield (112b); then oxidizing (112b) to yield (112c);

(ii)




converting (112c) to (112d); subsequently treating (112d) with concentrated hydrochloric acid; to yield (112e);

(iii)



reacting (112e) with (Y2), in the presence of an organic solvent; to yield compound 158.

44. A compound of Formula (Ia)




Formula (Ia)

wherein R_1 is 1-oxo-1,2-dihydroisoquinolin-5-yl; G_1 is N; G_2 is C(R_3) wherein R_3 is trifluoromethyl; and R_5 , R_6 and R_7 are hydrogen;


prepared by a process comprising the steps of:

(i)




reacting an intermediate of formula x1 (wherein X is bromo, chloro, or iodo) with benzophenone hydrazine, in the presence of a palladium catalyst, a ligand, and a base, to afford a hydrazine of formula x2;

(ii)




acidic hydrolysis of a hydrazine of formula x2 to afford a hydrazine of formula x3;

(iii)



reacting an intermediate of formula x4 (wherein R' is C₁₋₄alkyl and W is OEt or NMe₂) with a hydrazine of formula x3 to afford a pyrazole of formula x5;

(iv)



hydrolysis of a pyrazole of formula x5; then conversion to a compound of Formula (Ia) via coupling with an intermediate of formula x6.