










Figure 1







Compound No.	Structure
1	
2	
3	

Compound No.	Structure
4	 Chemical structure of Compound 4: A complex molecule featuring a central benzene ring substituted with a quinoline-2-yl ether group, a piperazine ring, and a sulfonamide group. The sulfonamide group is further substituted with a 4-nitrophenyl ring and a 4-(hydroxymethyl)cyclohexyl group. The piperazine ring is also substituted with a 4-(trifluoromethyl)cyclohexyl group.
5	 Chemical structure of Compound 5: A complex molecule featuring a central benzene ring substituted with a quinoline-2-yl ether group, a piperazine ring, and a sulfonamide group. The sulfonamide group is further substituted with a 4-nitrophenyl ring and a 4-(hydroxymethyl)cyclohexyl group. The piperazine ring is also substituted with a 4-(difluoromethyl)cyclohexyl group.
6	 Chemical structure of Compound 6: A complex molecule featuring a central benzene ring substituted with a quinoline-2-yl ether group, a piperazine ring, and a sulfonamide group. The sulfonamide group is further substituted with a 4-nitrophenyl ring and a 4-(hydroxymethyl)cyclohexyl group. The piperazine ring is also substituted with a 4-(methyl)cyclohexyl group.

Compound No.	Structure
7	 Chemical structure of Compound 7: A complex molecule featuring a central benzene ring substituted with a quinoline-2-yl ether group, a piperazine ring, and a sulfonamide group. The sulfonamide group is further substituted with a 4-nitrophenyl ring and a 4-(dimethylamino)phenyl ring. The piperazine ring is also substituted with a 4-(dimethylamino)phenyl ring and a 4-(dimethylamino)phenyl ring. The piperazine ring is also substituted with a 4-(dimethylamino)phenyl ring and a 4-(dimethylamino)phenyl ring.
8	 Chemical structure of Compound 8: A complex molecule featuring a central benzene ring substituted with a quinoline-2-yl ether group, a piperazine ring, and a sulfonamide group. The sulfonamide group is further substituted with a 4-nitrophenyl ring and a 4-(dimethylamino)phenyl ring. The piperazine ring is also substituted with a 4-(dimethylamino)phenyl ring and a 4-(dimethylamino)phenyl ring. The piperazine ring is also substituted with a 4-(dimethylamino)phenyl ring and a 4-(dimethylamino)phenyl ring.
9	 Chemical structure of Compound 9: A complex molecule featuring a central benzene ring substituted with a quinoline-2-yl ether group, a piperazine ring, and a sulfonamide group. The sulfonamide group is further substituted with a 4-nitrophenyl ring and a 4-(dimethylamino)phenyl ring. The piperazine ring is also substituted with a 4-(dimethylamino)phenyl ring and a 4-(dimethylamino)phenyl ring. The piperazine ring is also substituted with a 4-(dimethylamino)phenyl ring and a 4-(dimethylamino)phenyl ring.

Compound No.	Structure
10	

Figure 2

Compound No.	Structure
1A	
2A	
3A	
4A	
5A	
6A	







Compound No.	Structure
7A	
8A	
9A	
10A	
11A	
12A	

Figure 3




Figure 4

