




Fig. 1B




Fig. 1A




Fig. 1C




Fig. 1D






Fig. 1E



4/92




Fig. 1G




Fig. 1J




Fig. 1K




Fig. 1M




Fig. 1O




Fig. 1L







Fig. 1N

7/92

*Fig. 1P**Fig. 1Q*

*Fig. 2A*

9/92





Fig. 2B

10/92

*Fig. 2C*

11/92




Fig. 2D




Fig. 2E







Fig. 2F



15/92

*Fig. 2I**Fig. 2J*

16/92




Fig. 3A




Fig. 3B




Fig. 3C









Fig. 3D

18/92

*Fig. 3E**Fig. 3F*

19/92

*Fig. 3G**Fig. 3H**Fig. 3I*

20/92





Fig. 3J






Fig. 4C

● Vehicle
▲ Navitoclax 100 mg/kg
◆ BTSA1.2 200 mg/kg
■ Navitoclax + BTSA1.2




Fig. 4D

● Vehicle
▲ Navitoclax 100 mg/kg
◆ BTSA1.2 200 mg/kg
■ Navitoclax + BTSA1.2

Lymphocytes




Fig. 4E

- Vehicle
- ◆ BTSA1.2 200 mg/kg
- ▲ Navitoclax 100 mg/kg
- Navitoclax + BTSA1.2





Fig. 4F

- Vehicle
- ◆ BTSA1.2 200 mg/kg
- ▲ Navitoclax 100 mg/kg
- Navitoclax + BTSA1.2

*Fig. 4G*






Fig. 5C






Fig. 5D



27/92




Fig. 5H




Fig. 5I

28/92




Fig. 6A




Fig. 6B




Fig. 6C




Fig. 6D

29/92




Fig. 6E




Fig. 6F




Fig. 6G




Fig. 6H




Fig. 6I




Fig. 6J





Fig. 6K

33/92

*Fig. 6L*

34/92




Fig. 7A




Fig. 7C




Fig. 7D




Fig. 7B






Fig. 7E

37/92

*Fig. 8A**Fig. 8B*




Fig. 9A




Fig. 9A (con't)




Fig. 9B




Fig. 10A

42/92




Fig. 10A (con't)






Fig. 10B

43/92

*Fig. 10C**Fig. 10D*




Fig. 11A









Fig. 11D



45/92

*Fig. 11F**Fig. 11G*




Fig. 12A

47/92




Fig. 12A (cont)





Fig. 12B

49/92

*Fig. 12C*




Fig. 13A




Fig. 13A (cont)




Fig. 13A (cont)




Fig. 13A (cont)




Fig. 13A (cont)





Fig. 13B





Fig. 13C






Fig. 13D



57/92




Fig. 14A (cont)

58/92




Fig. 14A (cont)

59/92




Fig. 14A (cont)

60/92




Fig. 14B

61/92




Fig. 14B (cont)





Fig. 14B (cont)

63/92






Fig. 14C




Fig. 14C (cont)




Fig. 14C (cont)

67/92








Fig. 14C (con't)






Fig. 16A




Fig. 16B




Fig. 16C




Fig. 16D




Fig. 16E








Fig. 16F

72/92

*Fig. 16G*

RBC






Fig. 17D




Fig. 17E

75/92




Fig. 18A




Fig. 18B





Fig. 18C

77/92

*Fig. 18D*




Fig. 18E1




Fig. 18E2




Fig. 18E3




Fig. 18E4

82/92




Fig. 18F




Fig. 19A

Fig. 19B




Fig. 20












Fig. 21A




85/82

*Fig. 23A**Fig. 23B*

*Fig. 24A**Fig. 24B*

*Fig. 25A**Fig. 25B*






Fig. 26B






Fig. 26C





92/92




Fig. 26E